

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112423\
 Data File : VX039021.D
 Acq On : 24 Nov 2023 13:37
 Operator : JC/MD
 Sample : VSTDICV020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICSVX112423

Quant Time: Nov 27 03:26:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X112423W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Nov 27 03:22:25 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Bromochloromethane	1.000	1.000	0.0	94	0.00
2 M	Dichlorodifluoromethane	4.490	4.604	-2.5	95	0.00
3 M	Chloromethane	5.141	5.177	-0.7	96	0.00
4 M	Vinyl Chloride	5.191	5.263	-1.4	96	0.00
5 M	Bromomethane	3.175	3.617	-13.9	96	0.00
6 M	Chloroethane	3.023	3.137	-3.8	94	0.00
7 M	Trichlorofluoromethane	7.164	7.084	1.1	92	0.00
8 T	Diethyl Ether	2.750	2.753	-0.1	94	0.00
9	1,1,2-Trichlorotrifluoroeth	4.048	4.067	-0.5	96	0.00
10 M	1,1-Dichloroethene	4.081	4.060	0.5	95	0.00
11	Methyl Iodide	4.472	4.534	-1.4	105	0.00
12	Methyl Acetate	12.727	13.319	-4.7	100	0.00
13 M	Acrolein	1.115	1.105	0.9	98	0.00
14 M	Acrylonitrile	3.113	3.234	-3.9	99	0.00
15 M	Acetone	1.131	0.974	13.9	72	0.00
16 M	Carbon Disulfide	12.359	12.394	-0.3	97	0.00
17	Allyl chloride	8.101	8.402	-3.7	99	0.00
18 M	Methylene Chloride	4.837	4.949	-2.3	100	0.00
19 M	trans-1,2-Dichloroethene	4.615	4.587	0.6	97	0.00
20 T	Diisopropyl ether	15.416	15.807	-2.5	98	0.00
21 M	1,1-Dichloroethane	8.571	8.613	-0.5	96	0.00
22 M	cis-1,2-Dichloroethene	5.349	5.375	-0.5	96	0.00
23 M	tert-Butyl Alcohol	1.723	1.721	0.1	99	0.00
24 M	Methyl tert-Butyl Ether	15.032	15.313	-1.9	98	0.00
25 M	Chloroform	8.603	8.779	-2.0	98	0.00
26	Cyclohexane	7.758	7.774	-0.2	96	0.00
27 s	1,2-Dichloroethane-d4	4.104	4.280	-4.3	96	0.00
28 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
29	1,1-Dichloropropene	0.841	0.796	5.4	94	0.00
30 M	2-Butanone	0.633	0.596	5.8	90	0.00
31	2,2-Dichloropropane	0.962	0.912	5.2	93	0.00
32 M	1,1,1-Trichloroethane	0.972	0.953	2.0	97	0.00
33 M	Carbon Tetrachloride	0.819	0.793	3.2	95	0.00
34 M	Benzene	2.450	2.399	2.1	97	0.00
35	Methacrylonitrile	0.561	0.547	2.5	99	0.00
36 M	1,2-Dichloroethane	0.899	0.891	0.9	98	0.00
37 M	Trichloroethene	0.622	0.598	3.9	95	0.00
38	Methylcyclohexane	1.048	1.009	3.7	94	0.00
39 M	1,2-Dichloropropane	0.646	0.618	4.3	97	0.00
40	Dibromomethane	0.457	0.446	2.4	97	0.00
41 M	Bromodichloromethane	0.877	0.848	3.3	96	0.00
42 M	Vinyl Acetate	1.508	1.478	2.0	96	0.00
43	Ethyl Acetate	1.089	1.074	1.4	97	0.00
44	Isopropyl Acetate	1.717	1.674	2.5	98	0.00
45 T	1,4-Dioxane	0.018	0.017	5.6	102	0.00
46	Methyl methacrylate	0.982	0.957	2.5	98	0.00
47	n-amyl Acetate	1.453	1.381	5.0	99	0.00
48 M	t-1,3-Dichloropropene	1.017	0.959	5.7	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112423\
 Data File : VX039021.D
 Acq On : 24 Nov 2023 13:37
 Operator : JC/MD
 Sample : VSTDICV020
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ICVVX112423

Quant Time: Nov 27 03:26:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\624X112423W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Nov 27 03:22:25 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	cis-1,3-Dichloropropene	1.049	1.006	4.1	95	0.00
50 M	1,1,2-Trichloroethane	0.620	0.609	1.8	97	0.00
51	Ethyl methacrylate	0.776	0.760	2.1	101	0.00
52	1,3-Dichloropropane	1.063	1.036	2.5	96	0.00
53 M	Dibromochloromethane	0.666	0.630	5.4	93	0.00
54 M	1,2-Dibromoethane	0.680	0.666	2.1	99	0.00
55 M	2-Chloroethyl vinyl ether	0.492	0.463	5.9	98	0.00
56 M	Bromoform	0.481	0.441	8.3	94	0.00
57 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
58 M	4-Methyl-2-Pentanone	0.910	0.902	0.9	98	0.00
59 M	2-Hexanone	0.747	0.723	3.2	96	0.00
60 S	4-Bromofluorobenzene	0.655	0.648	1.1	98	0.00
61 M	Tetrachloroethene	0.390	0.386	1.0	97	0.00
62 M	Toluene	2.130	2.098	1.5	98	0.00
63 S	Toluene-d8	1.186	1.202	-1.3	100	0.00
64 M	Chlorobenzene	1.296	1.248	3.7	97	0.00
65	1,1,1,2-Tetrachloroethane	0.467	0.446	4.5	95	0.00
66 M	Ethyl Benzene	2.425	2.357	2.8	97	0.00
67 M	m/p-Xylenes	0.896	0.866	3.3	97	0.00
68 M	o-Xylene	0.868	0.854	1.6	99	0.00
69 M	Styrene	1.285	1.234	4.0	97	0.00
70	Isopropylbenzene	2.323	2.229	4.0	96	0.00
71 M	1,1,2,2-Tetrachloroethane	0.867	0.831	4.2	97	0.00
72	1,2,3-Trichloropropane	0.734	0.723	1.5	98	0.00
73	Bromobenzene	0.529	0.507	4.2	99	0.00
74	n-propylbenzene	2.846	2.721	4.4	96	0.00
75	2-Chlorotoluene	1.670	1.609	3.7	97	0.00
76	1,3,5-Trimethylbenzene	2.001	1.943	2.9	97	0.00
77	t-1,4-Dichloro-2-butene	0.291	0.267	8.2	98	0.00
78	4-Chlorotoluene	1.963	1.846	6.0	94	0.00
79	tert-butylbenzene	1.903	1.842	3.2	96	0.00
80	1,2,4-Trimethylbenzene	2.003	1.912	4.5	96	0.00
81	sec-Butylbenzene	2.405	2.297	4.5	97	0.00
82	p-Isopropyltoluene	2.039	1.921	5.8	95	0.00
83 M	1,3-Dichlorobenzene	1.012	0.973	3.9	98	0.00
84 M	1,4-Dichlorobenzene	1.038	0.993	4.3	97	0.00
85	n-Butylbenzene	2.013	1.895	5.9	97	0.00
86 T	Hexachloroethane	0.386	0.363	6.0	96	0.00
87 M	1,2-Dichlorobenzene	0.973	0.939	3.5	97	0.00
88	1,2-Dibromo-3-Chloropropane	0.222	0.213	4.1	97	0.00
89	1,2,4-Trichlorobenzene	0.645	0.617	4.3	97	0.00
90	Hexachlorobutadiene	0.230	0.214	7.0	93	0.00
91 M	Naphthalene	2.379	2.237	6.0	97	0.00
92	1,2,3-Trichlorobenzene	0.625	0.586	6.2	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0