

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112621\
 Data File : VX025349.D
 Acq On : 26 Nov 2021 12:29
 Operator : JC/MD
 Sample : M4839-03
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 ESQP3

Quant Time: Nov 26 23:57:34 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Nov 26 23:56:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	154017	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	140215	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	64940	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	43713	41.588	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.180%
7) Chloroethane-d5	1.660	69	38661	44.566	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.140%
11) 1,1-Dichloroethene-d2	2.306	63	58562	34.943	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.880%
21) 2-Butanone-d5	4.452	46	79044	101.023	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.020%
24) Chloroform-d	5.056	84	87962	47.883	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.760%
26) 1,2-Dichloroethane-d4	5.958	65	56099	48.993	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.980%
32) Benzene-d6	5.977	84	179373	48.269	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.540%
36) 1,2-Dichloropropane-d6	7.312	67	55795	48.494	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.980%
41) Toluene-d8	8.647	98	163236	46.538	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.080%
43) trans-1,3-Dichloroprop...	8.952	79	26395	45.630	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.260%
47) 2-Hexanone-d5	9.384	63	58426	97.553	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.550%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	77817	47.856	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.720%
66) 1,2-Dichlorobenzene-d4	12.323	152	64108	50.332	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.660%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX112621\
Data File : VX025349.D
Acq On : 26 Nov 2021 12:29
Operator : JC/MD
Sample : M4839-03
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
ESQP3

Quant Time: Nov 26 23:57:34 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM112221WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Nov 26 23:56:11 2021
Response via : Initial Calibration

