

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX112719\
 Data File : VX013665.D
 Acq On : 27 Nov 2019 20:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 28 04:25:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.557	0.573	-2.9	92	0.00
3 P	Chloromethane	0.624	0.622	0.3	91	0.00
4 C	Vinyl Chloride	0.703	0.734	-4.4#	92	0.00
5 T	Bromomethane	0.472	0.357	24.4#	74	0.00
6 T	Chloroethane	0.400	0.401	-0.3	95	0.00
7 T	Trichlorofluoromethane	0.780	0.771	1.2	94	0.00
8 T	Diethyl Ether	0.353	0.358	-1.4	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.477	0.470	1.5	94	0.00
10 T	Methyl Iodide	0.577	0.463	19.8	69	0.00
11 T	Tert butyl alcohol	0.143	0.135	5.6	92	0.00
12 CM	1,1-Dichloroethene	0.476	0.480	-0.8#	93	0.00
13 T	Acrolein	0.088	0.082	6.8	78	0.00
14 T	Allyl chloride	0.864	0.863	0.1	92	0.00
15 T	Acrylonitrile	0.296	0.303	-2.4	94	0.00
16 T	Acetone	0.287	0.263	8.4	84	0.00
17 T	Carbon Disulfide	1.356	1.274	6.0	89	0.00
18 T	Methyl Acetate	0.798	0.848	-6.3	94	0.00
19 T	Methyl tert-butyl Ether	1.576	1.598	-1.4	93	0.00
20 T	Methylene Chloride	0.551	0.543	1.5	95	0.00
21 T	trans-1,2-Dichloroethene	0.518	0.515	0.6	93	0.00
22 T	Diisopropyl ether	1.663	1.704	-2.5	94	0.00
23 T	Vinyl Acetate	1.383	1.432	-3.5	93	0.00
24 P	1,1-Dichloroethane	0.909	0.932	-2.5	95	0.00
25 T	2-Butanone	0.426	0.431	-1.2	91	0.00
26 T	2,2-Dichloropropane	0.752	0.677	10.0	84	0.00
27 T	cis-1,2-Dichloroethene	0.595	0.586	1.5	92	0.00
28 T	Bromochloromethane	0.320	0.386	-20.6#	97	0.00
29 T	Tetrahydrofuran	0.263	0.280	-6.5	94	0.00
30 C	Chloroform	0.922	0.894	3.0#	92	0.00
31 T	Cyclohexane	0.857	0.840	2.0	92	0.00
32 T	1,1,1-Trichloroethane	0.770	0.775	-0.6	94	0.00
33 S	1,2-Dichloroethane-d4	0.580	0.565	2.6	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	91	0.00
35 S	Dibromofluoromethane	0.309	0.304	1.6	95	0.00
36 T	1,1-Dichloropropene	0.454	0.437	3.7	91	0.00
37 T	Ethyl Acetate	0.509	0.527	-3.5	93	0.00
38 T	Carbon Tetrachloride	0.419	0.418	0.2	92	0.00
39 T	Methylcyclohexane	0.561	0.538	4.1	91	0.00
40 TM	Benzene	1.382	1.359	1.7	93	0.00
41 T	Methacrylonitrile	0.279	0.292	-4.7	93	0.00
42 TM	1,2-Dichloroethane	0.471	0.471	0.0	94	0.00
43 T	Isopropyl Acetate	0.838	0.841	-0.4	93	0.00
44 TM	Trichloroethene	0.379	0.364	4.0	91	0.00
45 C	1,2-Dichloropropane	0.346	0.354	-2.3#	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX112719\
 Data File : VX013665.D
 Acq On : 27 Nov 2019 20:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Nov 28 04:25:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.230	2.1	94	0.00
47 T	Bromodichloromethane	0.444	0.445	-0.2	92	0.00
48 T	Methyl methacrylate	0.407	0.424	-4.2	93	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	94	0.00
50 S	Toluene-d8	1.204	1.170	2.8	94	0.00
51 T	4-Methyl-2-Pentanone	0.527	0.547	-3.8	95	0.00
52 CM	Toluene	0.859	0.848	1.3#	93	0.00
53 T	t-1,3-Dichloropropene	0.505	0.496	1.8	89	0.00
54 T	cis-1,3-Dichloropropene	0.552	0.555	-0.5	91	0.00
55 T	1,1,2-Trichloroethane	0.346	0.350	-1.2	94	0.00
56 T	Ethyl methacrylate	0.556	0.573	-3.1	94	0.00
57 T	1,3-Dichloropropane	0.597	0.587	1.7	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.218	0.223	-2.3	94	0.00
59 T	2-Hexanone	0.411	0.419	-1.9	93	0.00
60 T	Dibromochloromethane	0.359	0.362	-0.8	91	0.00
61 T	1,2-Dibromoethane	0.370	0.364	1.6	93	0.00
62 S	4-Bromofluorobenzene	0.434	0.419	3.5	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	91	0.00
64 T	Tetrachloroethene	0.373	0.354	5.1	93	0.00
65 PM	Chlorobenzene	1.038	1.007	3.0	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.375	-0.5	93	0.00
67 C	Ethyl Benzene	1.784	1.795	-0.6#	92	0.00
68 T	m/p-Xylenes	0.683	0.681	0.3	93	0.00
69 T	o-Xylene	0.666	0.663	0.5	92	0.00
70 T	Styrene	1.120	1.133	-1.2	92	0.00
71 P	Bromoform	0.308	0.308	0.0	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	3.507	3.465	1.2	92	0.00
74 T	N-amyl acetate	1.607	1.654	-2.9	92	0.00
75 P	1,1,2,2-Tetrachloroethane	1.216	1.233	-1.4	94	0.00
76 T	1,2,3-Trichloropropane	1.125	0.969	13.9	78	0.00
77 T	Bromobenzene	0.948	0.913	3.7	92	0.00
78 T	n-propylbenzene	3.915	3.904	0.3	92	0.00
79 T	2-Chlorotoluene	2.349	2.322	1.1	93	0.00
80 T	1,3,5-Trimethylbenzene	2.875	2.911	-1.3	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.399	2.9	88	0.00
82 T	4-Chlorotoluene	2.720	2.679	1.5	93	0.00
83 T	tert-Butylbenzene	2.921	2.946	-0.9	93	0.00
84 T	1,2,4-Trimethylbenzene	2.917	2.929	-0.4	93	0.00
85 T	sec-Butylbenzene	3.337	3.361	-0.7	93	0.00
86 T	p-Isopropyltoluene	3.104	3.110	-0.2	92	0.00
87 T	1,3-Dichlorobenzene	1.652	1.579	4.4	91	0.00
88 T	1,4-Dichlorobenzene	1.682	1.570	6.7	91	0.00
89 T	n-Butylbenzene	2.648	2.649	-0.0	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX112719\
Data File : VX013665.D
Acq On : 27 Nov 2019 20:31
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Nov 28 04:25:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
Quant Title : SW846 8260
QLast Update : Tue Nov 26 15:53:00 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.561	0.553	1.4	93	0.00
91 T	1,2-Dichlorobenzene	1.632	1.591	2.5	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.265	0.270	-1.9	92	0.00
93 T	1,2,4-Trichlorobenzene	1.137	1.074	5.5	88	0.00
94 T	Hexachlorobutadiene	0.546	0.498	8.8	91	0.00
95 T	Naphthalene	3.387	3.527	-4.1	93	0.00
96 T	1,2,3-Trichlorobenzene	1.126	1.104	2.0	92	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6