

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX112719\  
 Data File : VX013645.D  
 Acq On : 27 Nov 2019 12:17  
 Operator : JC/SP  
 Sample : K5983-02  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 STORAGE-BLANK-WATER-REF-5

Quant Time: Nov 28 01:03:12 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X112619W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Nov 26 15:53:00 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.65  | 168  | 659199   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 1052746  | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 922102   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.07 | 152  | 410515   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 6.05   | 65  | 379708   | 49.62 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.24% |      |
| 35) Dibromofluoromethane    | 5.49   | 113 | 312422   | 48.00 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 96.00% |      |
| 50) Toluene-d8              | 8.71   | 98  | 1235643  | 48.73 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 97.46% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 411499   | 45.00 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 90.00% |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX112719\  
Data File : VX013645.D  
Acq On : 27 Nov 2019 12:17  
Operator : JC/SP  
Sample : K5983-02  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
STORAGE-BLANK-WATER-REF-5

Quant Time: Nov 28 01:03:12 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X112619W.M  
Quant Title : SW846 8260  
QLast Update : Tue Nov 26 15:53:00 2019  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.65 min Scan# 782

Delta R.T. 0.01 min

Lab File: VX013645.D

Acq: 27 Nov 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :


STORAGE-BLANK-WATER-REF-5

Tot Ion:168 Resp: 659199

Ion Ratio Lower Upper

168 100

99 49.1 39.8 59.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.65

250000

200000

150000



100000

50000

0

Time-->

5.50 5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 49.623 ug/l

RT: 6.05 min Scan# 847

Delta R.T. 0.00 min

Lab File: VX013645.D


Acq: 27 Nov 2019 12:17

Tgt Ion: 65 Resp: 379708

Ion Ratio Lower Upper

65 100

67 52.2 0.0 104.4



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.05

150000


100000


50000

0

Time-->

5.90 6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.85 min Scan# 978

Delta R.T. 0.00 min

Lab File: VX013645.D

Acq: 27 Nov 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :

STORAGE-BLANK-WATER-REF-5


Tot Ion:114 Resp: 1052746

Ion Ratio Lower Upper

114 100

63 19.7 0.0 39.6




88 15.4 0.0 31.4



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 48.004 ug/l

RT: 5.49 min Scan# 755

Delta R.T. 0.00 min

Lab File: VX013645.D

Acq: 27 Nov 2019 12:17


Tgt Ion:113 Resp: 312422

Ion Ratio Lower Upper

113 100

111 102.3 83.6 125.4



192 23.6 19.2 28.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.730 ug/l

RT: 8.71 min Scan# 1283

Delta R.T. 0.00 min

Lab File: VX013645.D

Acq: 27 Nov 2019 12:17

Instrument :

MSVOA\_X

ClientSampleId :





STORAGE-BLANK-WATER-REF-5

Tot Ion: 98 Resp: 1235643

Ion Ratio Lower Upper

98 100

100 66.0 53.1 79.7



#62

4-Bromofluorobenzene

Concen: 45.004 ug/l

RT: 11.13 min Scan# 1680

Delta R.T. -0.01 min

Lab File: VX013645.D

Acq: 27 Nov 2019 12:17




Tgt Ion: 95 Resp: 411499


Ion Ratio Lower Upper

95 100

174 89.8 0.0 180.0

176 86.6 0.0 173.6









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 10.11 min Scan# 1513  
Delta R.T. 0.00 min  
Lab File: VX013645.D  
Acq: 27 Nov 2019 12:17

Instrument :  
MSVOA\_X  
ClientSampleId :  
STORAGE-BLANK-WATER-REF-5

| Tot Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 117     | 100   |       |       |
| 82      | 52.6  | 41.8  | 62.8  |
| 119     | 32.9  | 25.8  | 38.8  |



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 12.07 min Scan# 1835  
Delta R.T. 0.00 min  
Lab File: VX013645.D  
Acq: 27 Nov 2019 12:17

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 152     | 100   |       |       |
| 115     | 53.9  | 38.4  | 115.1 |
| 150     | 156.3 | 0.0   | 346.8 |

