

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120418\
 Data File : VX006268.D
 Acq On : 04 Dec 2018 10:14
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 04 13:07:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.490	0.571	-16.5	97	0.00
3 P	Chloromethane	0.503	0.528	-5.0	92	0.00
4 C	Vinyl Chloride	0.541	0.581	-7.4#	94	0.00
5 T	Bromomethane	0.375	0.427	-13.9	110	0.00
6 T	Chloroethane	0.332	0.356	-7.2	93	0.00
7 T	Trichlorofluoromethane	0.831	0.892	-7.3	96	0.00
8 T	Diethyl Ether	0.315	0.333	-5.7	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.526	-11.2	102	0.00
10 T	Methyl Iodide	0.712	0.789	-10.8	97	0.00
11 T	Tert butyl alcohol	0.140	0.129	7.9	85	0.00
12 CM	1,1-Dichloroethene	0.452	0.474	-4.9#	97	0.00
13 T	Acrolein	0.076	0.073	3.9	90	0.00
14 T	Allyl chloride	0.894	0.895	-0.1	91	0.00
15 T	Acrylonitrile	0.291	0.286	1.7	88	0.00
16 T	Acetone	0.240	0.226	5.8	86	0.00
17 T	Carbon Disulfide	1.394	1.409	-1.1	91	0.00
18 T	Methyl Acetate	0.801	0.804	-0.4	91	0.00
19 T	Methyl tert-butyl Ether	1.614	1.679	-4.0	95	0.00
20 T	Methylene Chloride	0.510	0.524	-2.7	98	0.00
21 T	trans-1,2-Dichloroethene	0.482	0.504	-4.6	96	0.00
22 T	Diisopropyl ether	1.396	1.506	-7.9	99	0.00
23 T	Vinyl Acetate	1.191	1.269	-6.5	96	0.00
24 P	1,1-Dichloroethane	0.798	0.898	-12.5	105	0.00
25 T	2-Butanone	0.342	0.335	2.0	89	0.00
26 T	2,2-Dichloropropane	0.736	0.823	-11.8	103	0.00
27 T	cis-1,2-Dichloroethene	0.538	0.590	-9.7	101	0.00
28 T	Bromochloromethane	0.349	0.349	0.0	88	0.00
29 T	Tetrahydrofuran	0.238	0.236	0.8	91	0.00
30 C	Chloroform	0.838	0.922	-10.0#	102	0.00
31 T	Cyclohexane	0.737	0.793	-7.6	99	0.00
32 T	1,1,1-Trichloroethane	0.798	0.867	-8.6	100	0.00
33 S	1,2-Dichloroethane-d4	0.510	0.481	5.7	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.324	0.322	0.6	87	0.00
36 T	1,1-Dichloropropene	0.421	0.477	-13.3	101	0.00
37 T	Ethyl Acetate	0.472	0.484	-2.5	91	0.00
38 T	Carbon Tetrachloride	0.495	0.565	-14.1	101	0.00
39 T	Methylcyclohexane	0.547	0.640	-17.0	104	0.00
40 TM	Benzene	1.261	1.421	-12.7	100	0.00
41 T	Methacrylonitrile	0.259	0.272	-5.0	96	0.00
42 TM	1,2-Dichloroethane	0.413	0.470	-13.8	101	0.00
43 T	Isopropyl Acetate	0.786	0.830	-5.6	94	0.00
44 TM	Trichloroethene	0.382	0.435	-13.9	100	0.00
45 C	1,2-Dichloropropane	0.321	0.357	-11.2#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120418\
 Data File : VX006268.D
 Acq On : 04 Dec 2018 10:14
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 04 13:07:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.231	0.262	-13.4	101	0.00
47 T	Bromodichloromethane	0.448	0.512	-14.3	101	0.00
48 T	Methyl methacrylate	0.382	0.406	-6.3	94	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	92	0.00
50 S	Toluene-d8	1.178	1.154	2.0	86	0.00
51 T	4-Methyl-2-Pentanone	0.458	0.476	-3.9	91	0.00
52 CM	Toluene	0.830	0.924	-11.3#	99	0.00
53 T	t-1,3-Dichloropropene	0.524	0.580	-10.7	98	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.609	-11.9	99	0.00
55 T	1,1,2-Trichloroethane	0.337	0.379	-12.5	99	0.00
56 T	Ethyl methacrylate	0.527	0.571	-8.3	96	0.00
57 T	1,3-Dichloropropane	0.533	0.598	-12.2	99	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.290	-8.6	98	0.00
59 T	2-Hexanone	0.350	0.356	-1.7	90	0.00
60 T	Dibromochloromethane	0.416	0.460	-10.6	98	0.00
61 T	1,2-Dibromoethane	0.377	0.419	-11.1	99	0.00
62 S	4-Bromofluorobenzene	0.444	0.432	2.7	84	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	85	0.00
64 T	Tetrachloroethene	0.377	0.431	-14.3	102	0.00
65 PM	Chlorobenzene	1.061	1.210	-14.0	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.412	0.469	-13.8	99	0.00
67 C	Ethyl Benzene	1.765	2.015	-14.2#	99	0.00
68 T	m/p-Xylenes	0.707	0.797	-12.7	98	0.00
69 T	o-Xylene	0.698	0.774	-10.9	97	0.00
70 T	Styrene	1.130	1.269	-12.3	96	0.00
71 P	Bromoform	0.389	0.420	-8.0	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	84	0.00
73 T	Isopropylbenzene	3.453	3.981	-15.3	98	0.00
74 T	N-amyl acetate	1.487	1.539	-3.5	90	0.00
75 P	1,1,2,2-Tetrachloroethane	1.105	1.181	-6.9	94	0.00
76 T	1,2,3-Trichloropropane	0.965	1.136	-17.7	93	0.00
77 T	Bromobenzene	0.958	1.066	-11.3	95	0.00
78 T	n-propylbenzene	3.838	4.460	-16.2	98	0.00
79 T	2-Chlorotoluene	2.281	2.612	-14.5	98	0.00
80 T	1,3,5-Trimethylbenzene	2.873	3.273	-13.9	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.439	-6.8	91	0.00
82 T	4-Chlorotoluene	2.652	3.018	-13.8	97	0.00
83 T	tert-Butylbenzene	3.065	3.508	-14.5	98	0.00
84 T	1,2,4-Trimethylbenzene	2.967	3.370	-13.6	98	0.00
85 T	sec-Butylbenzene	3.487	4.065	-16.6	99	0.00
86 T	p-Isopropyltoluene	3.140	3.657	-16.5	99	0.00
87 T	1,3-Dichlorobenzene	1.705	1.935	-13.5	97	0.00
88 T	1,4-Dichlorobenzene	1.731	1.931	-11.6	97	0.00
89 T	n-Butylbenzene	2.679	3.160	-18.0	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120418\
Data File : VX006268.D
Acq On : 04 Dec 2018 10:14
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 04 13:07:34 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 30 03:55:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.640	0.723	-13.0	95	0.00
91 T	1,2-Dichlorobenzene	1.692	1.874	-10.8	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.283	0.282	0.4	90	0.00
93 T	1,2,4-Trichlorobenzene	1.235	1.390	-12.6	97	0.00
94 T	Hexachlorobutadiene	0.546	0.661	-21.1#	103	0.00
95 T	Naphthalene	3.840	4.198	-9.3	94	0.00
96 T	1,2,3-Trichlorobenzene	1.223	1.374	-12.3	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6