

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX120421\
 Data File : VX025535.D
 Acq On : 04 Dec 2021 20:25
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 06 01:09:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X111721W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 17 15:36:16 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	63	0.00
2 T	Dichlorodifluoromethane	50.000	52.076	-4.2	58	0.00
3 P	Chloromethane	50.000	42.051	15.9	51	0.00
4 C	Vinyl Chloride	50.000	42.802	14.4#	51	0.00
5 T	Bromomethane	50.000	58.000	-16.0	72	0.00
6 T	Chloroethane	50.000	42.326	15.3	56	0.00
7 T	Trichlorofluoromethane	50.000	47.534	4.9	58	0.00
8 T	Diethyl Ether	50.000	46.294	7.4	59	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	52.266	-4.5	66	0.00
10 T	Methyl Iodide	50.000	40.079	19.8	46	0.00
11 T	Tert butyl alcohol	250.000	215.070	14.0	53	0.00
12 CM	1,1-Dichloroethene	50.000	48.763	2.5#	61	0.00
13 T	Acrolein	250.000	264.489	-5.8	64	0.00
14 T	Allyl chloride	50.000	45.048	9.9	59	0.00
15 T	Acrylonitrile	250.000	253.094	-1.2	63	0.00
16 T	Acetone	250.000	204.478	18.2	51	0.00
17 T	Carbon Disulfide	50.000	38.011	24.0	49	0.00
18 T	Methyl Acetate	50.000	48.708	2.6	63	0.00
19 T	Methyl tert-butyl Ether	50.000	50.850	-1.7	65	0.00
20 T	Methylene Chloride	50.000	47.856	4.3	65	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.705	0.6	64	0.00
22 T	Diisopropyl ether	50.000	51.057	-2.1	66	0.00
23 T	Vinyl Acetate	250.000	250.135	-0.1	63	0.00
24 P	1,1-Dichloroethane	50.000	51.957	-3.9	66	0.00
25 T	2-Butanone	250.000	234.186	6.3	58	0.00
26 T	2,2-Dichloropropane	50.000	42.254	15.5	53	0.00
27 T	cis-1,2-Dichloroethene	50.000	50.878	-1.8	65	0.00
28 T	Bromochloromethane	50.000	52.397	-4.8	65	0.00
29 T	Tetrahydrofuran	250.000	245.895	1.6	63	0.00
30 C	Chloroform	50.000	53.531	-7.1#	68	0.00
31 T	Cyclohexane	50.000	47.483	5.0	61	0.00
32 T	1,1,1-Trichloroethane	50.000	51.218	-2.4	65	0.00
33 S	1,2-Dichloroethane-d4	50.000	53.776	-7.6	69	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	64	0.00
35 S	Dibromofluoromethane	50.000	51.828	-3.7	67	0.00
36 T	1,1-Dichloropropene	50.000	49.225	1.5	64	0.00
37 T	Ethyl Acetate	50.000	48.192	3.6	63	0.00
38 T	Carbon Tetrachloride	50.000	49.337	1.3	64	0.00
39 T	Methylcyclohexane	50.000	46.376	7.2	59	0.00
40 TM	Benzene	50.000	49.341	1.3	64	0.00
41 T	Methacrylonitrile	50.000	48.339	3.3	65	0.00
42 TM	1,2-Dichloroethane	50.000	54.041	-8.1	70	0.00
43 T	Isopropyl Acetate	50.000	47.823	4.4	62	0.00
44 TM	Trichloroethene	50.000	51.952	-3.9	67	0.00
45 C	1,2-Dichloropropane	50.000	51.346	-2.7#	66	0.00
46 T	Dibromomethane	50.000	51.314	-2.6	66	0.00
47 T	Bromodichloromethane	50.000	50.404	-0.8	65	0.00
48 T	Methyl methacrylate	50.000	47.996	4.0	63	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120421\
 Data File : VX025535.D
 Acq On : 04 Dec 2021 20:25
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 06 01:09:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X111721W.M
 Quant Title : SW846 8260
 QLast Update : Wed Nov 17 15:36:16 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	869.560	13.0	54	0.00
50 S	Toluene-d8	50.000	50.261	-0.5	65	0.00
51 T	4-Methyl-2-Pentanone	250.000	248.430	0.6	64	0.00
52 CM	Toluene	50.000	49.379	1.2#	64	0.00
53 T	t-1,3-Dichloropropene	50.000	46.338	7.3	60	0.00
54 T	cis-1,3-Dichloropropene	50.000	47.254	5.5	61	0.00
55 T	1,1,2-Trichloroethane	50.000	52.527	-5.1	67	0.00
56 T	Ethyl methacrylate	50.000	49.689	0.6	64	0.00
57 T	1,3-Dichloropropane	50.000	51.741	-3.5	67	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	245.935	1.6	65	0.00
59 T	2-Hexanone	250.000	236.286	5.5	60	0.00
60 T	Dibromochloromethane	50.000	48.410	3.2	62	0.00
61 T	1,2-Dibromoethane	50.000	51.585	-3.2	67	0.00
62 S	4-Bromofluorobenzene	50.000	51.016	-2.0	67	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	65	0.00
64 T	Tetrachloroethene	50.000	49.017	2.0	64	0.00
65 PM	Chlorobenzene	50.000	50.565	-1.1	66	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	49.171	1.7	64	0.00
67 C	Ethyl Benzene	50.000	49.876	0.2#	65	0.00
68 T	m/p-Xylenes	100.000	97.622	2.4	64	0.00
69 T	o-Xylene	50.000	49.514	1.0	65	0.00
70 T	Styrene	50.000	50.448	-0.9	65	0.00
71 P	Bromoform	50.000	45.080	9.8	58	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	67	0.00
73 T	Isopropylbenzene	50.000	47.743	4.5	66	0.00
74 T	N-amyl acetate	50.000	44.381	11.2	61	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	47.476	5.0	66	0.00
76 T	1,2,3-Trichloropropane	50.000	41.201	17.6	56	0.00
77 T	Bromobenzene	50.000	47.408	5.2	65	0.00
78 T	n-propylbenzene	50.000	48.806	2.4	65	0.00
79 T	2-Chlorotoluene	50.000	47.544	4.9	67	0.00
80 T	1,3,5-Trimethylbenzene	50.000	47.618	4.8	66	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	36.680	26.6#	49	0.00
82 T	4-Chlorotoluene	50.000	47.781	4.4	66	0.00
83 T	tert-Butylbenzene	50.000	46.948	6.1	65	0.00
84 T	1,2,4-Trimethylbenzene	50.000	48.139	3.7	65	0.00
85 T	sec-Butylbenzene	50.000	48.805	2.4	66	0.00
86 T	p-Isopropyltoluene	50.000	47.729	4.5	65	0.00
87 T	1,3-Dichlorobenzene	50.000	47.898	4.2	65	0.00
88 T	1,4-Dichlorobenzene	50.000	47.636	4.7	66	0.00
89 T	n-Butylbenzene	50.000	47.910	4.2	65	0.00
90 T	Hexachloroethane	50.000	41.310	17.4	56	0.00
91 T	1,2-Dichlorobenzene	50.000	47.682	4.6	65	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	45.948	8.1	60	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.254	-6.5	66	0.00
94 T	Hexachlorobutadiene	50.000	45.524	9.0	63	0.00
95 T	Naphthalene	50.000	50.338	-0.7	65	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120421\
Data File : VX025535.D
Acq On : 04 Dec 2021 20:25
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 06 01:09:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X111721W.M
Quant Title : SW846 8260
QLast Update : Wed Nov 17 15:36:16 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	53.877	-7.8	68	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6