

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX120618\  
 Data File : VX006319.D  
 Acq On : 06 Dec 2018 15:38  
 Operator : JC/MD  
 Sample : J6250-10  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 BPS1-TT-MW307S-20181204

Quant Time: Dec 07 05:42:39 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X112918W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Nov 30 03:55:33 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 785666   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.86  | 114  | 1209440  | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 1094333  | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 532070   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 393944   | 49.12 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 98.24% |          |
| 35) Dibromofluoromethane    | 5.51  | 113  | 373848   | 47.74 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 95.48% |          |
| 50) Toluene-d8              | 8.71  | 98   | 1397950  | 49.08 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 98.16% |          |
| 62) 4-Bromofluorobenzene    | 11.13 | 95   | 519471   | 48.40 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 96.80% |          |

| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX120618\  
Data File : VX006319.D  
Acq On : 06 Dec 2018 15:38  
Operator : JC/MD  
Sample : J6250-10  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
BPS1-TT-MW307S-20181204

Quant Time: Dec 07 05:42:39 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X112918W.M  
Quant Title : SW846 8260  
QLast Update : Fri Nov 30 03:55:33 2018  
Response via : Initial Calibration

