

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX120718\
 Data File : VX006335.D
 Acq On : 07 Dec 2018 09:49
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 00:30:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.490	0.529	-8.0	98	0.00
3 P	Chloromethane	0.503	0.479	4.8	91	0.00
4 C	Vinyl Chloride	0.541	0.521	3.7#	91	0.00
5 T	Bromomethane	0.375	0.383	-2.1	107	0.00
6 T	Chloroethane	0.332	0.318	4.2	90	0.00
7 T	Trichlorofluoromethane	0.831	0.817	1.7	95	0.00
8 T	Diethyl Ether	0.315	0.303	3.8	96	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.490	-3.6	103	0.00
10 T	Methyl Iodide	0.712	0.670	5.9	90	0.00
11 T	Tert butyl alcohol	0.140	0.118	15.7	84	-0.01
12 CM	1,1-Dichloroethene	0.452	0.441	2.4#	98	0.00
13 T	Acrolein	0.076	0.058	23.7#	77	0.00
14 T	Allyl chloride	0.894	0.780	12.8	86	0.00
15 T	Acrylonitrile	0.291	0.260	10.7	87	0.00
16 T	Acetone	0.240	0.221	7.9	90	0.00
17 T	Carbon Disulfide	1.394	1.204	13.6	84	0.00
18 T	Methyl Acetate	0.801	0.738	7.9	90	0.00
19 T	Methyl tert-butyl Ether	1.614	1.543	4.4	95	0.00
20 T	Methylene Chloride	0.510	0.485	4.9	98	0.00
21 T	trans-1,2-Dichloroethene	0.482	0.472	2.1	97	0.00
22 T	Diisopropyl ether	1.396	1.503	-7.7	107	0.00
23 T	Vinyl Acetate	1.191	1.266	-6.3	103	0.00
24 P	1,1-Dichloroethane	0.798	0.837	-4.9	105	0.00
25 T	2-Butanone	0.342	0.325	5.0	93	-0.01
26 T	2,2-Dichloropropane	0.736	0.773	-5.0	105	0.00
27 T	cis-1,2-Dichloroethene	0.538	0.561	-4.3	103	0.00
28 T	Bromochloromethane	0.349	0.367	-5.2	100	0.00
29 T	Tetrahydrofuran	0.238	0.215	9.7	89	0.00
30 C	Chloroform	0.838	0.869	-3.7#	104	0.00
31 T	Cyclohexane	0.737	0.723	1.9	98	0.00
32 T	1,1,1-Trichloroethane	0.798	0.812	-1.8	102	0.00
33 S	1,2-Dichloroethane-d4	0.510	0.499	2.2	97	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.324	0.335	-3.4	100	0.00
36 T	1,1-Dichloropropene	0.421	0.437	-3.8	102	0.00
37 T	Ethyl Acetate	0.472	0.439	7.0	91	0.00
38 T	Carbon Tetrachloride	0.495	0.510	-3.0	100	0.00
39 T	Methylcyclohexane	0.547	0.572	-4.6	102	0.00
40 TM	Benzene	1.261	1.301	-3.2	100	0.00
41 T	Methacrylonitrile	0.259	0.246	5.0	96	0.00
42 TM	1,2-Dichloroethane	0.413	0.434	-5.1	102	0.00
43 T	Isopropyl Acetate	0.786	0.738	6.1	92	0.00
44 TM	Trichloroethene	0.382	0.396	-3.7	100	0.00
45 C	1,2-Dichloropropane	0.321	0.326	-1.6#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX120718\
 Data File : VX006335.D
 Acq On : 07 Dec 2018 09:49
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 00:30:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.231	0.238	-3.0	100	0.00
47 T	Bromodichloromethane	0.448	0.456	-1.8	99	0.00
48 T	Methyl methacrylate	0.382	0.365	4.5	92	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	96	0.00
50 S	Toluene-d8	1.178	1.183	-0.4	97	0.00
51 T	4-Methyl-2-Pentanone	0.458	0.442	3.5	92	0.00
52 CM	Toluene	0.830	0.846	-1.9#	100	0.00
53 T	t-1,3-Dichloropropene	0.524	0.521	0.6	96	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.551	-1.3	99	0.00
55 T	1,1,2-Trichloroethane	0.337	0.354	-5.0	101	0.00
56 T	Ethyl methacrylate	0.527	0.536	-1.7	98	0.00
57 T	1,3-Dichloropropane	0.533	0.552	-3.6	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.308	-15.4	114	0.00
59 T	2-Hexanone	0.350	0.351	-0.3	97	0.00
60 T	Dibromochloromethane	0.416	0.422	-1.4	98	0.00
61 T	1,2-Dibromoethane	0.377	0.384	-1.9	100	0.00
62 S	4-Bromofluorobenzene	0.444	0.463	-4.3	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.377	0.392	-4.0	102	0.00
65 PM	Chlorobenzene	1.061	1.119	-5.5	101	0.00
66 T	1,1,1,2-Tetrachloroethane	0.412	0.427	-3.6	100	0.00
67 C	Ethyl Benzene	1.765	1.828	-3.6#	100	0.00
68 T	m/p-Xylenes	0.707	0.737	-4.2	100	0.00
69 T	o-Xylene	0.698	0.729	-4.4	101	0.00
70 T	Styrene	1.130	1.209	-7.0	102	0.00
71 P	Bromoform	0.389	0.386	0.8	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.453	3.512	-1.7	101	0.00
74 T	N-amyl acetate	1.487	1.366	8.1	94	0.00
75 P	1,1,2,2-Tetrachloroethane	1.105	1.065	3.6	99	0.00
76 T	1,2,3-Trichloropropane	0.965	0.860	10.9	83	0.00
77 T	Bromobenzene	0.958	0.981	-2.4	103	0.00
78 T	n-propylbenzene	3.838	3.993	-4.0	103	0.00
79 T	2-Chlorotoluene	2.281	2.336	-2.4	103	0.00
80 T	1,3,5-Trimethylbenzene	2.873	2.960	-3.0	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.373	9.2	91	0.00
82 T	4-Chlorotoluene	2.652	2.746	-3.5	104	0.00
83 T	tert-Butylbenzene	3.065	3.161	-3.1	104	0.00
84 T	1,2,4-Trimethylbenzene	2.967	3.044	-2.6	105	0.00
85 T	sec-Butylbenzene	3.487	3.708	-6.3	106	0.00
86 T	p-Isopropyltoluene	3.140	3.344	-6.5	106	0.00
87 T	1,3-Dichlorobenzene	1.705	1.782	-4.5	105	0.00
88 T	1,4-Dichlorobenzene	1.731	1.809	-4.5	106	0.00
89 T	n-Butylbenzene	2.679	2.871	-7.2	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120718\
Data File : VX006335.D
Acq On : 07 Dec 2018 09:49
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 08 00:30:01 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 30 03:55:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.640	0.634	0.9	98	0.00
91 T	1,2-Dichlorobenzene	1.692	1.729	-2.2	105	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.283	0.253	10.6	95	0.00
93 T	1,2,4-Trichlorobenzene	1.235	1.290	-4.5	105	0.00
94 T	Hexachlorobutadiene	0.546	0.616	-12.8	112	0.00
95 T	Naphthalene	3.840	3.863	-0.6	102	0.00
96 T	1,2,3-Trichlorobenzene	1.223	1.288	-5.3	107	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6