

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120718\
 Data File : VX006358.D
 Acq On : 07 Dec 2018 20:05
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 01:43:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	80	0.00
2 T	Dichlorodifluoromethane	0.490	0.495	-1.0	76	0.00
3 P	Chloromethane	0.503	0.464	7.8	73	0.00
4 C	Vinyl Chloride	0.541	0.509	5.9#	73	0.00
5 T	Bromomethane	0.375	0.422	-12.5	97	0.00
6 T	Chloroethane	0.332	0.327	1.5	77	0.00
7 T	Trichlorofluoromethane	0.831	0.807	2.9	78	0.00
8 T	Diethyl Ether	0.315	0.311	1.3	81	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.464	1.9	80	0.00
10 T	Methyl Iodide	0.712	0.676	5.1	75	0.00
11 T	Tert butyl alcohol	0.140	0.127	9.3	75	0.00
12 CM	1,1-Dichloroethene	0.452	0.434	4.0#	79	0.00
13 T	Acrolein	0.076	0.064	15.8	70	0.00
14 T	Allyl chloride	0.894	0.790	11.6	72	0.00
15 T	Acrylonitrile	0.291	0.279	4.1	77	0.00
16 T	Acetone	0.240	0.230	4.2	78	0.00
17 T	Carbon Disulfide	1.394	1.162	16.6	67	0.00
18 T	Methyl Acetate	0.801	0.793	1.0	80	0.00
19 T	Methyl tert-butyl Ether	1.614	1.586	1.7	81	0.00
20 T	Methylene Chloride	0.510	0.488	4.3	82	0.00
21 T	trans-1,2-Dichloroethene	0.482	0.460	4.6	78	0.00
22 T	Diisopropyl ether	1.396	1.416	-1.4	83	0.00
23 T	Vinyl Acetate	1.191	1.172	1.6	79	0.00
24 P	1,1-Dichloroethane	0.798	0.825	-3.4	86	0.00
25 T	2-Butanone	0.342	0.342	0.0	81	0.00
26 T	2,2-Dichloropropane	0.736	0.670	9.0	75	0.00
27 T	cis-1,2-Dichloroethene	0.538	0.555	-3.2	85	0.00
28 T	Bromochloromethane	0.349	0.361	-3.4	81	0.00
29 T	Tetrahydrofuran	0.238	0.227	4.6	78	0.00
30 C	Chloroform	0.838	0.869	-3.7#	86	0.00
31 T	Cyclohexane	0.737	0.698	5.3	78	0.00
32 T	1,1,1-Trichloroethane	0.798	0.790	1.0	82	0.00
33 S	1,2-Dichloroethane-d4	0.510	0.527	-3.3	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.324	0.332	-2.5	86	0.00
36 T	1,1-Dichloropropene	0.421	0.402	4.5	81	0.00
37 T	Ethyl Acetate	0.472	0.434	8.1	78	0.00
38 T	Carbon Tetrachloride	0.495	0.464	6.3	79	0.00
39 T	Methylcyclohexane	0.547	0.511	6.6	79	0.00
40 TM	Benzene	1.261	1.234	2.1	83	0.00
41 T	Methacrylonitrile	0.259	0.243	6.2	82	0.00
42 TM	1,2-Dichloroethane	0.413	0.414	-0.2	84	0.00
43 T	Isopropyl Acetate	0.786	0.713	9.3	77	0.00
44 TM	Trichloroethene	0.382	0.371	2.9	82	0.00
45 C	1,2-Dichloropropane	0.321	0.306	4.7#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX120718\
 Data File : VX006358.D
 Acq On : 07 Dec 2018 20:05
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 08 01:43:13 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.231	0.228	1.3	84	0.00
47 T	Bromodichloromethane	0.448	0.428	4.5	81	0.00
48 T	Methyl methacrylate	0.382	0.350	8.4	77	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	82	0.00
50 S	Toluene-d8	1.178	1.171	0.6	83	0.00
51 T	4-Methyl-2-Pentanone	0.458	0.430	6.1	78	0.00
52 CM	Toluene	0.830	0.810	2.4#	83	0.00
53 T	t-1,3-Dichloropropene	0.524	0.478	8.8	77	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.509	6.4	79	0.00
55 T	1,1,2-Trichloroethane	0.337	0.339	-0.6	84	0.00
56 T	Ethyl methacrylate	0.527	0.505	4.2	81	0.00
57 T	1,3-Dichloropropane	0.533	0.535	-0.4	85	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.256	4.1	82	0.00
59 T	2-Hexanone	0.350	0.318	9.1	76	0.00
60 T	Dibromochloromethane	0.416	0.388	6.7	79	0.00
61 T	1,2-Dibromoethane	0.377	0.370	1.9	84	0.00
62 S	4-Bromofluorobenzene	0.444	0.445	-0.2	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	82	0.00
64 T	Tetrachloroethene	0.377	0.364	3.4	83	0.00
65 PM	Chlorobenzene	1.061	1.061	0.0	83	0.00
66 T	1,1,1,2-Tetrachloroethane	0.412	0.404	1.9	82	0.00
67 C	Ethyl Benzene	1.765	1.726	2.2#	82	0.00
68 T	m/p-Xylenes	0.707	0.691	2.3	82	0.00
69 T	o-Xylene	0.698	0.685	1.9	83	0.00
70 T	Styrene	1.130	1.099	2.7	80	0.00
71 P	Bromoform	0.389	0.343	11.8	73	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.453	3.508	-1.6	82	0.00
74 T	N-amyl acetate	1.487	1.340	9.9	75	0.00
75 P	1,1,2,2-Tetrachloroethane	1.105	1.084	1.9	82	0.00
76 T	1,2,3-Trichloropropane	0.965	1.006	-4.2	79	0.00
77 T	Bromobenzene	0.958	0.945	1.4	80	0.00
78 T	n-propylbenzene	3.838	3.853	-0.4	81	0.00
79 T	2-Chlorotoluene	2.281	2.273	0.4	81	0.00
80 T	1,3,5-Trimethylbenzene	2.873	2.887	-0.5	83	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.347	15.6	69	0.00
82 T	4-Chlorotoluene	2.652	2.620	1.2	81	0.00
83 T	tert-Butylbenzene	3.065	3.057	0.3	82	0.00
84 T	1,2,4-Trimethylbenzene	2.967	2.967	0.0	83	0.00
85 T	sec-Butylbenzene	3.487	3.563	-2.2	83	0.00
86 T	p-Isopropyltoluene	3.140	3.163	-0.7	82	0.00
87 T	1,3-Dichlorobenzene	1.705	1.695	0.6	81	0.00
88 T	1,4-Dichlorobenzene	1.731	1.676	3.2	80	0.00
89 T	n-Butylbenzene	2.679	2.640	1.5	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120718\
Data File : VX006358.D
Acq On : 07 Dec 2018 20:05
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 08 01:43:13 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 30 03:55:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.640	0.597	6.7	75	0.00
91 T	1,2-Dichlorobenzene	1.692	1.662	1.8	82	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.283	0.248	12.4	76	0.00
93 T	1,2,4-Trichlorobenzene	1.235	1.200	2.8	80	0.00
94 T	Hexachlorobutadiene	0.546	0.538	1.5	80	0.00
95 T	Naphthalene	3.840	3.795	1.2	82	0.00
96 T	1,2,3-Trichlorobenzene	1.223	1.192	2.5	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6