

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120821\
 Data File : VX025630.D
 Acq On : 08 Dec 2021 19:30
 Operator : JC/MD
 Sample : M4883-17ME
 Misc : 2.78g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 09 03:30:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Dec 09 03:12:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	165503	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.061	117	147029	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	77339	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	48274	42.740	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.480%
7) Chloroethane-d5	1.648	69	25642	27.507	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	55.020%#
11) 1,1-Dichloroethene-d2	2.282	63	70816	39.322	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.640%
21) 2-Butanone-d5	4.489	46	72895	86.699	ug/L	0.04
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.700%
24) Chloroform-d	5.068	84	91343	46.273	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.540%
26) 1,2-Dichloroethane-d4	5.958	65	61086	49.646	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.300%
32) Benzene-d6	5.977	84	203191	52.144	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.280%
36) 1,2-Dichloropropane-d6	7.312	67	61689	51.132	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.260%
41) Toluene-d8	8.653	98	187437	50.961	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.920%
43) trans-1,3-Dichloroprop...	8.958	79	24695	40.713	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.420%
47) 2-Hexanone-d5	9.403	63	53389	85.012	ug/L	0.02
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.010%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	79077	46.377	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.760%
66) 1,2-Dichlorobenzene-d4	12.323	152	75833	49.993	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.980%
Target Compounds						Qvalue
15) Methyl Acetate	2.752	43	2683	2.401	ug/L #	96
29) Cyclohexane	5.464	56	4917	3.264	ug/L	95
35) Methylcyclohexane	7.379	83	21219	13.050	ug/L	96
37) 1,2-Dichloropropane	7.312	63	6683	6.783	ug/L #	85
39) cis-1,3-Dichloropropene	8.330	75	1660	1.034	ug/L #	71
42) Toluene	8.720	91	10074	2.326	ug/L	96
44) trans-1,3-Dichloropropene	8.952	75	1125	0.729	ug/L	93
46) Tetrachloroethene	9.275	164	2086	2.381	ug/L	93
49) Dibromochloromethane	9.275	129	1986	1.648	ug/L #	12
52) Ethylbenzene	10.201	91	5667	1.217	ug/L	88
53) m,p-Xylene	10.305	106	16534	8.768	ug/L	97
54) o-Xylene	10.646	106	12276	6.503	ug/L	96
60) Isopropylbenzene	10.963	105	4283	0.862	ug/L	99
62) 1,3,5-Trimethylbenzene	11.457	105	3063	0.737	ug/L	98
63) 1,2,4-Trimethylbenzene	11.756	105	12478	2.971	ug/L #	79
71) Naphthalene	13.780	128	11346	2.398	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Instrument :
MSVOA_X
ClientSampleId :

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120821\
Data File : VX025630.D
Acq On : 08 Dec 2021 19:30
Operator : JC/MD
Sample : M4883-17ME
Misc : 2.78g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :


Quant Time: Dec 09 03:30:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Dec 09 03:12:30 2021
Response via : Initial Calibration








#15
Methyl Acetate
Concen: 2.401 ug/L
RT: 2.752 min Scan# 21
Delta R.T. 0.049 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 43 Resp: 2683
Ion Ratio Lower Upper
43 100
74 8.3 0.1 0.1#



#29
Cyclohexane
Concen: 3.264 ug/L
RT: 5.464 min Scan# 718
Delta R.T. -0.000 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30

Tgt Ion: 56 Resp: 4917
Ion Ratio Lower Upper
56 100
69 30.3 25.4 38.2
84 90.6 76.6 114.8





#35

Methylcyclohexane

Concen: 13.050 ug/L

RT: 7.379 min Scan# 10

Delta R.T. -0.000 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 83 Resp: 21219

Ion Ratio Lower Upper

83 100

55 75.0 57.3 85.9

98 49.0 41.1 61.7



#37

1,2-Dichloropropane

Concen: 6.783 ug/L

RT: 7.312 min Scan# 1021

Delta R.T. -0.122 min

Lab File: VX025630.D




Acq: 08 Dec 2021 19:30


Tgt Ion: 63 Resp: 6683

Ion Ratio Lower Upper

63 100

112 0.0 4.0 6.0#





#39

cis-1,3-Dichloropropene

Concen: 1.034 ug/L

RT: 8.330 min Scan# 1188

Delta R.T. -0.037 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 75 Resp: 1660

Ion Ratio Lower Upper

75 100

77 48.1 22.3 41.3#



#42

Toluene

Concen: 2.326 ug/L

RT: 8.720 min Scan# 1252

Delta R.T. -0.000 min

Lab File: VX025630.D




Acq: 08 Dec 2021 19:30


Tgt Ion: 91 Resp: 10074

Ion Ratio Lower Upper

91 100

92 62.2 41.2 76.6





#44

trans-1,3-Dichloropropene

Concen: 0.729 ug/L

RT: 8.952 min Scan# 1125

Delta R.T. -0.024 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 75 Resp: 1125

Ion Ratio Lower Upper

75 100

77 36.9 23.0 42.8



#46

Tetrachloroethene

Concen: 2.381 ug/L

RT: 9.275 min Scan# 1343

Delta R.T. -0.000 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Tgt Ion:164 Resp: 2086




Ion Ratio Lower Upper


164 100

129 84.0 64.7 120.1

131 84.5 63.2 117.4

166 134.9 90.1 167.3





#49

Dibromochloromethane

Concen: 1.648 ug/L

RT: 9.275 min Scan# 11

Delta R.T. -0.250 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion:129 Resp: 1986

Ion Ratio Lower Upper

129 100

127 0.0 52.4 97.2#



#52

Ethylbenzene

Concen: 1.217 ug/L

RT: 10.201 min Scan# 1495

Delta R.T. 0.006 min

Lab File: VX025630.D




Acq: 08 Dec 2021 19:30


Tgt Ion: 91 Resp: 5667

Ion Ratio Lower Upper

91 100

106 39.6 23.1 42.9









#53
m,p-Xylene
Concen: 8.768 ug/L
RT: 10.305 min Scan# 1512
Delta R.T. -0.000 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:106 Resp: 16534
Ion Ratio Lower Upper
106 100
91 199.5 136.8 254.2



#54
o-Xylene
Concen: 6.503 ug/L
RT: 10.646 min Scan# 1568
Delta R.T. 0.006 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30


Tgt Ion:106 Resp: 12276
Ion Ratio Lower Upper
106 100
91 206.4 140.5 260.9








#60
Isopropylbenzene
Concen: 0.862 ug/L
RT: 10.963 min Scan# 1
Delta R.T. -0.000 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30


Instrument :
MSVOA_X
ClientSampleId :





Tgt Ion:105 Resp: 4283
Ion Ratio Lower Upper
105 100
120 27.2 22.3 33.5
77 14.8 11.5 17.3




#62
1,3,5-Trimethylbenzene
Concen: 0.737 ug/L
RT: 11.457 min Scan# 1701
Delta R.T. 0.006 min
Lab File: VX025630.D
Acq: 08 Dec 2021 19:30



Tgt Ion:105 Resp: 3063
Ion Ratio Lower Upper
105 100
120 52.4 41.0 61.4





#63

1,2,4-Trimethylbenzene

Concen: 2.971 ug/L

RT: 11.756 min Scan# 11

Delta R.T. -0.000 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion:105 Resp: 12478

Ion Ratio Lower Upper

105 100

120 48.6 0.1 0.1#



#71

Naphthalene

Concen: 2.398 ug/L

RT: 13.780 min Scan# 2082

Delta R.T. -0.000 min

Lab File: VX025630.D

Acq: 08 Dec 2021 19:30

Tgt Ion:128 Resp: 11346

Ion Ratio Lower Upper

128 100

127 13.4 10.1 15.1

129 11.1 8.7 13.1

