

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120919\
 Data File : VX0137868.D
 Acq On : 09 Dec 2019 22:01
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampled :

Quant Time: Dec 10 05:07:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	0.557	0.477	14.4	69	0.00
3 P	Chloromethane	0.624	0.552	11.5	72	0.00
4 C	Vinyl Chloride	0.703	0.652	7.3#	74	0.00
5 T	Bromomethane	0.472	0.435	7.8	81	0.00
6 T	Chloroethane	0.400	0.369	7.8	79	0.00
7 T	Trichlorofluoromethane	0.780	0.695	10.9	76	0.00
8 T	Diethyl Ether	0.353	0.336	4.8	80	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.477	0.435	8.8	78	0.00
10 T	Methyl Iodide	0.577	0.535	7.3	72	0.00
11 T	Tert butyl alcohol	0.143	0.124	13.3	76	0.00
12 CM	1,1-Dichloroethene	0.476	0.432	9.2#	76	0.00
13 T	Acrolein	0.088	0.099	-12.5	85	0.00
14 T	Allyl chloride	0.864	0.791	8.4	76	0.00
15 T	Acrylonitrile	0.296	0.285	3.7	80	0.00
16 T	Acetone	0.287	0.294	-2.4	85	0.00
17 T	Carbon Disulfide	1.356	1.100	18.9	69	0.00
18 T	Methyl Acetate	0.798	0.823	-3.1	83	0.00
19 T	Methyl tert-butyl Ether	1.576	1.513	4.0	79	0.00
20 T	Methylene Chloride	0.551	0.520	5.6	82	0.00
21 T	trans-1,2-Dichloroethene	0.518	0.470	9.3	77	0.00
22 T	Diisopropyl ether	1.663	1.631	1.9	81	0.00
23 T	Vinyl Acetate	1.383	1.244	10.1	73	0.00
24 P	1,1-Dichloroethane	0.909	0.883	2.9	81	0.00
25 T	2-Butanone	0.426	0.421	1.2	80	0.00
26 T	2,2-Dichloropropane	0.752	0.625	16.9	70	0.00
27 T	cis-1,2-Dichloroethene	0.595	0.556	6.6	79	0.00
28 T	Bromochloromethane	0.320	0.373	-16.6	84	0.00
29 T	Tetrahydrofuran	0.263	0.257	2.3	78	0.00
30 C	Chloroform	0.922	0.854	7.4#	79	0.00
31 T	Cyclohexane	0.857	0.766	10.6	76	0.00
32 T	1,1,1-Trichloroethane	0.770	0.720	6.5	78	0.00
33 S	1,2-Dichloroethane-d4	0.580	0.533	8.1	79	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.309	0.290	6.1	82	0.00
36 T	1,1-Dichloropropene	0.454	0.404	11.0	76	0.00
37 T	Ethyl Acetate	0.509	0.490	3.7	78	0.00
38 T	Carbon Tetrachloride	0.419	0.389	7.2	77	0.00
39 T	Methylcyclohexane	0.561	0.473	15.7	72	0.00
40 TM	Benzene	1.382	1.256	9.1	78	0.00
41 T	Methacrylonitrile	0.279	0.274	1.8	79	0.00
42 TM	1,2-Dichloroethane	0.471	0.440	6.6	80	0.00
43 T	Isopropyl Acetate	0.838	0.792	5.5	79	0.00
44 TM	Trichloroethene	0.379	0.349	7.9	79	0.00
45 C	1,2-Dichloropropane	0.346	0.337	2.6#	82	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120919\
 Data File : VX0137868.D
 Acq On : 09 Dec 2019 22:01
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 10 05:07:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.211	10.2	78	0.00
47 T	Bromodichloromethane	0.444	0.428	3.6	80	0.00
48 T	Methyl methacrylate	0.407	0.391	3.9	78	0.00
49 T	1,4-Dioxane	0.009	0.007	22.2#	69	0.00
50 S	Toluene-d8	1.204	1.087	9.7	79	0.00
51 T	4-Methyl-2-Pentanone	0.527	0.507	3.8	80	0.00
52 CM	Toluene	0.859	0.790	8.0#	78	0.00
53 T	t-1,3-Dichloropropene	0.505	0.467	7.5	76	0.00
54 T	cis-1,3-Dichloropropene	0.552	0.523	5.3	77	0.00
55 T	1,1,2-Trichloroethane	0.346	0.330	4.6	80	0.00
56 T	Ethyl methacrylate	0.556	0.537	3.4	80	0.00
57 T	1,3-Dichloropropane	0.597	0.555	7.0	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.218	0.206	5.5	79	0.00
59 T	2-Hexanone	0.411	0.396	3.6	79	0.00
60 T	Dibromochloromethane	0.359	0.348	3.1	79	0.00
61 T	1,2-Dibromoethane	0.370	0.345	6.8	80	0.00
62 S	4-Bromofluorobenzene	0.434	0.392	9.7	79	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.373	0.440	-18.0	104	0.00
65 PM	Chlorobenzene	1.038	0.952	8.3	79	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.355	4.8	79	0.00
67 C	Ethyl Benzene	1.784	1.668	6.5#	77	0.00
68 T	m/p-Xylenes	0.683	0.633	7.3	78	0.00
69 T	o-Xylene	0.666	0.622	6.6	78	0.00
70 T	Styrene	1.120	1.061	5.3	78	0.00
71 P	Bromoform	0.308	0.302	1.9	79	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	81	0.00
73 T	Isopropylbenzene	3.507	3.347	4.6	78	0.00
74 T	N-amyl acetate	1.607	1.578	1.8	77	0.00
75 P	1,1,2,2-Tetrachloroethane	1.216	1.176	3.3	79	0.00
76 T	1,2,3-Trichloropropane	1.125	1.083	3.7	77	0.00
77 T	Bromobenzene	0.948	0.878	7.4	78	0.00
78 T	n-propylbenzene	3.915	3.778	3.5	78	0.00
79 T	2-Chlorotoluene	2.349	2.224	5.3	79	0.00
80 T	1,3,5-Trimethylbenzene	2.875	2.792	2.9	79	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.381	7.3	74	0.00
82 T	4-Chlorotoluene	2.720	2.564	5.7	78	0.00
83 T	tert-Butylbenzene	2.921	2.657	9.0	74	0.00
84 T	1,2,4-Trimethylbenzene	2.917	2.804	3.9	78	0.00
85 T	sec-Butylbenzene	3.337	3.226	3.3	79	0.00
86 T	p-Isopropyltoluene	3.104	2.980	4.0	78	0.00
87 T	1,3-Dichlorobenzene	1.652	1.508	8.7	76	0.00
88 T	1,4-Dichlorobenzene	1.682	1.537	8.6	79	0.00
89 T	n-Butylbenzene	2.648	2.507	5.3	76	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX120919\
 Data File : VX0137868.D
 Acq On : 09 Dec 2019 22:01
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 10 05:07:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.561	0.536	4.5	79	0.00
91 T	1,2-Dichlorobenzene	1.632	1.539	5.7	78	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.265	0.251	5.3	75	0.00
93 T	1,2,4-Trichlorobenzene	1.137	1.033	9.1	75	0.00
94 T	Hexachlorobutadiene	0.546	0.487	10.8	79	0.00
95 T	Naphthalene	3.387	3.299	2.6	77	0.00
96 T	1,2,3-Trichlorobenzene	1.126	1.061	5.8	78	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6