

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120923\
 Data File : VX039107.D
 Acq On : 08 Dec 2023 16:09
 Operator : JC/MD
 Sample : VX1209WBL01
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VBLK641

Quant Time: Dec 09 03:40:50 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 09 03:39:44 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	262979	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	242595	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	116240	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	91808	44.509	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.020%
7) Chloroethane-d5	1.666	69	71247	46.731	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.460%
11) 1,1-Dichloroethene-d2	2.307	65	41438	45.766	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.540%
21) 2-Butanone-d5	4.446	46	180376	96.607	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.610%
24) Chloroform-d	5.050	84	167194	45.789	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.580%
26) 1,2-Dichloroethane-d4	5.952	65	111254	47.047	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.100%
32) Benzene-d6	5.971	84	359319	47.993	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.980%
36) 1,2-Dichloropropane-d6	7.306	67	118596	49.221	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.440%
41) Toluene-d8	8.647	98	316380	46.630	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.260%
43) trans-1,3-Dichloroprop...	8.946	79	55543	45.299	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.600%
47) 2-Hexanone-d5	9.378	63	137916	95.836	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.840%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	162571	47.563	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.120%
66) 1,2-Dichlorobenzene-d4	12.317	152	105294	47.923	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.840%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX120923\
Data File : VX039107.D
Acq On : 08 Dec 2023 16:09
Operator : JC/MD
Sample : VX1209WBL01
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VBLK641

Quant Time: Dec 09 03:40:50 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120523WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 09 03:39:44 2023
Response via : Initial Calibration

