

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121021\
 Data File : VX025712.D
 Acq On : 10 Dec 2021 19:34
 Operator : JC/MD
 Sample : M4981-04
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COCNO

Quant Time: Dec 11 01:03:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 11 00:48:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	101679	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	94355	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	41318	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	29532	42.559	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.120%
7) Chloroethane-d5	1.666	69	25110	43.844	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.680%
11) 1,1-Dichloroethene-d2	2.306	63	42488	38.402	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.800%
21) 2-Butanone-d5	4.459	46	48418	93.734	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.730%
24) Chloroform-d	5.062	84	57396	47.327	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.660%
26) 1,2-Dichloroethane-d4	5.958	65	37991	50.257	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.520%
32) Benzene-d6	5.977	84	116620	46.635	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.260%
36) 1,2-Dichloropropane-d6	7.312	67	34930	45.115	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.220%
41) Toluene-d8	8.653	98	108244	45.859	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.720%
43) trans-1,3-Dichloroprop...	8.952	79	16439	42.231	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.460%
47) 2-Hexanone-d5	9.384	63	33485	83.084	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	83.080%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	49863	45.569	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.140%
66) 1,2-Dichlorobenzene-d4	12.323	152	38469	47.470	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.940%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121021\
Data File : VX025712.D
Acq On : 10 Dec 2021 19:34
Operator : JC/MD
Sample : M4981-04
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0CN0

Quant Time: Dec 11 01:03:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM112221WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 11 00:48:07 2021
Response via : Initial Calibration

