

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121021\
 Data File : VX025716.D
 Acq On : 10 Dec 2021 21:07
 Operator : JC/MD
 Sample : M4981-08
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 COCN6

Quant Time: Dec 11 01:04:17 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 11 00:48:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.769	114	99059	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	92330	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	40152	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	28102	41.569	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.140%
7) Chloroethane-d5	1.666	69	23732	42.534	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.060%
11) 1,1-Dichloroethene-d2	2.306	63	41122	38.150	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.300%
21) 2-Butanone-d5	4.458	46	47125	93.644	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.640%
24) Chloroform-d	5.062	84	55498	46.972	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.940%
26) 1,2-Dichloroethane-d4	5.958	65	37193	50.503	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.000%
32) Benzene-d6	5.976	84	112444	45.951	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.900%
36) 1,2-Dichloropropane-d6	7.312	67	34286	45.254	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.500%
41) Toluene-d8	8.653	98	103177	44.671	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.340%
43) trans-1,3-Dichloroprop...	8.952	79	15643	41.068	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.140%
47) 2-Hexanone-d5	9.384	63	32657	82.806	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.810%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	49419	46.154	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.300%
66) 1,2-Dichlorobenzene-d4	12.323	152	36342	46.147	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.300%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121021\
Data File : VX025716.D
Acq On : 10 Dec 2021 21:07
Operator : JC/MD
Sample : M4981-08
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0CN6

Quant Time: Dec 11 01:04:17 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML112221WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 11 00:48:07 2021
Response via : Initial Calibration

