

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121119\
 Data File : VX013955.D
 Acq On : 11 Dec 2019 19:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 12 05:48:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	71	0.00
2 T	Dichlorodifluoromethane	0.557	0.472	15.3	60	0.00
3 P	Chloromethane	0.624	0.573	8.2	66	0.00
4 C	Vinyl Chloride	0.703	0.674	4.1#	67	0.00
5 T	Bromomethane	0.472	0.442	6.4	73	0.00
6 T	Chloroethane	0.400	0.376	6.0	71	0.00
7 T	Trichlorofluoromethane	0.780	0.724	7.2	70	0.00
8 T	Diethyl Ether	0.353	0.345	2.3	73	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.477	0.441	7.5	70	0.00
10 T	Methyl Iodide	0.577	0.571	1.0	68	0.00
11 T	Tert butyl alcohol	0.143	0.121	15.4	66	0.00
12 CM	1,1-Dichloroethene	0.476	0.443	6.9#	69	0.00
13 T	Acrolein	0.088	0.094	-6.8	71	0.00
14 T	Allyl chloride	0.864	0.822	4.9	69	0.00
15 T	Acrylonitrile	0.296	0.294	0.7	72	0.00
16 T	Acetone	0.287	0.264	8.0	67	0.00
17 T	Carbon Disulfide	1.356	1.066	21.4#	59	0.00
18 T	Methyl Acetate	0.798	0.842	-5.5	75	0.00
19 T	Methyl tert-butyl Ether	1.576	1.583	-0.4	73	0.00
20 T	Methylene Chloride	0.551	0.533	3.3	74	0.00
21 T	trans-1,2-Dichloroethene	0.518	0.476	8.1	69	0.00
22 T	Diisopropyl ether	1.663	1.728	-3.9	75	0.00
23 T	Vinyl Acetate	1.383	1.403	-1.4	73	0.00
24 P	1,1-Dichloroethane	0.909	0.920	-1.2	74	0.00
25 T	2-Butanone	0.426	0.417	2.1	70	0.00
26 T	2,2-Dichloropropane	0.752	0.682	9.3	67	0.00
27 T	cis-1,2-Dichloroethene	0.595	0.573	3.7	72	0.00
28 T	Bromochloromethane	0.320	0.388	-21.3#	77	0.00
29 T	Tetrahydrofuran	0.263	0.263	0.0	71	0.00
30 C	Chloroform	0.922	0.899	2.5#	73	0.00
31 T	Cyclohexane	0.857	0.763	11.0	66	0.00
32 T	1,1,1-Trichloroethane	0.770	0.749	2.7	72	0.00
33 S	1,2-Dichloroethane-d4	0.580	0.549	5.3	71	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	72	0.00
35 S	Dibromofluoromethane	0.309	0.302	2.3	74	0.00
36 T	1,1-Dichloropropene	0.454	0.422	7.0	69	0.00
37 T	Ethyl Acetate	0.509	0.509	0.0	71	0.00
38 T	Carbon Tetrachloride	0.419	0.400	4.5	69	0.00
39 T	Methylcyclohexane	0.561	0.492	12.3	66	0.00
40 TM	Benzene	1.382	1.344	2.7	73	0.00
41 T	Methacrylonitrile	0.279	0.285	-2.2	72	0.00
42 TM	1,2-Dichloroethane	0.471	0.472	-0.2	74	0.00
43 T	Isopropyl Acetate	0.838	0.823	1.8	71	0.00
44 TM	Trichloroethene	0.379	0.359	5.3	71	0.00
45 C	1,2-Dichloropropane	0.346	0.358	-3.5#	76	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121119\
 Data File : VX013955.D
 Acq On : 11 Dec 2019 19:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 12 05:48:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.232	1.3	74	0.00
47 T	Bromodichloromethane	0.444	0.451	-1.6	73	0.00
48 T	Methyl methacrylate	0.407	0.418	-2.7	72	0.00
49 T	1,4-Dioxane	0.009	0.008	11.1	62	0.00
50 S	Toluene-d8	1.204	1.116	7.3	71	0.00
51 T	4-Methyl-2-Pentanone	0.527	0.542	-2.8	74	0.00
52 CM	Toluene	0.859	0.841	2.1#	72	0.00
53 T	t-1,3-Dichloropropene	0.505	0.490	3.0	69	0.00
54 T	cis-1,3-Dichloropropene	0.552	0.551	0.2	71	0.00
55 T	1,1,2-Trichloroethane	0.346	0.362	-4.6	77	0.00
56 T	Ethyl methacrylate	0.556	0.570	-2.5	74	0.00
57 T	1,3-Dichloropropane	0.597	0.597	0.0	75	0.00
58 T	2-Chloroethyl Vinyl ether	0.218	0.213	2.3	71	0.00
59 T	2-Hexanone	0.411	0.407	1.0	71	0.00
60 T	Dibromochloromethane	0.359	0.369	-2.8	73	0.00
61 T	1,2-Dibromoethane	0.370	0.361	2.4	73	0.00
62 S	4-Bromofluorobenzene	0.434	0.411	5.3	72	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	71	0.00
64 T	Tetrachloroethene	0.373	0.353	5.4	73	0.00
65 PM	Chlorobenzene	1.038	1.014	2.3	74	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.383	-2.7	75	0.00
67 C	Ethyl Benzene	1.784	1.770	0.8#	72	0.00
68 T	m/p-Xylenes	0.683	0.671	1.8	72	0.00
69 T	o-Xylene	0.666	0.665	0.2	73	0.00
70 T	Styrene	1.120	1.137	-1.5	73	0.00
71 P	Bromoform	0.308	0.310	-0.6	71	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	71	0.00
73 T	Isopropylbenzene	3.507	3.520	-0.4	73	0.00
74 T	N-amyl acetate	1.607	1.657	-3.1	72	0.00
75 P	1,1,2,2-Tetrachloroethane	1.216	1.280	-5.3	76	0.00
76 T	1,2,3-Trichloropropane	1.125	1.153	-2.5	73	0.00
77 T	Bromobenzene	0.948	0.924	2.5	73	0.00
78 T	n-propylbenzene	3.915	3.945	-0.8	72	0.00
79 T	2-Chlorotoluene	2.349	2.363	-0.6	74	0.00
80 T	1,3,5-Trimethylbenzene	2.875	2.937	-2.2	73	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.388	5.6	67	0.00
82 T	4-Chlorotoluene	2.720	2.701	0.7	73	0.00
83 T	tert-Butylbenzene	2.921	2.960	-1.3	73	0.00
84 T	1,2,4-Trimethylbenzene	2.917	2.947	-1.0	73	0.00
85 T	sec-Butylbenzene	3.337	3.386	-1.5	73	0.00
86 T	p-Isopropyltoluene	3.104	3.129	-0.8	72	0.00
87 T	1,3-Dichlorobenzene	1.652	1.575	4.7	70	0.00
88 T	1,4-Dichlorobenzene	1.682	1.594	5.2	72	0.00
89 T	n-Butylbenzene	2.648	2.615	1.2	70	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121119\
Data File : VX013955.D
Acq On : 11 Dec 2019 19:51
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 12 05:48:05 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
Quant Title : SW846 8260
QLast Update : Tue Nov 26 15:53:00 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.561	0.553	1.4	72	0.00
91 T	1,2-Dichlorobenzene	1.632	1.638	-0.4	73	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.265	0.263	0.8	70	0.00
93 T	1,2,4-Trichlorobenzene	1.137	1.035	9.0	66	0.00
94 T	Hexachlorobutadiene	0.546	0.507	7.1	72	0.00
95 T	Naphthalene	3.387	3.257	3.8	67	0.00
96 T	1,2,3-Trichlorobenzene	1.126	1.060	5.9	69	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6