

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121218\
 Data File : VX006461.D
 Acq On : 12 Dec 2018 22:52
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 13 07:15:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	70	0.00
2 T	Dichlorodifluoromethane	0.490	0.509	-3.9	68	0.00
3 P	Chloromethane	0.503	0.524	-4.2	72	0.00
4 C	Vinyl Chloride	0.541	0.580	-7.2#	73	0.00
5 T	Bromomethane	0.375	0.536	-42.9#	108	0.00
6 T	Chloroethane	0.332	0.364	-9.6	75	0.00
7 T	Trichlorofluoromethane	0.831	0.900	-8.3	76	0.00
8 T	Diethyl Ether	0.315	0.347	-10.2	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.520	-9.9	79	0.00
10 T	Methyl Iodide	0.712	0.847	-19.0	82	0.00
11 T	Tert butyl alcohol	0.140	0.139	0.7	72	0.00
12 CM	1,1-Dichloroethene	0.452	0.499	-10.4#	80	0.00
13 T	Acrolein	0.076	0.070	7.9	67	0.00
14 T	Allyl chloride	0.894	0.857	4.1	68	0.00
15 T	Acrylonitrile	0.291	0.307	-5.5	75	0.00
16 T	Acetone	0.240	0.250	-4.2	75	0.00
17 T	Carbon Disulfide	1.394	1.364	2.2	69	0.00
18 T	Methyl Acetate	0.801	0.836	-4.4	74	0.00
19 T	Methyl tert-butyl Ether	1.614	1.750	-8.4	78	0.00
20 T	Methylene Chloride	0.510	0.561	-10.0	82	0.00
21 T	trans-1,2-Dichloroethene	0.482	0.537	-11.4	80	0.00
22 T	Diisopropyl ether	1.396	1.546	-10.7	80	0.00
23 T	Vinyl Acetate	1.191	1.281	-7.6	76	0.00
24 P	1,1-Dichloroethane	0.798	0.888	-11.3	81	0.00
25 T	2-Butanone	0.342	0.371	-8.5	77	0.00
26 T	2,2-Dichloropropane	0.736	0.658	10.6	65	0.00
27 T	cis-1,2-Dichloroethene	0.538	0.609	-13.2	82	0.00
28 T	Bromochloromethane	0.349	0.358	-2.6	71	0.00
29 T	Tetrahydrofuran	0.238	0.256	-7.6	77	0.00
30 C	Chloroform	0.838	0.958	-14.3#	83	0.00
31 T	Cyclohexane	0.737	0.799	-8.4	79	0.00
32 T	1,1,1-Trichloroethane	0.798	0.860	-7.8	78	0.00
33 S	1,2-Dichloroethane-d4	0.510	0.517	-1.4	73	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	74	0.00
35 S	Dibromofluoromethane	0.324	0.316	2.5	72	0.00
36 T	1,1-Dichloropropene	0.421	0.454	-7.8	81	0.00
37 T	Ethyl Acetate	0.472	0.476	-0.8	76	0.00
38 T	Carbon Tetrachloride	0.495	0.494	0.2	75	0.00
39 T	Methylcyclohexane	0.547	0.581	-6.2	80	0.00
40 TM	Benzene	1.261	1.395	-10.6	83	0.00
41 T	Methacrylonitrile	0.259	0.258	0.4	77	0.00
42 TM	1,2-Dichloroethane	0.413	0.463	-12.1	84	0.00
43 T	Isopropyl Acetate	0.786	0.773	1.7	74	0.00
44 TM	Trichloroethene	0.382	0.412	-7.9	81	0.00
45 C	1,2-Dichloropropane	0.321	0.342	-6.5#	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121218\
 Data File : VX006461.D
 Acq On : 12 Dec 2018 22:52
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 13 07:15:37 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
 Quant Title : SW846 8260
 QLast Update : Fri Nov 30 03:55:33 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.231	0.252	-9.1	82	0.00
47 T	Bromodichloromethane	0.448	0.455	-1.6	76	0.00
48 T	Methyl methacrylate	0.382	0.391	-2.4	76	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	79	0.00
50 S	Toluene-d8	1.178	1.143	3.0	72	0.00
51 T	4-Methyl-2-Pentanone	0.458	0.470	-2.6	76	0.00
52 CM	Toluene	0.830	0.931	-12.2#	85	0.00
53 T	t-1,3-Dichloropropene	0.524	0.498	5.0	71	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.546	-0.4	75	0.00
55 T	1,1,2-Trichloroethane	0.337	0.380	-12.8	84	0.00
56 T	Ethyl methacrylate	0.527	0.567	-7.6	80	0.00
57 T	1,3-Dichloropropane	0.533	0.596	-11.8	84	0.00
58 T	2-Chloroethyl Vinyl ether	0.267	0.256	4.1	73	0.00
59 T	2-Hexanone	0.350	0.354	-1.1	75	0.00
60 T	Dibromochloromethane	0.416	0.412	1.0	74	0.00
61 T	1,2-Dibromoethane	0.377	0.420	-11.4	84	0.00
62 S	4-Bromofluorobenzene	0.444	0.434	2.3	71	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	74	0.00
64 T	Tetrachloroethene	0.377	0.411	-9.0	85	0.00
65 PM	Chlorobenzene	1.061	1.168	-10.1	83	0.00
66 T	1,1,1,2-Tetrachloroethane	0.412	0.425	-3.2	78	0.00
67 C	Ethyl Benzene	1.765	1.925	-9.1#	83	0.00
68 T	m/p-Xylenes	0.707	0.772	-9.2	83	0.00
69 T	o-Xylene	0.698	0.752	-7.7	82	0.00
70 T	Styrene	1.130	1.223	-8.2	81	0.00
71 P	Bromoform	0.389	0.337	13.4	65	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	72	0.00
73 T	Isopropylbenzene	3.453	3.888	-12.6	82	0.00
74 T	N-amyl acetate	1.487	1.456	2.1	73	0.00
75 P	1,1,2,2-Tetrachloroethane	1.105	1.177	-6.5	80	0.00
76 T	1,2,3-Trichloropropane	0.965	1.081	-12.0	76	0.00
77 T	Bromobenzene	0.958	1.056	-10.2	81	0.00
78 T	n-propylbenzene	3.838	4.290	-11.8	81	0.00
79 T	2-Chlorotoluene	2.281	2.537	-11.2	82	0.00
80 T	1,3,5-Trimethylbenzene	2.873	3.215	-11.9	83	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.345	16.1	61	0.00
82 T	4-Chlorotoluene	2.652	2.910	-9.7	80	0.00
83 T	tert-Butylbenzene	3.065	3.345	-9.1	80	0.00
84 T	1,2,4-Trimethylbenzene	2.967	3.304	-11.4	83	0.00
85 T	sec-Butylbenzene	3.487	3.917	-12.3	82	0.00
86 T	p-Isopropyltoluene	3.140	3.495	-11.3	81	0.00
87 T	1,3-Dichlorobenzene	1.705	1.870	-9.7	80	0.00
88 T	1,4-Dichlorobenzene	1.731	1.861	-7.5	80	0.00
89 T	n-Butylbenzene	2.679	2.920	-9.0	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121218\
Data File : VX006461.D
Acq On : 12 Dec 2018 22:52
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 13 07:15:37 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112918W.M
Quant Title : SW846 8260
QLast Update : Fri Nov 30 03:55:33 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.640	0.595	7.0	67	0.00
91 T	1,2-Dichlorobenzene	1.692	1.844	-9.0	82	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.283	0.258	8.8	71	0.00
93 T	1,2,4-Trichlorobenzene	1.235	1.300	-5.3	78	0.00
94 T	Hexachlorobutadiene	0.546	0.577	-5.7	77	0.00
95 T	Naphthalene	3.840	4.181	-8.9	81	0.00
96 T	1,2,3-Trichlorobenzene	1.223	1.315	-7.5	80	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6