

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX121219\
 Data File : VX014001.D
 Acq On : 13 Dec 2019 03:54
 Operator : JC/SP
 Sample : K6198-01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 391205074.2

Quant Time: Dec 13 04:58:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA X\METHOD\624X121219W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri Dec 13 01:35:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Bromochloromethane	5.00	128	94077	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	6.85	114	505247	30.00	ug/l	0.00
57) Chlorobenzene-d5	10.11	117	453507	30.00	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	6.05	65	197644	29.33	ug/l	0.00
Spiked Amount	30.000	Range	50 - 169	Recovery	=	97.77%
60) 4-Bromofluorobenzene	11.14	95	199438	27.23	ug/l	0.00
Spiked Amount	30.000	Range	56 - 143	Recovery	=	90.77%
63) Toluene-d8	8.71	98	614818	30.33	ug/l	0.00
Spiked Amount	30.000	Range	66 - 137	Recovery	=	101.10%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX121219\
Data File : VX014001.D
Acq On : 13 Dec 2019 03:54
Operator : JC/SP
Sample : K6198-01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
391205074.2

Quant Time: Dec 13 04:58:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA X\METHOD\624X121219W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri Dec 13 01:35:34 2019
Response via : Initial Calibration

