

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121219\
 Data File : VX013989.D
 Acq On : 12 Dec 2019 20:38
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 13 04:38:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	68	0.00
2 T	Dichlorodifluoromethane	0.557	0.480	13.8	58	0.00
3 P	Chloromethane	0.624	0.560	10.3	62	0.00
4 C	Vinyl Chloride	0.703	0.658	6.4#	63	0.00
5 T	Bromomethane	0.472	0.477	-1.1	75	0.00
6 T	Chloroethane	0.400	0.365	8.8	66	0.00
7 T	Trichlorofluoromethane	0.780	0.715	8.3	66	0.00
8 T	Diethyl Ether	0.353	0.343	2.8	69	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.477	0.454	4.8	69	0.00
10 T	Methyl Iodide	0.577	0.592	-2.6	67	0.00
11 T	Tert butyl alcohol	0.143	0.120	16.1	62	0.01
12 CM	1,1-Dichloroethene	0.476	0.444	6.7#	66	0.00
13 T	Acrolein	0.088	0.090	-2.3	65	0.00
14 T	Allyl chloride	0.864	0.831	3.8	67	0.00
15 T	Acrylonitrile	0.296	0.291	1.7	69	0.00
16 T	Acetone	0.287	0.238	17.1	58	0.00
17 T	Carbon Disulfide	1.356	1.057	22.1#	56	0.00
18 T	Methyl Acetate	0.798	0.836	-4.8	71	0.00
19 T	Methyl tert-butyl Ether	1.576	1.587	-0.7	70	0.00
20 T	Methylene Chloride	0.551	0.535	2.9	71	0.00
21 T	trans-1,2-Dichloroethene	0.518	0.482	6.9	66	0.00
22 T	Diisopropyl ether	1.663	1.734	-4.3	72	0.00
23 T	Vinyl Acetate	1.383	1.403	-1.4	69	0.00
24 P	1,1-Dichloroethane	0.909	0.922	-1.4	71	0.00
25 T	2-Butanone	0.426	0.399	6.3	64	0.00
26 T	2,2-Dichloropropane	0.752	0.670	10.9	63	0.00
27 T	cis-1,2-Dichloroethene	0.595	0.576	3.2	69	0.00
28 T	Bromochloromethane	0.320	0.393	-22.8#	75	0.00
29 T	Tetrahydrofuran	0.263	0.256	2.7	66	0.00
30 C	Chloroform	0.922	0.894	3.0#	70	0.00
31 T	Cyclohexane	0.857	0.780	9.0	65	0.00
32 T	1,1,1-Trichloroethane	0.770	0.740	3.9	68	0.00
33 S	1,2-Dichloroethane-d4	0.580	0.541	6.7	67	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	70	0.00
35 S	Dibromofluoromethane	0.309	0.290	6.1	69	0.00
36 T	1,1-Dichloropropene	0.454	0.413	9.0	66	0.00
37 T	Ethyl Acetate	0.509	0.486	4.5	66	0.00
38 T	Carbon Tetrachloride	0.419	0.398	5.0	67	0.00
39 T	Methylcyclohexane	0.561	0.484	13.7	63	0.00
40 TM	Benzene	1.382	1.304	5.6	69	0.00
41 T	Methacrylonitrile	0.279	0.277	0.7	68	0.00
42 TM	1,2-Dichloroethane	0.471	0.457	3.0	70	0.00
43 T	Isopropyl Acetate	0.838	0.811	3.2	69	0.00
44 TM	Trichloroethene	0.379	0.357	5.8	69	0.00
45 C	1,2-Dichloropropane	0.346	0.349	-0.9#	72	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121219\
 Data File : VX013989.D
 Acq On : 12 Dec 2019 20:38
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 13 04:38:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
 Quant Title : SW846 8260
 QLast Update : Tue Nov 26 15:53:00 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.235	0.221	6.0	69	0.00
47 T	Bromodichloromethane	0.444	0.443	0.2	70	0.00
48 T	Methyl methacrylate	0.407	0.405	0.5	68	0.00
49 T	1,4-Dioxane	0.009	0.007	22.2#	58	0.00
50 S	Toluene-d8	1.204	1.089	9.6	67	0.00
51 T	4-Methyl-2-Pentanone	0.527	0.531	-0.8	71	0.00
52 CM	Toluene	0.859	0.831	3.3#	70	0.00
53 T	t-1,3-Dichloropropene	0.505	0.486	3.8	67	0.00
54 T	cis-1,3-Dichloropropene	0.552	0.541	2.0	68	0.00
55 T	1,1,2-Trichloroethane	0.346	0.349	-0.9	72	0.00
56 T	Ethyl methacrylate	0.556	0.566	-1.8	71	0.00
57 T	1,3-Dichloropropane	0.597	0.582	2.5	71	0.00
58 T	2-Chloroethyl Vinyl ether	0.218	0.203	6.9	66	0.00
59 T	2-Hexanone	0.411	0.400	2.7	68	0.00
60 T	Dibromochloromethane	0.359	0.357	0.6	69	0.00
61 T	1,2-Dibromoethane	0.370	0.355	4.1	69	0.00
62 S	4-Bromofluorobenzene	0.434	0.407	6.2	70	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	70	0.00
64 T	Tetrachloroethene	0.373	0.346	7.2	70	0.00
65 PM	Chlorobenzene	1.038	0.988	4.8	71	0.00
66 T	1,1,1,2-Tetrachloroethane	0.373	0.371	0.5	71	0.00
67 C	Ethyl Benzene	1.784	1.735	2.7#	69	0.00
68 T	m/p-Xylenes	0.683	0.657	3.8	69	0.00
69 T	o-Xylene	0.666	0.652	2.1	70	0.00
70 T	Styrene	1.120	1.128	-0.7	71	0.00
71 P	Bromoform	0.308	0.303	1.6	68	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	71	0.00
73 T	Isopropylbenzene	3.507	3.407	2.9	70	0.00
74 T	N-amyl acetate	1.607	1.607	0.0	70	0.00
75 P	1,1,2,2-Tetrachloroethane	1.216	1.233	-1.4	73	0.00
76 T	1,2,3-Trichloropropane	1.125	1.105	1.8	70	0.00
77 T	Bromobenzene	0.948	0.885	6.6	69	0.00
78 T	n-propylbenzene	3.915	3.795	3.1	69	0.00
79 T	2-Chlorotoluene	2.349	2.311	1.6	72	0.00
80 T	1,3,5-Trimethylbenzene	2.875	2.866	0.3	71	0.00
81 T	trans-1,4-Dichloro-2-butene	0.411	0.371	9.7	64	0.00
82 T	4-Chlorotoluene	2.720	2.626	3.5	71	0.00
83 T	tert-Butylbenzene	2.921	2.895	0.9	71	0.00
84 T	1,2,4-Trimethylbenzene	2.917	2.865	1.8	71	0.00
85 T	sec-Butylbenzene	3.337	3.285	1.6	71	0.00
86 T	p-Isopropyltoluene	3.104	3.037	2.2	70	0.00
87 T	1,3-Dichlorobenzene	1.652	1.559	5.6	70	0.00
88 T	1,4-Dichlorobenzene	1.682	1.574	6.4	71	0.00
89 T	n-Butylbenzene	2.648	2.541	4.0	68	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121219\
Data File : VX013989.D
Acq On : 12 Dec 2019 20:38
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 13 04:38:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X112619W.M
Quant Title : SW846 8260
QLast Update : Tue Nov 26 15:53:00 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.561	0.538	4.1	70	0.00
91 T	1,2-Dichlorobenzene	1.632	1.593	2.4	71	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.265	0.249	6.0	66	0.00
93 T	1,2,4-Trichlorobenzene	1.137	1.036	8.9	66	0.00
94 T	Hexachlorobutadiene	0.546	0.487	10.8	69	0.00
95 T	Naphthalene	3.387	3.228	4.7	66	0.00
96 T	1,2,3-Trichlorobenzene	1.126	1.062	5.7	69	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6