

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121220\
 Data File : VX019952.D
 Acq On : 12 Dec 2020 23:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 06:06:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X120420W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 04 15:32:53 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	78	0.00
2 T	Dichlorodifluoromethane	0.458	0.438	4.4	70	0.00
3 P	Chloromethane	0.538	0.499	7.2	75	0.00
4 C	Vinyl Chloride	0.568	0.577	-1.6#	77	0.00
5 T	Bromomethane	0.188	0.156	17.0	63	0.00
6 T	Chloroethane	0.341	0.376	-10.3	82	0.00
7 T	Trichlorofluoromethane	0.791	0.804	-1.6	78	0.00
8 T	Diethyl Ether	0.335	0.354	-5.7	83	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.453	0.459	-1.3	78	0.00
10 T	Methyl Iodide	0.668	0.635	4.9	73	0.00
11 T	Tert butyl alcohol	0.145	0.147	-1.4	87	0.00
12 CM	1,1-Dichloroethene	0.458	0.460	-0.4#	77	0.00
13 T	Acrolein	0.073	0.068	6.8	77	0.00
14 T	Allyl chloride	0.774	0.818	-5.7	83	0.00
15 T	Acrylonitrile	0.297	0.336	-13.1	89	0.00
16 T	Acetone	0.247	0.275	-11.3	86	0.00
17 T	Carbon Disulfide	1.314	1.149	12.6	69	0.00
18 T	Methyl Acetate	0.604	0.751	-24.3	96	0.00
19 T	Methyl tert-butyl Ether	1.668	1.851	-11.0	85	0.00
20 T	Methylene Chloride	0.639	0.608	4.9	82	0.00
21 T	trans-1,2-Dichloroethene	0.534	0.544	-1.9	78	0.00
22 T	Diisopropyl ether	1.564	1.791	-14.5	88	0.00
23 T	Vinyl Acetate	1.333	1.516	-13.7	86	0.00
24 P	1,1-Dichloroethane	0.943	1.024	-8.6	84	0.00
25 T	2-Butanone	0.380	0.432	-13.7	89	0.00
26 T	2,2-Dichloropropane	0.812	0.736	9.4	70	0.00
27 T	cis-1,2-Dichloroethene	0.625	0.652	-4.3	82	0.00
28 T	Bromochloromethane	0.450	0.464	-3.1	80	0.00
29 T	Tetrahydrofuran	0.245	0.280	-14.3	90	0.00
30 C	Chloroform	0.970	1.055	-8.8#	84	0.00
31 T	Cyclohexane	0.817	0.861	-5.4	80	0.00
32 T	1,1,1-Trichloroethane	0.835	0.891	-6.7	81	0.00
33 S	1,2-Dichloroethane-d4	0.657	0.644	2.0	81	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	81	0.00
35 S	Dibromofluoromethane	0.323	0.309	4.3	80	0.00
36 T	1,1-Dichloropropene	0.452	0.451	0.2	81	0.00
37 T	Ethyl Acetate	0.456	0.495	-8.6	90	0.00
38 T	Carbon Tetrachloride	0.442	0.439	0.7	78	0.00
39 T	Methylcyclohexane	0.531	0.521	1.9	77	0.00
40 TM	Benzene	1.380	1.414	-2.5	83	0.00
41 T	Methacrylonitrile	0.250	0.276	-10.4	89	0.00
42 TM	1,2-Dichloroethane	0.472	0.489	-3.6	83	0.00
43 T	Isopropyl Acetate	0.742	0.800	-7.8	88	0.00
44 TM	Trichloroethene	0.362	0.352	2.8	78	0.00
45 C	1,2-Dichloropropane	0.345	0.366	-6.1#	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121220\
 Data File : VX019952.D
 Acq On : 12 Dec 2020 23:00
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 06:06:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X120420W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 04 15:32:53 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.240	-3.0	82	0.00
47 T	Bromodichloromethane	0.462	0.485	-5.0	83	0.00
48 T	Methyl methacrylate	0.365	0.396	-8.5	87	0.00
49 T	1,4-Dioxane	0.009	0.010	-11.1	88	0.00
50 S	Toluene-d8	1.234	1.191	3.5	79	0.00
51 T	4-Methyl-2-Pentanone	0.453	0.508	-12.1	90	0.00
52 CM	Toluene	0.863	0.908	-5.2#	84	0.00
53 T	t-1,3-Dichloropropene	0.513	0.522	-1.8	78	0.00
54 T	cis-1,3-Dichloropropene	0.557	0.579	-3.9	81	0.00
55 T	1,1,2-Trichloroethane	0.348	0.370	-6.3	85	0.00
56 T	Ethyl methacrylate	0.526	0.578	-9.9	86	0.00
57 T	1,3-Dichloropropane	0.594	0.625	-5.2	85	0.00
58 T	2-Chloroethyl Vinyl ether	0.279	0.305	-9.3	88	0.00
59 T	2-Hexanone	0.351	0.390	-11.1	89	0.00
60 T	Dibromochloromethane	0.353	0.375	-6.2	82	0.00
61 T	1,2-Dibromoethane	0.369	0.382	-3.5	84	0.00
62 S	4-Bromofluorobenzene	0.470	0.463	1.5	81	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.335	0.326	2.7	78	0.00
65 PM	Chlorobenzene	0.996	1.016	-2.0	81	0.00
66 T	1,1,1,2-Tetrachloroethane	0.359	0.381	-6.1	83	0.00
67 C	Ethyl Benzene	1.768	1.833	-3.7#	81	0.00
68 T	m/p-Xylenes	0.666	0.692	-3.9	81	0.00
69 T	o-Xylene	0.641	0.675	-5.3	82	0.00
70 T	Styrene	1.082	1.156	-6.8	81	0.00
71 P	Bromoform	0.282	0.300	-6.4	80	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	76	0.00
73 T	Isopropylbenzene	3.416	3.655	-7.0	81	0.00
74 T	N-amyl acetate	1.369	1.560	-14.0	85	0.00
75 P	1,1,2,2-Tetrachloroethane	1.204	1.353	-12.4	86	0.00
76 T	1,2,3-Trichloropropane	1.121	1.221	-8.9	84	0.00
77 T	Bromobenzene	0.874	0.915	-4.7	82	0.00
78 T	n-propylbenzene	3.902	4.237	-8.6	81	0.00
79 T	2-Chlorotoluene	2.403	2.581	-7.4	82	0.00
80 T	1,3,5-Trimethylbenzene	2.883	3.110	-7.9	80	0.00
81 T	trans-1,4-Dichloro-2-butene	0.388	0.402	-3.6	76	0.00
82 T	4-Chlorotoluene	2.814	2.976	-5.8	81	0.00
83 T	tert-Butylbenzene	2.828	3.100	-9.6	82	0.00
84 T	1,2,4-Trimethylbenzene	2.904	3.197	-10.1	81	0.00
85 T	sec-Butylbenzene	3.228	3.565	-10.4	82	0.00
86 T	p-Isopropyltoluene	2.959	3.282	-10.9	81	0.00
87 T	1,3-Dichlorobenzene	1.604	1.631	-1.7	77	0.00
88 T	1,4-Dichlorobenzene	1.634	1.648	-0.9	78	0.00
89 T	n-Butylbenzene	2.621	2.843	-8.5	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121220\
Data File : VX019952.D
Acq On : 12 Dec 2020 23:00
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 14 06:06:30 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X120420W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 04 15:32:53 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.511	0.551	-7.8	81	0.00
91 T	1,2-Dichlorobenzene	1.564	1.674	-7.0	81	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.259	0.291	-12.4	87	0.00
93 T	1,2,4-Trichlorobenzene	1.018	1.082	-6.3	79	0.00
94 T	Hexachlorobutadiene	0.455	0.486	-6.8	84	0.00
95 T	Naphthalene	3.301	4.077	-23.5	91	0.00
96 T	1,2,3-Trichlorobenzene	0.995	1.080	-8.5	81	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6