

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121323\
 Data File : VX039193.D
 Acq On : 13 Dec 2023 16:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 01:34:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121323W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 14 01:28:15 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.703	0.774	-10.1	104	0.00
3 P	Chloromethane	0.779	0.809	-3.9	100	0.00
4 C	Vinyl Chloride	0.724	0.756	-4.4#	103	0.00
5 T	Bromomethane	0.417	0.443	-6.2	95	0.00
6 T	Chloroethane	0.437	0.433	0.9	102	0.00
7 T	Trichlorofluoromethane	1.061	1.090	-2.7	101	0.00
8 T	Diethyl Ether	0.367	0.370	-0.8	98	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.647	0.668	-3.2	102	0.00
10 T	Methyl Iodide	0.669	0.741	-10.8	108	0.00
11 T	Tert butyl alcohol	0.230	0.235	-2.2	104	0.00
12 CM	1,1-Dichloroethene	0.643	0.656	-2.0#	100	0.00
13 T	Acrolein	0.183	0.190	-3.8	103	0.00
14 T	Allyl chloride	1.303	1.334	-2.4	101	0.00
15 T	Acrylonitrile	0.460	0.472	-2.6	100	0.00
16 T	Acetone	0.661	0.518	21.6	99	0.00
17 T	Carbon Disulfide	1.882	1.921	-2.1	101	0.00
18 T	Methyl Acetate	1.981	1.981	0.0	96	0.00
19 T	Methyl tert-butyl Ether	2.325	2.366	-1.8	101	0.00
20 T	Methylene Chloride	0.764	0.757	0.9	100	0.00
21 T	trans-1,2-Dichloroethene	0.700	0.705	-0.7	100	0.00
22 T	Diisopropyl ether	2.371	2.424	-2.2	101	0.00
23 T	Vinyl Acetate	1.765	1.877	-6.3	102	0.00
24 P	1,1-Dichloroethane	1.340	1.354	-1.0	101	0.00
25 T	2-Butanone	0.790	0.719	9.0	100	0.00
26 T	2,2-Dichloropropane	1.170	1.200	-2.6	102	0.00
27 T	cis-1,2-Dichloroethene	0.772	0.795	-3.0	99	0.00
28 T	Bromochloromethane	0.654	0.663	-1.4	94	0.00
29 T	Tetrahydrofuran	0.436	0.443	-1.6	99	0.00
30 C	Chloroform	1.339	1.363	-1.8#	102	0.00
31 T	Cyclohexane	1.183	1.218	-3.0	101	-0.01
32 T	1,1,1-Trichloroethane	1.163	1.199	-3.1	101	0.00
33 S	1,2-Dichloroethane-d4	0.916	0.916	0.0	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.345	0.351	-1.7	104	0.00
36 T	1,1-Dichloropropene	0.545	0.562	-3.1	101	0.00
37 T	Ethyl Acetate	0.673	0.705	-4.8	101	0.00
38 T	Carbon Tetrachloride	0.520	0.540	-3.8	100	0.00
39 T	Methylcyclohexane	0.655	0.687	-4.9	102	0.00
40 TM	Benzene	1.542	1.589	-3.0	100	0.00
41 T	Methacrylonitrile	0.359	0.367	-2.2	97	0.00
42 TM	1,2-Dichloroethane	0.624	0.645	-3.4	100	0.00
43 T	Isopropyl Acetate	1.095	1.123	-2.6	99	0.00
44 TM	Trichloroethene	0.389	0.392	-0.8	100	0.00
45 C	1,2-Dichloropropane	0.414	0.421	-1.7#	99	0.00
46 T	Dibromomethane	0.291	0.297	-2.1	100	0.00
47 T	Bromodichloromethane	0.556	0.591	-6.3	101	0.00
48 T	Methyl methacrylate	0.640	0.673	-5.2	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121323\
 Data File : VX039193.D
 Acq On : 13 Dec 2023 16:55
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 14 01:34:40 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121323W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 14 01:28:15 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.009	0.010	-11.1	101	0.00
50 S	Toluene-d8	1.282	1.308	-2.0	104	0.00
51 T	4-Methyl-2-Pentanone	0.698	0.721	-3.3	100	0.00
52 CM	Toluene	0.931	0.960	-3.1#	100	0.00
53 T	t-1,3-Dichloropropene	0.612	0.660	-7.8	101	0.00
54 T	cis-1,3-Dichloropropene	0.659	0.691	-4.9	100	0.00
55 T	1,1,2-Trichloroethane	0.389	0.396	-1.8	101	0.00
56 T	Ethyl methacrylate	0.474	0.514	-8.4	100	0.00
57 T	1,3-Dichloropropane	0.672	0.685	-1.9	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.279	0.285	-2.2	95	0.00
59 T	2-Hexanone	0.602	0.583	3.2	99	0.00
60 T	Dibromochloromethane	0.393	0.416	-5.9	102	0.00
61 T	1,2-Dibromoethane	0.415	0.429	-3.4	100	0.00
62 S	4-Bromofluorobenzene	0.529	0.531	-0.4	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.327	0.332	-1.5	102	0.00
65 PM	Chlorobenzene	1.091	1.096	-0.5	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.385	0.405	-5.2	101	0.00
67 C	Ethyl Benzene	2.031	2.104	-3.6#	100	0.00
68 T	m/p-Xylenes	0.728	0.759	-4.3	101	0.00
69 T	o-Xylene	0.704	0.732	-4.0	100	0.00
70 T	Styrene	1.030	1.081	-5.0	100	0.00
71 P	Bromoform	0.287	0.308	-7.3	100	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.858	4.002	-3.7	101	0.00
74 T	N-amyl acetate	1.952	2.123	-8.8	103	0.00
75 P	1,1,2,2-Tetrachloroethane	1.435	1.470	-2.4	101	0.00
76 T	1,2,3-Trichloropropane	1.294	1.292	0.2	97	0.00
77 T	Bromobenzene	0.853	0.879	-3.0	101	0.00
78 T	n-propylbenzene	4.753	4.932	-3.8	101	0.00
79 T	2-Chlorotoluene	2.875	2.909	-1.2	101	0.00
80 T	1,3,5-Trimethylbenzene	3.286	3.414	-3.9	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.459	0.478	-4.1	100	0.00
82 T	4-Chlorotoluene	3.377	3.482	-3.1	102	0.00
83 T	tert-Butylbenzene	3.128	3.227	-3.2	100	0.00
84 T	1,2,4-Trimethylbenzene	3.370	3.516	-4.3	102	0.00
85 T	sec-Butylbenzene	3.980	4.151	-4.3	103	0.00
86 T	p-Isopropyltoluene	3.340	3.500	-4.8	102	0.00
87 T	1,3-Dichlorobenzene	1.676	1.704	-1.7	101	0.00
88 T	1,4-Dichlorobenzene	1.745	1.714	1.8	102	0.00
89 T	n-Butylbenzene	3.283	3.522	-7.3	103	0.00
90 T	Hexachloroethane	0.603	0.652	-8.1	102	0.00
91 T	1,2-Dichlorobenzene	1.604	1.619	-0.9	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.378	0.404	-6.9	97	0.00
93 T	1,2,4-Trichlorobenzene	1.050	1.091	-3.9	101	0.00
94 T	Hexachlorobutadiene	0.396	0.410	-3.5	104	0.00
95 T	Naphthalene	3.657	3.854	-5.4	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121323\
Data File : VX039193.D
Acq On : 13 Dec 2023 16:55
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 14 01:34:40 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121323W.M
Quant Title : SW846 8260
QLast Update : Thu Dec 14 01:28:15 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	1.014	1.057	-4.2	103	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6