

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
 Data File : VX044270.D
 Acq On : 13 Dec 2024 10:35
 Operator : JC/MD
 Sample : P5252-12
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 F7J50

Quant Time: Dec 13 22:47:40 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 07 03:56:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	198045	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.049	117	171248	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.018	152	67898	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	76144	42.014	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	84.020%		
7) Chloroethane-d5	1.648	69	64022	45.602	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	91.200%		
11) 1,1-Dichloroethene-d2	2.300	65	31138	40.174	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	80.340%		
21) 2-Butanone-d5	4.459	46	106622	96.090	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	96.090%		
24) Chloroform-d	5.050	84	149600	43.475	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	86.940%		
26) 1,2-Dichloroethane-d4	5.946	65	109307	44.918	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.840%		
32) Benzene-d6	5.964	84	268280	45.340	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	90.680%		
36) 1,2-Dichloropropane-d6	7.306	67	88952	48.414	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	96.820%		
41) Toluene-d8	8.647	98	241638	44.166	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.340%		
43) trans-1,3-Dichloroprop...	8.946	79	36325	41.141	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.280%		
47) 2-Hexanone-d5	9.385	63	67742	94.561	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	94.560%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	117608	47.738	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	95.480%		
66) 1,2-Dichlorobenzene-d4	12.317	152	76351	48.263	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.520%		
Target Compounds					Qvalue	
13) Acetone	2.380	43	5154	5.220	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
Data File : VX044270.D
Acq On : 13 Dec 2024 10:35
Operator : JC/MD
Sample : P5252-12
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
F7J50

Quant Time: Dec 13 22:47:40 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120524WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 07 03:56:15 2024
Response via : Initial Calibration

