

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
 Data File : VX044305.D
 Acq On : 14 Dec 2024 00:21
 Operator : JC/MD
 Sample : P5232-04ME
 Misc : 12.19g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E28R8ME

Quant Time: Dec 14 01:05:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 07 03:56:15 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By : John Carlone 12/16/2024
 Supervised By : Mahesh Dadoda 12/17/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	229205	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	200184	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	87908	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	66111m	31.519	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	63.040%		
7) Chloroethane-d5	1.648	69	48302m	29.728	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	59.460%#		
11) 1,1-Dichloroethene-d2	2.276	65	27364	30.505	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	61.020%		
21) 2-Butanone-d5	4.489	46	91406	71.178	ug/L	0.04
Spiked Amount 100.000	Range 40 - 130		Recovery =	71.180%		
24) Chloroform-d	5.050	84	139956	35.143	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	70.280%		
26) 1,2-Dichloroethane-d4	5.952	65	103590	36.782	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	73.560%		
32) Benzene-d6	5.958	84	274417	39.673	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	79.340%		
36) 1,2-Dichloropropane-d6	7.306	67	86577	40.310	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	80.620%		
41) Toluene-d8	8.647	98	251030	39.250	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	78.500%#		
43) trans-1,3-Dichloroprop...	8.952	79	32942	31.916	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	63.840%		
47) 2-Hexanone-d5	9.397	63	63894	76.297	ug/L	0.01
Spiked Amount 100.000	Range 45 - 130		Recovery =	76.300%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	111348	38.664	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	77.320%		
66) 1,2-Dichlorobenzene-d4	12.317	152	87514	42.727	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	85.460%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
Data File : VX044305.D
Acq On : 14 Dec 2024 00:21
Operator : JC/MD
Sample : P5232-04ME
Misc : 12.19g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E28R8ME

Quant Time: Dec 14 01:05:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120524WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 07 03:56:15 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 12/16/2024
Supervised By :Mahesh Dadoda 12/17/2024

