

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
 Data File : VX044300.D
 Acq On : 13 Dec 2024 22:26
 Operator : JC/MD
 Sample : P5153-13ME
 Misc : 6.28g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E28Q0ME

Quant Time: Dec 14 00:30:26 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Dec 07 03:56:15 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :John Carlone 12/16/2024
 Supervised By :Mahesh Dadoda 12/17/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.751	114	218444	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	192027	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.018	152	85473	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	67625	33.829	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	67.660%		
7) Chloroethane-d5	1.648	69	50012m	32.297	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	64.600%#		
11) 1,1-Dichloroethene-d2	2.282	65	27167	31.777	ug/L	-0.01
Spiked Amount 50.000	Range 60 - 125		Recovery =	63.560%		
21) 2-Butanone-d5	4.483	46	86998	71.083	ug/L	0.03
Spiked Amount 100.000	Range 40 - 130		Recovery =	71.080%		
24) Chloroform-d	5.056	84	136752	36.030	ug/L	0.01
Spiked Amount 50.000	Range 70 - 125		Recovery =	72.060%		
26) 1,2-Dichloroethane-d4	5.946	65	100742	37.533	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	75.060%		
32) Benzene-d6	5.964	84	264262	39.828	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	79.660%		
36) 1,2-Dichloropropane-d6	7.306	67	84497	41.013	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	82.020%		
41) Toluene-d8	8.647	98	243391	39.673	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	79.340%#		
43) trans-1,3-Dichloroprop...	8.952	79	32600	32.927	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	65.860%		
47) 2-Hexanone-d5	9.391	63	60288	75.049	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	75.050%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	107084	38.762	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	77.520%		
66) 1,2-Dichlorobenzene-d4	12.317	152	82245	41.298	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	82.600%		
Target Compounds						Qvalue
15) Methyl Acetate	2.715	43	13211	7.481	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121324\
Data File : VX044300.D
Acq On : 13 Dec 2024 22:26
Operator : JC/MD
Sample : P5153-13ME
Misc : 6.28g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 35 Sample Multiplier: 1


Instrument :
MSVOA_X
ClientSampleId :
E28Q0ME

Quant Time: Dec 14 00:30:26 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120524WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Dec 07 03:56:15 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :John Carlone 12/16/2024
Supervised By :Mahesh Dadoda 12/17/2024





#15
Methyl Acetate
Concen: 7.481 ug/L
RT: 2.715 min Scan# 20
Delta R.T. 0.012 min
Lab File: VX044300.D
Acq: 13 Dec 2024 22:26

Instrument :
MSVOA_X
ClientSampleId :
E28Q0ME



Tgt Ion: 43 Resp: 1321
Ion Ratio Lower Upper
43 100
74 23.1 19.4 29.2

Manual Integrations
APPROVED

Reviewed By :John Carlone 12/16/2024
Supervised By :Mahesh Dadoda 12/17/2024

