

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX121619\  
 Data File : VX014024.D  
 Acq On : 16 Dec 2019 10:40  
 Operator : JC/SP  
 Sample : VX1216WBL01  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 VX1216WBL01

Quant Time: Dec 17 03:45:32 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_X\METHOD\82X121319W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Dec 17 03:01:07 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.65  | 168  | 608956   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.85  | 114  | 922533   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.11 | 117  | 816939   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.07 | 152  | 347550   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 6.05   | 65  | 339002   | 49.12 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.24%  |      |
| 35) Dibromofluoromethane    | 5.48   | 113 | 278134   | 49.60 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.20%  |      |
| 50) Toluene-d8              | 8.71   | 98  | 1092279  | 50.03 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.06% |      |
| 62) 4-Bromofluorobenzene    | 11.13  | 95  | 361614   | 45.31 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 90.62%  |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX121619\  
Data File : VX014024.D  
Acq On : 16 Dec 2019 10:40  
Operator : JC/SP  
Sample : VX1216WBL01  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
VX1216WBL01

Quant Time: Dec 17 03:45:32 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_X\METHOD\82X121319W.M  
Quant Title : SW846 8260  
QLast Update : Tue Dec 17 03:01:07 2019  
Response via : Initial Calibration

