

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121623\
 Data File : VX039283.D
 Acq On : 16 Dec 2023 12:26
 Operator : JC/MD
 Sample : 05844-22
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK001

Quant Time: Dec 16 21:11:49 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 12 03:50:51 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	198674	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	187425	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	90295	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	63637	40.838	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	81.680%		
7) Chloroethane-d5	1.666	69	49312	42.813	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	85.620%		
11) 1,1-Dichloroethene-d2	2.307	65	32120	46.957	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	93.920%		
21) 2-Butanone-d5	4.453	46	150289	106.546	ug/L	0.01
Spiked Amount 100.000	Range 40 - 130		Recovery =	106.550%		
24) Chloroform-d	5.056	84	135980	49.294	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.580%		
26) 1,2-Dichloroethane-d4	5.952	65	99677	55.794	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	111.580%		
32) Benzene-d6	5.977	84	277451	47.966	ug/L	0.01
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.940%		
36) 1,2-Dichloropropane-d6	7.306	67	93472	50.213	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	100.420%		
41) Toluene-d8	8.647	98	248761	47.456	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.920%		
43) trans-1,3-Dichloroprop...	8.952	79	43822	46.260	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	92.520%		
47) 2-Hexanone-d5	9.385	63	106780	96.041	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	96.040%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	132475	50.166	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	100.340%		
66) 1,2-Dichlorobenzene-d4	12.317	152	86219	50.517	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	101.040%		
Target Compounds						Qvalue
12) 1,1-Dichloroethene	2.307	96	1245	0.973	ug/L	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121623\
Data File : VX039283.D
Acq On : 16 Dec 2023 12:26
Operator : JC/MD
Sample : 05844-22
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
VHBLK001

Quant Time: Dec 16 21:11:49 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 12 03:50:51 2023
Response via : Initial Calibration





#12
 1,1-Dichloroethene
 Concen: 0.973 ug/L
 RT: 2.307 min Scan# 20
 Delta R.T. -0.012 min
 Lab File: VX039283.D
 Acq: 16 Dec 2023 12:26

Instrument :
 MSVOA_X
 ClientSampleId :
 VHBLK001

Tgt Ion: 96 Resp: 1245
 Ion Ratio Lower Upper
 96 100
 61 1113.7 128.0 237.6#
 63 8871.9 101.5 188.5#

