

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX121625\  
 Data File : VX048905.D  
 Acq On : 16 Dec 2025 21:57  
 Operator : JC/MD  
 Sample : Q3849-11  
 Misc : 5.0mL/MSVOA\_X/WATER  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 TB01-121125

Quant Time: Dec 17 03:31:00 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X121625W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Dec 17 03:22:16 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 5.544  | 168  | 122371   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.745  | 114  | 214917   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.037 | 117  | 190896   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.006 | 152  | 84898    | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 5.940  | 65    | 96579    | 47.216   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 78 - 117 | Recovery | =    | 94.440% |
| 35) Dibromofluoromethane    | 5.373  | 113   | 73583    | 46.063   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 92.120% |
| 50) Toluene-d8              | 8.635  | 98    | 267576   | 46.918   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 92 - 112 | Recovery | =    | 93.840% |
| 62) 4-Bromofluorobenzene    | 11.061 | 95    | 91303    | 44.592   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 89.180% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_X\Data\VX121625\  
Data File : VX048905.D  
Acq On : 16 Dec 2025 21:57  
Operator : JC/MD  
Sample : Q3849-11  
Misc : 5.0mL/MSVOA\_X/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
TB01-121125

Quant Time: Dec 17 03:31:00 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_X\Method\82X121625W.M  
Quant Title : SW846 8260  
QLast Update : Wed Dec 17 03:22:16 2025  
Response via : Initial Calibration

