

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121719\
 Data File : VX014051.D
 Acq On : 17 Dec 2019 11:17
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 18 07:28:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121319W.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 17 03:01:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	115	0.00
2 T	Dichlorodifluoromethane	0.447	0.450	-0.7	120	0.00
3 P	Chloromethane	0.600	0.603	-0.5	119	0.00
4 C	Vinyl Chloride	0.633	0.637	-0.6#	121	0.00
5 T	Bromomethane	0.450	0.431	4.2	120	0.00
6 T	Chloroethane	0.391	0.394	-0.8	121	0.01
7 T	Trichlorofluoromethane	0.784	0.796	-1.5	121	0.00
8 T	Diethyl Ether	0.368	0.361	1.9	120	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.473	0.486	-2.7	124	0.00
10 T	Methyl Iodide	0.575	0.634	-10.3	119	0.00
11 T	Tert butyl alcohol	0.122	0.119	2.5	122	-0.01
12 CM	1,1-Dichloroethene	0.481	0.485	-0.8#	122	0.00
13 T	Acrolein	0.070	0.090	-28.6#	160#	0.00
14 T	Allyl chloride	0.859	0.900	-4.8	124	0.00
15 T	Acrylonitrile	0.286	0.287	-0.3	121	0.00
16 T	Acetone	0.368	0.350	4.9	110	0.00
17 T	Carbon Disulfide	1.418	1.345	5.1	120	0.00
18 T	Methyl Acetate	0.729	0.725	0.5	121	0.00
19 T	Methyl tert-butyl Ether	1.580	1.636	-3.5	122	0.00
20 T	Methylene Chloride	0.579	0.558	3.6	122	0.00
21 T	trans-1,2-Dichloroethene	0.530	0.527	0.6	122	0.00
22 T	Diisopropyl ether	1.711	1.774	-3.7	123	0.00
23 T	Vinyl Acetate	1.397	1.536	-9.9	128	0.00
24 P	1,1-Dichloroethane	0.952	0.952	0.0	122	0.00
25 T	2-Butanone	0.454	0.453	0.2	116	0.00
26 T	2,2-Dichloropropane	0.739	0.788	-6.6	126	0.00
27 T	cis-1,2-Dichloroethene	0.599	0.601	-0.3	121	0.00
28 T	Bromochloromethane	0.332	0.417	-25.6#	129	0.00
29 T	Tetrahydrofuran	0.254	0.261	-2.8	123	0.00
30 C	Chloroform	0.903	0.920	-1.9#	120	0.00
31 T	Cyclohexane	0.847	0.895	-5.7	122	0.00
32 T	1,1,1-Trichloroethane	0.769	0.783	-1.8	121	0.00
33 S	1,2-Dichloroethane-d4	0.567	0.548	3.4	114	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	113	0.00
35 S	Dibromofluoromethane	0.304	0.301	1.0	113	0.00
36 T	1,1-Dichloropropene	0.459	0.479	-4.4	123	0.00
37 T	Ethyl Acetate	0.507	0.534	-5.3	120	0.00
38 T	Carbon Tetrachloride	0.418	0.449	-7.4	122	0.00
39 T	Methylcyclohexane	0.566	0.618	-9.2	128	0.00
40 TM	Benzene	1.412	1.439	-1.9	120	0.00
41 T	Methacrylonitrile	0.281	0.289	-2.8	121	-0.01
42 TM	1,2-Dichloroethane	0.479	0.485	-1.3	120	0.00
43 T	Isopropyl Acetate	0.838	0.885	-5.6	122	0.00
44 TM	Trichloroethene	0.390	0.390	0.0	122	0.00
45 C	1,2-Dichloropropane	0.362	0.378	-4.4#	123	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX121719\
 Data File : VX014051.D
 Acq On : 17 Dec 2019 11:17
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 18 07:28:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121319W.M
 Quant Title : SW846 8260
 QLast Update : Tue Dec 17 03:01:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.239	0.242	-1.3	121	0.00
47 T	Bromodichloromethane	0.451	0.486	-7.8	124	0.00
48 T	Methyl methacrylate	0.411	0.438	-6.6	122	0.00
49 T	1,4-Dioxane	0.008	0.009	-12.5	125	0.00
50 S	Toluene-d8	1.183	1.178	0.4	112	0.00
51 T	4-Methyl-2-Pentanone	0.527	0.544	-3.2	120	0.00
52 CM	Toluene	0.892	0.904	-1.3#	119	0.00
53 T	t-1,3-Dichloropropene	0.494	0.546	-10.5	122	0.00
54 T	cis-1,3-Dichloropropene	0.550	0.614	-11.6	124	0.00
55 T	1,1,2-Trichloroethane	0.358	0.368	-2.8	121	0.00
56 T	Ethyl methacrylate	0.562	0.595	-5.9	118	0.00
57 T	1,3-Dichloropropane	0.602	0.618	-2.7	119	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.167	21.6#	86	0.00
59 T	2-Hexanone	0.424	0.434	-2.4	115	0.00
60 T	Dibromochloromethane	0.355	0.392	-10.4	123	0.00
61 T	1,2-Dibromoethane	0.366	0.382	-4.4	120	0.00
62 S	4-Bromofluorobenzene	0.433	0.426	1.6	111	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	113	0.00
64 T	Tetrachloroethene	0.442	0.401	9.3	107	0.00
65 PM	Chlorobenzene	1.063	1.081	-1.7	120	0.00
66 T	1,1,1,2-Tetrachloroethane	0.380	0.400	-5.3	121	0.00
67 C	Ethyl Benzene	1.828	1.929	-5.5#	121	0.00
68 T	m/p-Xylenes	0.703	0.738	-5.0	121	0.00
69 T	o-Xylene	0.689	0.712	-3.3	119	0.00
70 T	Styrene	1.166	1.230	-5.5	119	0.00
71 P	Bromoform	0.305	0.330	-8.2	120	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	113	0.00
73 T	Isopropylbenzene	3.520	3.738	-6.2	121	0.00
74 T	N-amyl acetate	1.650	1.733	-5.0	118	0.00
75 P	1,1,2,2-Tetrachloroethane	1.220	1.231	-0.9	116	0.00
76 T	1,2,3-Trichloropropane	1.085	0.997	8.1	102	0.00
77 T	Bromobenzene	0.969	0.948	2.2	118	0.00
78 T	n-propylbenzene	3.949	4.290	-8.6	122	0.00
79 T	2-Chlorotoluene	2.400	2.490	-3.8	119	0.00
80 T	1,3,5-Trimethylbenzene	2.963	3.129	-5.6	120	0.00
81 T	trans-1,4-Dichloro-2-butene	0.385	0.431	-11.9	121	0.00
82 T	4-Chlorotoluene	2.784	2.875	-3.3	121	0.00
83 T	tert-Butylbenzene	2.883	3.136	-8.8	126	0.00
84 T	1,2,4-Trimethylbenzene	2.967	3.136	-5.7	120	0.00
85 T	sec-Butylbenzene	3.404	3.676	-8.0	123	0.00
86 T	p-Isopropyltoluene	3.114	3.415	-9.7	124	0.00
87 T	1,3-Dichlorobenzene	1.698	1.707	-0.5	120	0.00
88 T	1,4-Dichlorobenzene	1.726	1.703	1.3	120	0.00
89 T	n-Butylbenzene	2.657	3.004	-13.1	126	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX121719\
Data File : VX014051.D
Acq On : 17 Dec 2019 11:17
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 18 07:28:53 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121319W.M
Quant Title : SW846 8260
QLast Update : Tue Dec 17 03:01:07 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.559	0.604	-8.1	122	0.00
91 T	1,2-Dichlorobenzene	1.709	1.698	0.6	118	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.270	0.264	2.2	118	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.173	-5.6	123	0.00
94 T	Hexachlorobutadiene	0.534	0.560	-4.9	125	0.00
95 T	Naphthalene	3.263	3.515	-7.7	119	0.00
96 T	1,2,3-Trichlorobenzene	1.096	1.160	-5.8	120	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6