

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121724\
 Data File : VX044369.D
 Acq On : 17 Dec 2024 22:06
 Operator : JC/MD
 Sample : P5226-18ME
 Misc : 5.85g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 18 04:45:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Dec 18 04:40:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	370419	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	331758	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	147074	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	47209	13.927	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	27.860%#
7) Chloroethane-d5	1.642	69	24633	9.381	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	18.760%#
11) 1,1-Dichloroethene-d2	2.270	65	38104	26.284	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	52.560%#
21) 2-Butanone-d5	4.489	46	174317	83.992	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.990%
24) Chloroform-d	5.050	84	234411	36.421	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	72.840%
26) 1,2-Dichloroethane-d4	5.952	65	166264	36.529	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	73.060%
32) Benzene-d6	5.964	84	425398	37.110	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	74.220%
36) 1,2-Dichloropropane-d6	7.306	67	143155	40.218	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	80.440%
41) Toluene-d8	8.647	98	374118	35.297	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	70.600%#
43) trans-1,3-Dichloroprop...	8.952	79	53458	31.252	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.500%
47) 2-Hexanone-d5	9.390	63	127361	91.768	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.770%
56) 1,1,2,2-Tetrachloroeth...	11.189	84	208390	43.662	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.320%
66) 1,2-Dichlorobenzene-d4	12.317	152	144826	42.263	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.520%
Target Compounds						
61) 1,2,3-Trichloropropane	12.018	75	19545	5.738	ug/L	Qvalue # 65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121724\
Data File : VX044369.D
Acq On : 17 Dec 2024 22:06
Operator : JC/MD
Sample : P5226-18ME
Misc : 5.85g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :


Quant Time: Dec 18 04:45:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120524WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Dec 18 04:40:20 2024
Response via : Initial Calibration





#61
1,2,3-Trichloropropane
Concen: 5.738 ug/L
RT: 12.018 min Scan# 11
Delta R.T. 0.780 min
Lab File: VX044369.D
Acq: 17 Dec 2024 22:06

Instrument :
MSVOA_X
ClientSampleId :



Tgt Ion:	75	Resp:	19545
Ion	Ratio	Lower	Upper
75	100		
77	33.7	25.8	38.6
110	3.9	33.3	49.9#

