

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121823\
 Data File : VX039308.D
 Acq On : 18 Dec 2023 13:55
 Operator : JC/MD
 Sample : 05806-06ME
 Misc : 4.07g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 E0LQ8ME

Quant Time: Dec 18 21:46:13 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 18 21:43:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	225449	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	207442	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	102989	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	64843	36.670	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.340%
7) Chloroethane-d5	1.648	69	25609	19.593	ug/L	-0.02
Spiked Amount	50.000	Range	70 - 130	Recovery	=	39.180%#
11) 1,1-Dichloroethene-d2	2.276	65	31125	40.098	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.200%
21) 2-Butanone-d5	4.489	46	144901	90.526	ug/L	0.04
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.530%
24) Chloroform-d	5.062	84	134950	43.111	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.220%
26) 1,2-Dichloroethane-d4	5.958	65	97204	47.948	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.900%
32) Benzene-d6	5.964	84	286085	44.686	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.380%
36) 1,2-Dichloropropane-d6	7.306	67	91495	44.408	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.820%
41) Toluene-d8	8.647	98	250394	43.158	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.320%
43) trans-1,3-Dichloroprop...	8.952	79	39029	37.225	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.440%
47) 2-Hexanone-d5	9.397	63	106245	86.339	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	86.340%
56) 1,1,2,2-Tetrachloroeth...	11.195	84	123152	42.136	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.280%
66) 1,2-Dichlorobenzene-d4	12.323	152	87077	44.731	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.460%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121823\
Data File : VX039308.D
Acq On : 18 Dec 2023 13:55
Operator : JC/MD
Sample : 05806-06ME
Misc : 4.07g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
E0LQ8ME

Quant Time: Dec 18 21:46:13 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 18 21:43:41 2023
Response via : Initial Calibration

