

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121823\
 Data File : VX039312.D
 Acq On : 18 Dec 2023 15:27
 Operator : JC/MD
 Sample : 05807-15 50X
 Misc : 1.92g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0B00

Quant Time: Dec 18 21:47:04 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Dec 18 21:43:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	238974	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	220907	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	105345	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	70772	37.758	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	75.520%		
7) Chloroethane-d5	1.666	69	54587	39.400	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	78.800%		
11) 1,1-Dichloroethene-d2	2.307	65	37395	45.449	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	90.900%		
21) 2-Butanone-d5	4.452	46	169248	99.752	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	99.750%		
24) Chloroform-d	5.056	84	155076	46.736	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.480%		
26) 1,2-Dichloroethane-d4	5.958	65	109939	51.161	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	102.320%		
32) Benzene-d6	5.977	84	319783	46.905	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.820%		
36) 1,2-Dichloropropane-d6	7.306	67	103766	47.294	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	94.580%		
41) Toluene-d8	8.647	98	285591	46.224	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	92.440%		
43) trans-1,3-Dichloroprop...	8.952	79	45921	41.129	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.260%		
47) 2-Hexanone-d5	9.385	63	121708	92.876	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	92.880%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	145238	46.663	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	93.320%		
66) 1,2-Dichlorobenzene-d4	12.317	152	96009	48.216	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.440%		
Target Compounds					Qvalue	
33) Benzene	6.038	78	6471	0.922	ug/L	100
51) Chlorobenzene	10.080	112	42453	9.232	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX121823\
Data File : VX039312.D
Acq On : 18 Dec 2023 15:27
Operator : JC/MD
Sample : 05807-15 50X
Misc : 1.92g/5.0mL/100uL/5.0mL/MSVOA_X/MEOH
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0B00

Quant Time: Dec 18 21:47:04 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120523WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Dec 18 21:43:41 2023
Response via : Initial Calibration

