

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122021\
 Data File : VX025922.D
 Acq On : 20 Dec 2021 18:28
 Operator : JC/MD
 Sample : M5150-02
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 GBBW0

Quant Time: Dec 21 02:03:31 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML122021WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 21 01:32:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.763	114	166876	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.055	117	161855	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	69058	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	64429	47.889	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	95.780%		
7) Chloroethane-d5	1.666	69	54846	48.819	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	97.640%		
11) 1,1-Dichloroethene-d2	2.306	63	86961	37.215	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	74.420%		
21) 2-Butanone-d5	4.452	46	99506	102.525	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	102.520%		
24) Chloroform-d	5.062	84	120209	46.611	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.220%		
26) 1,2-Dichloroethane-d4	5.958	65	82601	49.108	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.220%		
32) Benzene-d6	5.976	84	242301	49.412	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	98.820%		
36) 1,2-Dichloropropane-d6	7.312	67	73324	49.094	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	98.180%		
41) Toluene-d8	8.653	98	219182	47.075	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	94.140%		
43) trans-1,3-Dichloroprop...	8.952	79	28046	42.530	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.060%		
47) 2-Hexanone-d5	9.384	63	68520	102.058	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	102.060%		
56) 1,1,2,2-Tetrachloroeth...	11.195	84	99446	47.001	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.000%		
66) 1,2-Dichlorobenzene-d4	12.323	152	72540	49.834	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	99.660%		
Target Compounds					Qvalue	
29) Cyclohexane	5.477	56	1985	1.045	ug/L	# 82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122021\
Data File : VX025922.D
Acq On : 20 Dec 2021 18:28
Operator : JC/MD
Sample : M5150-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
GBBW0

Quant Time: Dec 21 02:03:31 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM122021WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 21 01:32:07 2021
Response via : Initial Calibration

