

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122024\
 Data File : VX044460.D
 Acq On : 20 Dec 2024 18:16
 Operator : JC/MD
 Sample : P5280-05MSD
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 20 22:31:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121124W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 12 04:28:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.550	168	133359	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.757	114	232484	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.049	117	203785	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	96300	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.952	65	102584	43.873	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	87.740%
35) Dibromofluoromethane	5.385	113	81056	50.340	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	100.680%
50) Toluene-d8	8.647	98	275839	50.778	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	101.560%
62) 4-Bromofluorobenzene	11.079	95	95040	50.070	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	100.140%

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	1.167	85	99521	48.263	ug/l	98
3) Chloromethane	1.295	50	95786	48.575	ug/l	97
4) Vinyl Chloride	1.374	62	99806	48.583	ug/l	98
5) Bromomethane	1.593	94	68567	47.047	ug/l	97
6) Chloroethane	1.666	64	64339	50.296	ug/l	100
7) Trichlorofluoromethane	1.868	101	179558	44.646	ug/l	100
8) Diethyl Ether	2.136	74	60943	44.393	ug/l	100
9) 1,1,2-Trichlorotrifluo...	2.313	101	80663	49.565	ug/l	96
10) Methyl Iodide	2.441	142	111836	52.141	ug/l	97
11) Tert butyl alcohol	2.995	59	72679	220.548	ug/l	99
12) 1,1-Dichloroethene	2.307	96	78283	52.370	ug/l	96
13) Acrolein	2.239	56	106999	224.307	ug/l	100
14) Allyl chloride	2.654	41	120973	48.588	ug/l	97
15) Acrylonitrile	3.069	53	216046	236.675	ug/l	99
16) Acetone	2.392	43	199085	208.847	ug/l	95
17) Carbon Disulfide	2.502	76	142782	50.250	ug/l	99
18) Methyl Acetate	2.703	43	108865	44.293	ug/l	97
19) Methyl tert-butyl Ether	3.117	73	269434	46.190	ug/l	100
20) Methylene Chloride	2.782	84	89265	49.856	ug/l	95
21) trans-1,2-Dichloroethene	3.081	96	80821	50.874	ug/l	97
22) Diisopropyl ether	3.757	45	263841	47.060	ug/l	88
23) Vinyl Acetate	3.721	43	1063498	233.319	ug/l	98
24) 1,1-Dichloroethane	3.605	63	155160	49.648	ug/l	99
25) 2-Butanone	4.562	43	309416	228.319	ug/l	99
26) 2,2-Dichloropropane	4.471	77	107932	42.511	ug/l	95
27) cis-1,2-Dichloroethene	4.483	96	97758	48.452	ug/l	94
28) Bromochloromethane	4.891	49	68713	44.838	ug/l	93
29) Tetrahydrofuran	5.007	42	198596	228.310	ug/l	99
30) Chloroform	5.093	83	164928	46.971	ug/l	99
31) Cyclohexane	5.458	56	117201	46.441	ug/l	98
32) 1,1,1-Trichloroethane	5.373	97	143151	49.114	ug/l	98
36) 1,1-Dichloropropene	5.684	75	103008	49.491	ug/l	97
37) Ethyl Acetate	4.721	43	117881	45.818	ug/l	98
38) Carbon Tetrachloride	5.672	117	114752	51.210	ug/l	98
39) Methylcyclohexane	7.373	83	127965	51.429	ug/l	97
40) Benzene	6.031	78	325824	51.560	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122024\
 Data File : VX044460.D
 Acq On : 20 Dec 2024 18:16
 Operator : JC/MD
 Sample : P5280-05MSD
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :

Quant Time: Dec 20 22:31:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121124W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 12 04:28:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	4.916	41	64609	47.292	ug/l	96
42) 1,2-Dichloroethane	6.086	62	124599	47.865	ug/l	97
43) Isopropyl Acetate	6.342	43	188067	46.768	ug/l	97
44) Trichloroethene	7.123	130	84269	53.474	ug/l	99
45) 1,2-Dichloropropane	7.428	63	82647	51.191	ug/l	96
46) Dibromomethane	7.580	93	64771	51.712	ug/l	95
47) Bromodichloromethane	7.818	83	114982	53.154	ug/l	99
48) Methyl methacrylate	7.690	41	95279	48.810	ug/l	96
49) 1,4-Dioxane	7.665	88	28626	884.502	ug/l #	83
51) 4-Methyl-2-Pentanone	8.574	43	631168	244.110	ug/l	98
52) Toluene	8.714	92	203380	51.250	ug/l	100
53) t-1,3-Dichloropropene	8.976	75	111591	48.185	ug/l	93
54) cis-1,3-Dichloropropene	8.366	75	121831	51.726	ug/l	98
55) 1,1,2-Trichloroethane	9.147	97	83139	52.736	ug/l	95
56) Ethyl methacrylate	9.116	69	128058	51.453	ug/l	96
57) 1,3-Dichloropropane	9.305	76	139744	50.926	ug/l	99
58) 2-Chloroethyl Vinyl ether	8.177	63	794	0.633	ug/l #	46
59) 2-Hexanone	9.433	43	469996	251.132	ug/l	98
60) Dibromochloromethane	9.519	129	84281	50.450	ug/l	99
61) 1,2-Dibromoethane	9.604	107	83878	52.269	ug/l	100
64) Tetrachloroethene	9.269	164	70974	52.474	ug/l	98
65) Chlorobenzene	10.080	112	226583	51.889	ug/l	98
66) 1,1,1,2-Tetrachloroethane	10.159	131	76645	54.614	ug/l	99
67) Ethyl Benzene	10.189	91	382822	50.739	ug/l	99
68) m/p-Xylenes	10.299	106	291650	105.345	ug/l	96
69) o-Xylene	10.640	106	145737	52.027	ug/l	94
70) Styrene	10.653	104	242242	53.945	ug/l	96
71) Bromoform	10.799	173	52257	52.890	ug/l #	99
73) Isopropylbenzene	10.957	105	375275	50.904	ug/l	99
74) N-amyl acetate	10.842	43	157207	46.141	ug/l	98
75) 1,1,2,2-Tetrachloroethane	11.213	83	126723	49.490	ug/l	98
76) 1,2,3-Trichloropropane	11.238	75	130144	60.528	ug/l	86
77) Bromobenzene	11.195	156	94576	52.904	ug/l	92
78) n-propylbenzene	11.299	91	420138	51.562	ug/l	97
79) 2-Chlorotoluene	11.360	91	251546	47.735	ug/l	96
80) 1,3,5-Trimethylbenzene	11.451	105	306213	50.087	ug/l	99
81) trans-1,4-Dichloro-2-b...	11.018	75	31361	42.710	ug/l	98
82) 4-Chlorotoluene	11.451	91	288500	49.440	ug/l	98
83) tert-Butylbenzene	11.713	119	310725	51.428	ug/l	97
84) 1,2,4-Trimethylbenzene	11.750	105	307269	51.177	ug/l	98
85) sec-Butylbenzene	11.890	105	373411	50.909	ug/l	99
86) p-Isopropyltoluene	12.006	119	311798	51.074	ug/l	98
87) 1,3-Dichlorobenzene	11.969	146	165298	52.934	ug/l	98
88) 1,4-Dichlorobenzene	12.037	146	163113	50.813	ug/l	96
89) n-Butylbenzene	12.329	91	257982	50.255	ug/l	99
90) Hexachloroethane	12.536	117	48209	54.097	ug/l	94
91) 1,2-Dichlorobenzene	12.335	146	165001	50.888	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	12.939	75	23806	47.893	ug/l	90
93) 1,2,4-Trichlorobenzene	13.585	180	96612	54.349	ug/l	98
94) Hexachlorobutadiene	13.725	225	39330	55.005	ug/l	98
95) Naphthalene	13.774	128	344125	49.595	ug/l	99
96) 1,2,3-Trichlorobenzene	13.957	180	101096	53.619	ug/l	98


Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122024\
Data File : VX044460.D
Acq On : 20 Dec 2024 18:16
Operator : JC/MD
Sample : P5280-05MSD
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :

Quant Time: Dec 20 22:31:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X121124W.M
Quant Title : SW846 8260
QLast Update : Thu Dec 12 04:28:14 2024
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed






#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.550 min Scan# 71
Delta R.T. -0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion:168 Resp: 133359
Ion Ratio Lower Upper
168 100
99 59.3 53.4 80.0



#2
Dichlorodifluoromethane
Concen: 48.263 ug/l
RT: 1.167 min Scan# 13
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 85 Resp: 99521
Ion Ratio Lower Upper
85 100
87 32.3 15.4 46.4









#3
Chloromethane
Concen: 48.575 ug/l
RT: 1.295 min Scan# 34
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 50 Resp: 95786
Ion Ratio Lower Upper
50 100
52 31.7 26.5 39.7



#4
Vinyl Chloride
Concen: 48.583 ug/l
RT: 1.374 min Scan# 47
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 62 Resp: 99806
Ion Ratio Lower Upper
62 100
64 31.1 25.7 38.5









#5
Bromomethane
Concen: 47.047 ug/l
RT: 1.593 min Scan# 81
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 94 Resp: 68567
Ion Ratio Lower Upper
94 100
96 91.0 74.9 112.3



#6
Chloroethane
Concen: 50.296 ug/l
RT: 1.666 min Scan# 95
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 64 Resp: 64339
Ion Ratio Lower Upper
64 100
66 33.3 26.6 39.8









#7
 Trichlorofluoromethane
 Concen: 44.646 ug/l
 RT: 1.868 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion:101 Resp: 179558
 Ion Ratio Lower Upper
 101 100
 103 64.7 51.8 77.8



#8
 Diethyl Ether
 Concen: 44.393 ug/l
 RT: 2.136 min Scan# 172
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion: 74 Resp: 60943
 Ion Ratio Lower Upper
 74 100
 45 96.5 48.4 145.0









#9
 1,1,2-Trichlorotrifluoroethane
 Concen: 49.565 ug/l
 RT: 2.313 min Scan# 201
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion:101 Resp: 80663
 Ion Ratio Lower Upper
 101 100
 85 47.1 38.5 57.7
 151 74.9 55.8 83.6



#10
 Methyl Iodide
 Concen: 52.141 ug/l
 RT: 2.441 min Scan# 222
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion:142 Resp: 111836
 Ion Ratio Lower Upper
 142 100
 127 49.7 41.8 62.8
 141 14.6 11.5 17.3









#11
Tert butyl alcohol
Concen: 220.548 ug/l
RT: 2.995 min Scan# 313
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 59 Resp: 72679
Ion Ratio Lower Upper
59 100
57 10.6 8.8 13.2



#12
1,1-Dichloroethene
Concen: 52.370 ug/l
RT: 2.307 min Scan# 200
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 96 Resp: 78283
Ion Ratio Lower Upper
96 100
61 165.9 138.0 207.0
98 65.4 50.0 75.0





#13

Acrolein

Concen: 224.307 ug/l

RT: 2.239 min Scan# 189

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 56 Resp: 106999

Ion Ratio Lower Upper

56 100

55 70.6 56.6 84.8



#14

Allyl chloride

Concen: 48.588 ug/l

RT: 2.654 min Scan# 257

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 41 Resp: 120973


Ion Ratio Lower Upper

41 100

39 74.9 61.9 92.9


76 35.5 27.4 41.2








#15
Acrylonitrile
Concen: 236.675 ug/l
RT: 3.069 min Scan# 31
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 53 Resp: 216046
Ion Ratio Lower Upper
53 100
52 84.4 67.4 101.0
51 37.0 30.3 45.5



#16
Acetone
Concen: 208.847 ug/l
RT: 2.392 min Scan# 214
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 43 Resp: 199085
Ion Ratio Lower Upper
43 100
58 29.6 21.6 32.4









#17
Carbon Disulfide
Concen: 50.250 ug/l
RT: 2.502 min Scan# 21
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 76 Resp: 142782
Ion Ratio Lower Upper
76 100
78 9.6 7.4 11.0



#18
Methyl Acetate
Concen: 44.293 ug/l
RT: 2.703 min Scan# 265
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 43 Resp: 108865
Ion Ratio Lower Upper
43 100
74 23.4 17.7 26.5









#19
Methyl tert-butyl Ether
Concen: 46.190 ug/l
RT: 3.117 min Scan# 311
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 73 Resp: 269434
Ion Ratio Lower Upper
73 100
57 20.1 16.2 24.4



#20
Methylene Chloride
Concen: 49.856 ug/l
RT: 2.782 min Scan# 278
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 84 Resp: 89265
Ion Ratio Lower Upper
84 100
49 123.5 104.2 156.4
51 36.9 32.2 48.4
86 62.2 50.9 76.3









#21
trans-1,2-Dichloroethene
Concen: 50.874 ug/l
RT: 3.081 min Scan# 31
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 96 Resp: 80821
Ion Ratio Lower Upper
96 100
61 136.7 112.0 168.0
98 62.9 48.8 73.2



#22
Diisopropyl ether
Concen: 47.060 ug/l
RT: 3.757 min Scan# 438
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 45 Resp: 263841
Ion Ratio Lower Upper
45 100
43 89.6 60.2 90.2
87 28.1 21.2 31.8
59 11.7 8.9 13.3









#23
 Vinyl Acetate
 Concen: 233.319 ug/l
 RT: 3.721 min Scan# 413
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion: 43 Resp: 1063498
 Ion Ratio Lower Upper
 43 100
 86 11.1 8.2 12.2



#24
 1,1-Dichloroethane
 Concen: 49.648 ug/l
 RT: 3.605 min Scan# 413
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion: 63 Resp: 155160
 Ion Ratio Lower Upper
 63 100
 98 7.7 3.6 10.8
 100 4.6 2.1 6.3









#25
2-Butanone
Concen: 228.319 ug/l
RT: 4.562 min Scan# 51
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 43 Resp: 309416
Ion Ratio Lower Upper
43 100
72 26.1 20.2 30.4



#26
2,2-Dichloropropane
Concen: 42.511 ug/l
RT: 4.471 min Scan# 555
Delta R.T. 0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 77 Resp: 107932
Ion Ratio Lower Upper
77 100
97 23.7 10.7 32.1









#27
 cis-1,2-Dichloroethene
 Concen: 48.452 ug/l
 RT: 4.483 min Scan# 51
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion: 96 Resp: 97758
 Ion Ratio Lower Upper
 96 100
 61 139.1 0.0 299.0
 98 65.7 0.0 129.0



#28
 Bromochloromethane
 Concen: 44.838 ug/l
 RT: 4.891 min Scan# 624
 Delta R.T. -0.006 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion: 49 Resp: 68713
 Ion Ratio Lower Upper
 49 100
 129 1.2 0.0 4.2
 130 83.8 62.1 93.1





#29

Tetrahydrofuran

Concen: 228.310 ug/l

RT: 5.007 min Scan# 64

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 42 Resp: 198596

Ion Ratio Lower Upper

42 100

72 47.4 37.0 55.6

71 42.7 33.6 50.4



#30

Chloroform

Concen: 46.971 ug/l

RT: 5.093 min Scan# 657

Delta R.T. 0.006 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 83 Resp: 164928

Ion Ratio Lower Upper

83 100


85 63.4 51.6 77.4








#31
Cyclohexane
Concen: 46.441 ug/l
RT: 5.458 min Scan# 717
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 56 Resp: 117201
Ion Ratio Lower Upper
56 100
69 30.6 24.7 37.1
84 90.7 71.0 106.6



#32
1,1,1-Trichloroethane
Concen: 49.114 ug/l
RT: 5.373 min Scan# 703
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 97 Resp: 143151
Ion Ratio Lower Upper
97 100
99 64.8 50.8 76.2
61 43.0 35.2 52.8





#33

1,2-Dichloroethane-d4

Concen: 43.873 ug/l

RT: 5.952 min Scan# 798

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 65 Resp: 102584

Ion Ratio Lower Upper

65 100

67 50.3 0.0 101.6



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.757 min Scan# 930

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 114 Resp: 232484


Ion Ratio Lower Upper

114 100

63 20.5 0.0 40.6


88 15.8 0.0 31.8








#35
Dibromofluoromethane
Concen: 50.340 ug/l
RT: 5.385 min Scan# 705
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion:113 Resp: 81056
Ion Ratio Lower Upper
113 100
111 100.7 80.4 120.6
192 18.8 13.3 19.9



#36
1,1-Dichloropropene
Concen: 49.491 ug/l
RT: 5.684 min Scan# 754
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 75 Resp: 103008
Ion Ratio Lower Upper
75 100
110 36.3 17.3 51.7
77 30.4 25.4 38.0





#37

Ethyl Acetate

Concen: 45.818 ug/l

RT: 4.721 min Scan# 596

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 43 Resp: 117881

Ion Ratio Lower Upper

43 100

61 13.5 9.8 14.8

70 10.0 7.7 11.5



#38

Carbon Tetrachloride

Concen: 51.210 ug/l

RT: 5.672 min Scan# 752

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 117 Resp: 114752


Ion Ratio Lower Upper

117 100

119 93.6 74.2 111.4


121 31.8 23.0 34.6








#39
Methylcyclohexane
Concen: 51.429 ug/l
RT: 7.373 min Scan# 1031
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion: 83 Resp: 127965
Ion Ratio Lower Upper
83 100
55 73.0 60.7 91.1
98 49.9 38.9 58.3



#40
Benzene
Concen: 51.560 ug/l
RT: 6.031 min Scan# 811
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 78 Resp: 325824
Ion Ratio Lower Upper
78 100
77 23.4 19.3 28.9









#41
Methacrylonitrile
Concen: 47.292 ug/l
RT: 4.916 min Scan# 61
Delta R.T. -0.006 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 41 Resp: 64609
Ion Ratio Lower Upper
41 100
39 57.0 44.2 66.4
67 75.1 57.2 85.8
52 34.3 24.6 37.0



#42
1,2-Dichloroethane
Concen: 47.865 ug/l
RT: 6.086 min Scan# 820
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 62 Resp: 124599
Ion Ratio Lower Upper
62 100
98 8.9 0.0 15.8









#43
Isopropyl Acetate
Concen: 46.768 ug/l
RT: 6.342 min Scan# 80
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 43 Resp: 188067
Ion Ratio Lower Upper
43 100
61 19.1 14.2 21.2
87 13.4 10.2 15.2



#44
Trichloroethene
Concen: 53.474 ug/l
RT: 7.123 min Scan# 990
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:130 Resp: 84269
Ion Ratio Lower Upper
130 100
95 99.3 0.0 201.4





#45

1,2-Dichloropropane

Concen: 51.191 ug/l

RT: 7.428 min Scan# 1040

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 63 Resp: 82647

Ion Ratio Lower Upper

63 100

65 28.5 24.6 37.0



#46

Dibromomethane

Concen: 51.712 ug/l

RT: 7.580 min Scan# 1065

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 93 Resp: 64771


Ion Ratio Lower Upper

93 100

95 82.0 65.4 98.2

174 94.5 67.9 101.9









#47
 Bromodichloromethane
 Concen: 53.154 ug/l
 RT: 7.818 min Scan# 1104
 Delta R.T. -0.006 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion: 83 Resp: 114982
 Ion Ratio Lower Upper
 83 100
 85 62.2 50.6 75.8
 127 8.1 7.3 10.9



#48
 Methyl methacrylate
 Concen: 48.810 ug/l
 RT: 7.690 min Scan# 1083
 Delta R.T. -0.006 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion: 41 Resp: 95279
 Ion Ratio Lower Upper
 41 100
 69 82.4 62.4 93.6
 39 64.1 53.3 79.9





#49

1,4-Dioxane

Concen: 884.502 ug/l

RT: 7.665 min Scan# 1080

Delta R.T. -0.006 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 88 Resp: 28626

Ion Ratio Lower Upper

88 100

43 39.6 27.1 40.7

58 66.3 41.0 61.4#



#50

Toluene-d8

Concen: 50.778 ug/l

RT: 8.647 min Scan# 1240

Delta R.T. 0.000 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 98 Resp: 275839

Ion Ratio Lower Upper

98 100

100 63.7 51.5 77.3









#51
4-Methyl-2-Pentanone
Concen: 244.110 ug/l
RT: 8.574 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 43 Resp: 631168
Ion Ratio Lower Upper
43 100
58 38.0 29.4 44.0



#52
Toluene
Concen: 51.250 ug/l
RT: 8.714 min Scan# 1251
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 92 Resp: 203380
Ion Ratio Lower Upper
92 100
91 171.3 137.0 205.6





#53

t-1,3-Dichloropropene

Concen: 48.185 ug/l

RT: 8.976 min Scan# 111591

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 75 Resp: 111591

Ion Ratio Lower Upper

75 100

77 30.3 27.2 40.8



#54

cis-1,3-Dichloropropene

Concen: 51.726 ug/l

RT: 8.366 min Scan# 1194

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 75 Resp: 121831


Ion Ratio Lower Upper

75 100

77 31.2 24.7 37.1

39 48.4 40.3 60.5









#55
 1,1,2-Trichloroethane
 Concen: 52.736 ug/l
 RT: 9.147 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion: 97	Resp: 83139
Ion Ratio	Lower Upper
97	100
83	88.6 65.3 97.9
85	51.3 44.6 67.0
99	62.2 50.2 75.2



#56
 Ethyl methacrylate
 Concen: 51.453 ug/l
 RT: 9.116 min Scan# 1317
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion: 69	Resp: 128058
Ion Ratio	Lower Upper
69	100
41	66.9 56.6 85.0
39	45.1 37.4 56.0





#57

1,3-Dichloropropane

Concen: 50.926 ug/l

RT: 9.305 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X





ClientSampleId :

Tgt Ion: 76 Resp: 139744

Ion Ratio Lower Upper

76 100

78 32.4 26.5 39.7



#58

2-Chloroethyl Vinyl ether

Concen: 0.633 ug/l

RT: 8.177 min Scan# 1163

Delta R.T. -0.061 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 63 Resp: 794

Ion Ratio Lower Upper

63 100

106 0.0 22.8 34.2#









#59
2-Hexanone
Concen: 251.132 ug/l
RT: 9.433 min Scan# 1369
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 43 Resp: 469996
Ion Ratio Lower Upper
43 100
58 52.6 25.7 77.0



#60
Dibromochloromethane
Concen: 50.450 ug/l
RT: 9.519 min Scan# 1383
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:129 Resp: 84281
Ion Ratio Lower Upper
129 100
127 76.4 38.5 115.3









#61
1,2-Dibromoethane
Concen: 52.269 ug/l
RT: 9.604 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:107 Resp: 83878
Ion Ratio Lower Upper
107 100
109 96.0 77.0 115.4



#62
4-Bromofluorobenzene
Concen: 50.070 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16


Tgt Ion: 95 Resp: 95040
Ion Ratio Lower Upper
95 100
174 81.4 0.0 145.8
176 78.8 0.0 137.8








#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.049 min Scan# 1470
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Instrument :
MSVOA_X
ClientSampleId :







Tgt Ion:117 Resp: 203785
Ion Ratio Lower Upper
117 100
82 57.3 45.8 68.8
119 32.1 25.0 37.4



#64
Tetrachloroethene
Concen: 52.474 ug/l
RT: 9.269 min Scan# 1342
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:164 Resp: 70974
Ion Ratio Lower Upper
164 100
166 126.0 100.4 150.6
129 97.4 77.2 115.8
131 90.5 76.2 114.2









#65
Chlorobenzene
Concen: 51.889 ug/l
RT: 10.080 min Scan# 1475
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:112 Resp: 226583
Ion Ratio Lower Upper
112 100
114 32.4 25.0 37.6



#66
1,1,1,2-Tetrachloroethane
Concen: 54.614 ug/l
RT: 10.159 min Scan# 1488
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:131 Resp: 76645
Ion Ratio Lower Upper
131 100
133 95.0 47.3 141.8
119 64.6 31.6 95.0









#67
Ethyl Benzene
Concen: 50.739 ug/l
RT: 10.189 min Scan# 1493
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 91 Resp: 382822
Ion Ratio Lower Upper
91 100
106 30.1 23.5 35.3



#68
m/p-Xylenes
Concen: 105.345 ug/l
RT: 10.299 min Scan# 1511
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:106 Resp: 291650
Ion Ratio Lower Upper
106 100
91 206.0 170.2 255.2









#69
o-Xylene
Concen: 52.027 ug/l
RT: 10.640 min Scan# 1567
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:106 Resp: 145737
Ion Ratio Lower Upper
106 100
91 215.1 112.3 337.0



#70
Styrene
Concen: 53.945 ug/l
RT: 10.653 min Scan# 1569
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion:104 Resp: 242242
Ion Ratio Lower Upper
104 100
78 51.2 44.6 67.0
103 54.8 45.4 68.0





#71

Bromoform

Concen: 52.890 ug/l

RT: 10.799 min Scan# 11

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:173 Resp: 52257

Ion Ratio Lower Upper

173 100

175 48.4 23.8 71.4

254 0.0 0.0 0.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.018 min Scan# 1793

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion:152 Resp: 96300


Ion Ratio Lower Upper

152 100

115 84.9 44.5 133.3

150 174.1 0.0 353.8









#73
Isopropylbenzene
Concen: 50.904 ug/l
RT: 10.957 min Scan# 1619
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion:105 Resp: 375275
Ion Ratio Lower Upper
105 100
120 25.9 13.1 39.3



#74
N-ethyl acetate
Concen: 46.141 ug/l
RT: 10.842 min Scan# 1600
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 43 Resp: 157207
Ion Ratio Lower Upper
43 100
70 41.4 31.9 47.9
55 23.1 17.9 26.9
61 23.7 17.9 26.9





#75

1,1,2,2-Tetrachloroethane

Concen: 49.490 ug/l

RT: 11.213 min Scan# 1

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 83 Resp: 126723

Ion Ratio Lower Upper

83 100

131 10.3 5.1 15.4

85 63.3 32.5 97.4



#76

1,2,3-Trichloropropane

Concen: 60.528 ug/l

RT: 11.238 min Scan# 1665

Delta R.T. 0.000 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 75 Resp: 130144

Ion Ratio Lower Upper

75 100

77 32.7 20.9 62.7





#77

Bromobenzene

Concen: 52.904 ug/l

RT: 11.195 min Scan# 1

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:156 Resp: 94576

Ion Ratio Lower Upper

156 100

77 150.8 82.6 247.8

158 95.0 48.8 146.4



#78

n-propylbenzene

Concen: 51.562 ug/l

RT: 11.299 min Scan# 1675

Delta R.T. -0.006 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 91 Resp: 420138

Ion Ratio Lower Upper

91 100

120 23.2 11.0 33.0









#79
2-Chlorotoluene
Concen: 47.735 ug/l
RT: 11.360 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 91 Resp: 251546
Ion Ratio Lower Upper
91 100
126 34.9 16.4 49.1



#80
1,3,5-Trimethylbenzene
Concen: 50.087 ug/l
RT: 11.451 min Scan# 1700
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 105 Resp: 306213
Ion Ratio Lower Upper
105 100
120 48.1 23.8 71.4









#81
trans-1,4-Dichloro-2-butene
Concen: 42.710 ug/l
RT: 11.018 min Scan# 1629
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16




Instrument :
MSVOA_X
ClientSampleId :


Tgt Ion: 75 Resp: 31361
Ion Ratio Lower Upper
75 100
53 115.5 93.6 140.4
89 48.6 37.3 55.9



#82
4-Chlorotoluene
Concen: 49.440 ug/l
RT: 11.451 min Scan# 1700
Delta R.T. 0.000 min
Lab File: VX044460.D
Acq: 20 Dec 2024 18:16

Tgt Ion: 91 Resp: 288500
Ion Ratio Lower Upper
91 100
126 29.8 14.5 43.5





#83

tert-Butylbenzene

Concen: 51.428 ug/l

RT: 11.713 min Scan# 1743

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:119 Resp: 310725

Ion Ratio Lower Upper

119 100

91 59.2 30.9 92.5

134 24.3 11.5 34.4



#84

1,2,4-Trimethylbenzene

Concen: 51.177 ug/l

RT: 11.750 min Scan# 1749

Delta R.T. 0.000 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion:105 Resp: 307269

Ion Ratio Lower Upper

105 100

120 45.0 21.7 65.1









#85
 sec-Butylbenzene
 Concen: 50.909 ug/l
 RT: 11.890 min Scan# 1772
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16




Instrument :
 MSVOA_X
 ClientSampleId :


Tgt Ion:105 Resp: 373411
 Ion Ratio Lower Upper
 105 100
 134 20.1 9.8 29.4



#86
 p-Isopropyltoluene
 Concen: 51.074 ug/l
 RT: 12.006 min Scan# 1791
 Delta R.T. 0.000 min
 Lab File: VX044460.D
 Acq: 20 Dec 2024 18:16

Tgt Ion:119 Resp: 311798
 Ion Ratio Lower Upper
 119 100
 134 26.3 12.8 38.4
 91 25.1 13.0 39.0





#87

1,3-Dichlorobenzene

Concen: 52.934 ug/l

RT: 11.969 min Scan# 1785

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:146 Resp: 165298

Ion Ratio Lower Upper

146 100

111 40.1 21.4 64.2

148 62.9 31.7 95.1



#88

1,4-Dichlorobenzene

Concen: 50.813 ug/l

RT: 12.037 min Scan# 1796

Delta R.T. -0.006 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion:146 Resp: 163113


Ion Ratio Lower Upper

146 100

111 38.7 21.0 63.0

148 62.5 32.3 96.8





#89

n-Butylbenzene

Concen: 50.255 ug/l

RT: 12.329 min Scan# 1844

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion: 91 Resp: 257982

Ion Ratio Lower Upper

91 100

92 52.4 26.6 79.7

134 25.6 12.6 37.8



#90

Hexachloroethane

Concen: 54.097 ug/l

RT: 12.536 min Scan# 1878

Delta R.T. 0.000 min

Lab File: VX044460.D




Acq: 20 Dec 2024 18:16


Tgt Ion: 117 Resp: 48209

Ion Ratio Lower Upper

117 100

201 67.4 31.4 94.2





#91

1,2-Dichlorobenzene

Concen: 50.888 ug/l

RT: 12.335 min Scan# 1845

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:146 Resp: 165001

Ion Ratio Lower Upper

146 100

111 42.4 21.4 64.3

148 64.4 31.6 95.0



#92

1,2-Dibromo-3-Chloropropane

Concen: 47.893 ug/l

RT: 12.939 min Scan# 1944

Delta R.T. -0.006 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion: 75 Resp: 23806


Ion Ratio Lower Upper

75 100

155 83.0 38.1 114.3

157 105.0 47.2 141.6





#93

1,2,4-Trichlorobenzene

Concen: 54.349 ug/l

RT: 13.585 min Scan# 2050

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:180 Resp: 96612

Ion Ratio Lower Upper

180 100

182 94.5 48.0 144.2

145 32.0 16.6 49.7



#94

Hexachlorobutadiene

Concen: 55.005 ug/l

RT: 13.725 min Scan# 2073

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16




Tgt Ion:225 Resp: 39330


Ion Ratio Lower Upper

225 100

223 64.6 30.8 92.4

227 65.0 32.1 96.3





#95

Naphthalene

Concen: 49.595 ug/l

RT: 13.774 min Scan# 2081

Delta R.T. 0.000 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Instrument :

MSVOA_X

ClientSampleId :





Tgt Ion:128 Resp: 344125

Ion Ratio Lower Upper

128 100

127 13.0 10.5 15.7

129 10.8 9.0 13.4



#96

1,2,3-Trichlorobenzene

Concen: 53.619 ug/l

RT: 13.957 min Scan# 2111

Delta R.T. -0.006 min

Lab File: VX044460.D

Acq: 20 Dec 2024 18:16

Tgt Ion:180 Resp: 101096

Ion Ratio Lower Upper

180 100

182 94.3 48.0 144.0

145 33.3 17.7 53.1

