

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX122118\
 Data File : VX006713.D
 Acq On : 21 Dec 2018 09:07
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 22 04:18:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121818W.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 19 15:20:58 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	0.457	0.408	10.7	97	0.00
3 P	Chloromethane	0.493	0.401	18.7	90	0.00
4 C	Vinyl Chloride	0.515	0.464	9.9#	99	0.00
5 T	Bromomethane	0.560	0.420	25.0#	90	0.00
6 T	Chloroethane	0.356	0.301	15.4	99	0.00
7 T	Trichlorofluoromethane	0.802	0.756	5.7	101	0.00
8 T	Diethyl Ether	0.319	0.291	8.8	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.471	0.458	2.8	105	0.00
10 T	Methyl Iodide	0.674	0.436	35.3#	64	0.00
11 T	Tert butyl alcohol	0.120	0.112	6.7	100	0.00
12 CM	1,1-Dichloroethene	0.447	0.410	8.3#	101	0.00
13 T	Acrolein	0.081	0.064	21.0#	86	0.00
14 T	Allyl chloride	0.752	0.708	5.9	101	0.00
15 T	Acrylonitrile	0.267	0.259	3.0	103	0.00
16 T	Acetone	0.248	0.280	-12.9	124	0.00
17 T	Carbon Disulfide	1.182	0.995	15.8	94	0.00
18 T	Methyl Acetate	0.728	0.725	0.4	107	0.00
19 T	Methyl tert-butyl Ether	1.483	1.451	2.2	104	0.00
20 T	Methylene Chloride	0.512	0.459	10.4	101	0.00
21 T	trans-1,2-Dichloroethene	0.495	0.441	10.9	101	0.00
22 T	Diisopropyl ether	1.376	1.337	2.8	103	0.00
23 T	Vinyl Acetate	1.125	1.094	2.8	103	0.00
24 P	1,1-Dichloroethane	0.821	0.763	7.1	104	0.00
25 T	2-Butanone	0.348	0.355	-2.0	109	0.00
26 T	2,2-Dichloropropane	0.634	0.589	7.1	100	0.00
27 T	cis-1,2-Dichloroethene	0.546	0.513	6.0	101	0.00
28 T	Bromochloromethane	0.378	0.342	9.5	101	0.00
29 T	Tetrahydrofuran	0.229	0.222	3.1	103	0.00
30 C	Chloroform	0.850	0.800	5.9#	102	0.00
31 T	Cyclohexane	0.746	0.687	7.9	100	0.00
32 T	1,1,1-Trichloroethane	0.718	0.683	4.9	98	0.00
33 S	1,2-Dichloroethane-d4	0.539	0.503	6.7	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	98	0.00
35 S	Dibromofluoromethane	0.316	0.321	-1.6	100	0.00
36 T	1,1-Dichloropropene	0.414	0.408	1.4	100	0.00
37 T	Ethyl Acetate	0.431	0.434	-0.7	104	0.00
38 T	Carbon Tetrachloride	0.402	0.406	-1.0	100	0.00
39 T	Methylcyclohexane	0.545	0.539	1.1	102	0.00
40 TM	Benzene	1.259	1.242	1.4	100	0.00
41 T	Methacrylonitrile	0.229	0.243	-6.1	103	0.00
42 TM	1,2-Dichloroethane	0.429	0.413	3.7	101	0.00
43 T	Isopropyl Acetate	0.656	0.694	-5.8	104	0.00
44 TM	Trichloroethene	0.381	0.368	3.4	101	0.00
45 C	1,2-Dichloropropane	0.306	0.311	-1.6#	106	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX122118\
 Data File : VX006713.D
 Acq On : 21 Dec 2018 09:07
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 22 04:18:01 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121818W.M
 Quant Title : SW846 8260
 QLast Update : Wed Dec 19 15:20:58 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.225	0.220	2.2	99	0.00
47 T	Bromodichloromethane	0.374	0.380	-1.6	100	0.00
48 T	Methyl methacrylate	0.334	0.351	-5.1	101	0.00
49 T	1,4-Dioxane	0.009	0.009	0.0	97	0.00
50 S	Toluene-d8	1.192	1.189	0.3	99	0.00
51 T	4-Methyl-2-Pentanone	0.417	0.435	-4.3	101	0.00
52 CM	Toluene	0.813	0.816	-0.4#	101	0.00
53 T	t-1,3-Dichloropropene	0.401	0.427	-6.5	99	0.00
54 T	cis-1,3-Dichloropropene	0.440	0.475	-8.0	101	0.00
55 T	1,1,2-Trichloroethane	0.333	0.330	0.9	100	0.00
56 T	Ethyl methacrylate	0.470	0.487	-3.6	98	0.00
57 T	1,3-Dichloropropane	0.536	0.525	2.1	100	0.00
58 T	2-Chloroethyl Vinyl ether	0.250	0.253	-1.2	101	0.00
59 T	2-Hexanone	0.319	0.339	-6.3	102	0.00
60 T	Dibromochloromethane	0.307	0.331	-7.8	100	0.00
61 T	1,2-Dibromoethane	0.354	0.362	-2.3	100	0.00
62 S	4-Bromofluorobenzene	0.437	0.423	3.2	93	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	96	0.00
64 T	Tetrachloroethene	0.396	0.395	0.3	101	0.00
65 PM	Chlorobenzene	1.058	1.056	0.2	99	0.00
66 T	1,1,1,2-Tetrachloroethane	0.330	0.363	-10.0	101	0.00
67 C	Ethyl Benzene	1.729	1.737	-0.5#	99	0.00
68 T	m/p-Xylenes	0.682	0.685	-0.4	97	0.00
69 T	o-Xylene	0.674	0.669	0.7	96	0.00
70 T	Styrene	1.066	1.078	-1.1	95	0.00
71 P	Bromoform	0.251	0.268	-6.8	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	3.421	3.481	-1.8	98	0.00
74 T	N-amyl acetate	1.224	1.324	-8.2	100	0.00
75 P	1,1,2,2-Tetrachloroethane	1.017	1.038	-2.1	97	0.00
76 T	1,2,3-Trichloropropane	0.929	0.958	-3.1	94	0.00
77 T	Bromobenzene	0.925	0.915	1.1	94	0.00
78 T	n-propylbenzene	3.767	3.915	-3.9	99	0.00
79 T	2-Chlorotoluene	2.283	2.254	1.3	96	0.00
80 T	1,3,5-Trimethylbenzene	2.817	2.864	-1.7	97	0.00
81 T	trans-1,4-Dichloro-2-butene	0.259	0.272	-5.0	94	0.00
82 T	4-Chlorotoluene	2.618	2.614	0.2	96	0.00
83 T	tert-Butylbenzene	2.820	2.913	-3.3	96	0.00
84 T	1,2,4-Trimethylbenzene	2.963	2.929	1.1	96	0.00
85 T	sec-Butylbenzene	3.457	3.527	-2.0	97	0.00
86 T	p-Isopropyltoluene	3.039	3.192	-5.0	99	0.00
87 T	1,3-Dichlorobenzene	1.667	1.666	0.1	96	0.00
88 T	1,4-Dichlorobenzene	1.709	1.662	2.8	95	0.00
89 T	n-Butylbenzene	2.586	2.783	-7.6	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX122118\
Data File : VX006713.D
Acq On : 21 Dec 2018 09:07
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 22 04:18:01 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121818W.M
Quant Title : SW846 8260
QLast Update : Wed Dec 19 15:20:58 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.414	0.453	-9.4	98	0.00
91 T	1,2-Dichlorobenzene	1.667	1.615	3.1	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.210	0.217	-3.3	96	0.00
93 T	1,2,4-Trichlorobenzene	1.150	1.191	-3.6	99	0.00
94 T	Hexachlorobutadiene	0.542	0.570	-5.2	104	0.00
95 T	Naphthalene	3.671	3.612	1.6	94	0.00
96 T	1,2,3-Trichlorobenzene	1.187	1.180	0.6	99	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6