

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX122320\
 Data File : VX020353.D
 Acq On : 23 Dec 2020 21:21
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 24 00:22:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 18 13:09:49 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	103	0.01
2 T	Dichlorodifluoromethane	50.000	49.064	1.9	108	0.00
3 P	Chloromethane	50.000	47.632	4.7	100	0.00
4 C	Vinyl Chloride	50.000	48.572	2.9#	107	0.00
5 T	Bromomethane	50.000	52.093	-4.2	114	0.00
6 T	Chloroethane	50.000	49.836	0.3	102	0.00
7 T	Trichlorofluoromethane	50.000	50.248	-0.5	113	0.00
8 T	Diethyl Ether	50.000	48.232	3.5	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	48.843	2.3	111	0.00
10 T	Methyl Iodide	50.000	49.037	1.9	103	0.00
11 T	Tert butyl alcohol	250.000	241.384	3.4	103	0.00
12 CM	1,1-Dichloroethene	50.000	48.599	2.8#	108	0.00
13 T	Acrolein	250.000	324.643	-29.9#	133	0.00
14 T	Allyl chloride	50.000	48.114	3.8	98	0.00
15 T	Acrylonitrile	250.000	261.617	-4.6	101	0.00
16 T	Acetone	250.000	232.198	7.1	95	0.00
17 T	Carbon Disulfide	50.000	46.362	7.3	103	0.00
18 T	Methyl Acetate	50.000	54.049	-8.1	106	0.00
19 T	Methyl tert-butyl Ether	50.000	49.936	0.1	94	0.00
20 T	Methylene Chloride	50.000	47.178	5.6	96	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.772	4.5	100	0.00
22 T	Diisopropyl ether	50.000	51.144	-2.3	98	0.00
23 T	Vinyl Acetate	250.000	258.011	-3.2	95	0.00
24 P	1,1-Dichloroethane	50.000	50.275	-0.5	101	0.00
25 T	2-Butanone	250.000	258.638	-3.5	100	0.01
26 T	2,2-Dichloropropane	50.000	44.413	11.2	93	0.00
27 T	cis-1,2-Dichloroethene	50.000	48.946	2.1	97	0.00
28 T	Bromochloromethane	50.000	50.051	-0.1	100	0.00
29 T	Tetrahydrofuran	250.000	264.575	-5.8	101	0.00
30 C	Chloroform	50.000	50.661	-1.3#	100	0.00
31 T	Cyclohexane	50.000	49.475	1.0	110	0.00
32 T	1,1,1-Trichloroethane	50.000	51.316	-2.6	108	0.00
33 S	1,2-Dichloroethane-d4	50.000	50.304	-0.6	99	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	51.625	-3.3	101	0.00
36 T	1,1-Dichloropropene	50.000	48.932	2.1	106	0.00
37 T	Ethyl Acetate	50.000	52.087	-4.2	100	0.00
38 T	Carbon Tetrachloride	50.000	51.425	-2.8	109	0.00
39 T	Methylcyclohexane	50.000	48.435	3.1	109	0.00
40 TM	Benzene	50.000	50.259	-0.5	100	0.00
41 T	Methacrylonitrile	50.000	53.630	-7.3	99	0.00
42 TM	1,2-Dichloroethane	50.000	50.967	-1.9	97	0.00
43 T	Isopropyl Acetate	50.000	51.048	-2.1	96	0.00
44 TM	Trichloroethene	50.000	48.115	3.8	100	0.00
45 C	1,2-Dichloropropane	50.000	50.880	-1.8#	98	0.00
46 T	Dibromomethane	50.000	49.743	0.5	96	0.00
47 T	Bromodichloromethane	50.000	52.122	-4.2	98	0.00
48 T	Methyl methacrylate	50.000	52.833	-5.7	98	0.00
49 T	1,4-Dioxane	1000.000	1060.796	-6.1	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122320\
 Data File : VX020353.D
 Acq On : 23 Dec 2020 21:21
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 24 00:22:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 18 13:09:49 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
50 S	Toluene-d8	50.000	51.439	-2.9	103	0.00
51 T	4-Methyl-2-Pentanone	250.000	279.150	-11.7	104	0.00
52 CM	Toluene	50.000	51.585	-3.2#	101	0.00
53 T	t-1,3-Dichloropropene	50.000	50.917	-1.8	94	0.00
54 T	cis-1,3-Dichloropropene	50.000	50.299	-0.6	93	0.00
55 T	1,1,2-Trichloroethane	50.000	52.860	-5.7	101	0.00
56 T	Ethyl methacrylate	50.000	54.658	-9.3	99	0.00
57 T	1,3-Dichloropropane	50.000	52.147	-4.3	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	241.306	3.5	90	0.00
59 T	2-Hexanone	250.000	281.078	-12.4	105	0.00
60 T	Dibromochloromethane	50.000	53.051	-6.1	98	0.00
61 T	1,2-Dibromoethane	50.000	51.699	-3.4	98	0.00
62 S	4-Bromofluorobenzene	50.000	52.095	-4.2	104	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	99	0.00
64 T	Tetrachloroethene	50.000	49.810	0.4	110	0.00
65 PM	Chlorobenzene	50.000	48.547	2.9	99	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.371	-2.7	102	0.00
67 C	Ethyl Benzene	50.000	50.212	-0.4#	102	0.00
68 T	m/p-Xylenes	100.000	101.068	-1.1	101	0.00
69 T	o-Xylene	50.000	50.241	-0.5	99	0.00
70 T	Styrene	50.000	51.718	-3.4	99	0.00
71 P	Bromoform	50.000	52.396	-4.8	103	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	100	0.00
73 T	Isopropylbenzene	50.000	50.625	-1.3	106	0.00
74 T	N-aryl acetate	50.000	51.715	-3.4	98	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.134	-0.3	101	0.00
76 T	1,2,3-Trichloropropane	50.000	50.330	-0.7	102	0.00
77 T	Bromobenzene	50.000	48.390	3.2	102	0.00
78 T	n-propylbenzene	50.000	50.569	-1.1	106	0.00
79 T	2-Chlorotoluene	50.000	49.570	0.9	102	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.996	-2.0	104	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	48.892	2.2	94	0.00
82 T	4-Chlorotoluene	50.000	49.597	0.8	101	0.00
83 T	tert-Butylbenzene	50.000	50.428	-0.9	105	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.752	-1.5	100	0.00
85 T	sec-Butylbenzene	50.000	51.650	-3.3	111	0.00
86 T	p-Isopropyltoluene	50.000	50.518	-1.0	105	0.00
87 T	1,3-Dichlorobenzene	50.000	46.832	6.3	96	0.00
88 T	1,4-Dichlorobenzene	50.000	46.933	6.1	99	0.00
89 T	n-Butylbenzene	50.000	50.539	-1.1	108	0.00
90 T	Hexachloroethane	50.000	50.201	-0.4	108	0.00
91 T	1,2-Dichlorobenzene	50.000	48.644	2.7	100	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	52.970	-5.9	103	0.00
93 T	1,2,4-Trichlorobenzene	50.000	46.522	7.0	96	0.00
94 T	Hexachlorobutadiene	50.000	49.657	0.7	120	0.00
95 T	Naphthalene	50.000	51.542	-3.1	99	0.00
96 T	1,2,3-Trichlorobenzene	50.000	47.666	4.7	99	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122320\
Data File : VX020353.D
Acq On : 23 Dec 2020 21:21
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 24 00:22:37 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 18 13:09:49 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------

(#) = Out of Range SPCC's out = 0 CCC's out = 6