

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX122320\
 Data File : VX020374.D
 Acq On : 24 Dec 2020 05:54
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 24 06:39:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
 Quant Title : SW846 8260
 QLast Update : Fri Dec 18 13:09:49 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	100	0.01
2 T	Dichlorodifluoromethane	50.000	49.639	0.7	105	0.00
3 P	Chloromethane	50.000	47.855	4.3	97	0.00
4 C	Vinyl Chloride	50.000	49.442	1.1#	105	0.00
5 T	Bromomethane	50.000	51.466	-2.9	108	0.00
6 T	Chloroethane	50.000	51.263	-2.5	101	0.00
7 T	Trichlorofluoromethane	50.000	50.759	-1.5	110	0.00
8 T	Diethyl Ether	50.000	48.492	3.0	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	48.602	2.8	106	0.00
10 T	Methyl Iodide	50.000	47.376	5.2	96	0.00
11 T	Tert butyl alcohol	250.000	253.435	-1.4	104	0.00
12 CM	1,1-Dichloroethene	50.000	49.160	1.7#	105	0.00
13 T	Acrolein	250.000	341.935	-36.8#	135	0.00
14 T	Allyl chloride	50.000	47.462	5.1	93	0.00
15 T	Acrylonitrile	250.000	269.705	-7.9	101	0.00
16 T	Acetone	250.000	246.101	1.6	97	0.00
17 T	Carbon Disulfide	50.000	46.982	6.0	100	0.00
18 T	Methyl Acetate	50.000	55.564	-11.1	105	0.00
19 T	Methyl tert-butyl Ether	50.000	51.159	-2.3	93	0.00
20 T	Methylene Chloride	50.000	48.204	3.6	94	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.423	3.2	98	0.00
22 T	Diisopropyl ether	50.000	52.019	-4.0	96	0.00
23 T	Vinyl Acetate	250.000	261.966	-4.8	93	0.00
24 P	1,1-Dichloroethane	50.000	51.281	-2.6	99	0.00
25 T	2-Butanone	250.000	268.584	-7.4	100	0.01
26 T	2,2-Dichloropropane	50.000	35.201	29.6#	71	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.249	1.5	94	0.00
28 T	Bromochloromethane	50.000	51.716	-3.4	100	0.00
29 T	Tetrahydrofuran	250.000	277.920	-11.2	102	0.00
30 C	Chloroform	50.000	51.925	-3.8#	99	0.00
31 T	Cyclohexane	50.000	50.263	-0.5	108	0.00
32 T	1,1,1-Trichloroethane	50.000	52.046	-4.1	106	0.00
33 S	1,2-Dichloroethane-d4	50.000	52.007	-4.0	99	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	51.227	-2.5	100	0.00
36 T	1,1-Dichloropropene	50.000	49.153	1.7	106	0.00
37 T	Ethyl Acetate	50.000	52.221	-4.4	100	0.00
38 T	Carbon Tetrachloride	50.000	50.931	-1.9	108	0.00
39 T	Methylcyclohexane	50.000	47.158	5.7	105	0.00
40 TM	Benzene	50.000	49.377	1.2	98	0.00
41 T	Methacrylonitrile	50.000	52.663	-5.3	96	0.00
42 TM	1,2-Dichloroethane	50.000	50.417	-0.8	96	0.00
43 T	Isopropyl Acetate	50.000	51.041	-2.1	96	0.00
44 TM	Trichloroethene	50.000	47.273	5.5	98	0.00
45 C	1,2-Dichloropropane	50.000	50.752	-1.5#	98	0.00
46 T	Dibromomethane	50.000	48.659	2.7	93	0.00
47 T	Bromodichloromethane	50.000	51.929	-3.9	98	0.00
48 T	Methyl methacrylate	50.000	52.827	-5.7	97	0.00
49 T	1,4-Dioxane	1000.000	1082.490	-8.2	102	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122320\
 Data File : VX020374.D
 Acq On : 24 Dec 2020 05:54
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 24 06:39:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
 Quant Title : Sw846 8260
 QLast Update : Fri Dec 18 13:09:49 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
50 S	Toluene-d8	50.000	50.427	-0.9	100	0.00
51 T	4-Methyl-2-Pentanone	250.000	276.123	-10.4	102	0.00
52 CM	Toluene	50.000	50.079	-0.2#	98	0.00
53 T	t-1,3-Dichloropropene	50.000	47.772	4.5	88	0.00
54 T	cis-1,3-Dichloropropene	50.000	47.931	4.1	88	0.00
55 T	1,1,2-Trichloroethane	50.000	50.013	-0.0	95	0.00
56 T	Ethyl methacrylate	50.000	52.445	-4.9	95	0.00
57 T	1,3-Dichloropropane	50.000	50.527	-1.1	95	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	241.657	3.3	90	0.00
59 T	2-Hexanone	250.000	279.397	-11.8	104	0.00
60 T	Dibromochloromethane	50.000	51.191	-2.4	95	0.00
61 T	1,2-Dibromoethane	50.000	50.730	-1.5	95	0.00
62 S	4-Bromofluorobenzene	50.000	51.636	-3.3	103	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	96	0.00
64 T	Tetrachloroethene	50.000	49.350	1.3	106	0.00
65 PM	Chlorobenzene	50.000	48.547	2.9	95	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.880	-1.8	98	0.00
67 C	Ethyl Benzene	50.000	50.636	-1.3#	100	0.00
68 T	m/p-Xylenes	100.000	101.375	-1.4	98	0.00
69 T	o-Xylene	50.000	51.680	-3.4	98	0.00
70 T	Styrene	50.000	52.889	-5.8	98	0.00
71 P	Bromoform	50.000	52.839	-5.7	101	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	99	0.00
73 T	Isopropylbenzene	50.000	49.943	0.1	103	0.00
74 T	N-aryl acetate	50.000	52.741	-5.5	99	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.313	-2.6	103	0.00
76 T	1,2,3-Trichloropropane	50.000	49.400	1.2	99	0.00
77 T	Bromobenzene	50.000	47.456	5.1	99	0.00
78 T	n-propylbenzene	50.000	49.272	1.5	102	0.00
79 T	2-Chlorotoluene	50.000	48.487	3.0	98	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.561	-1.1	102	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	45.422	9.2	87	0.00
82 T	4-Chlorotoluene	50.000	48.344	3.3	97	0.00
83 T	tert-Butylbenzene	50.000	49.702	0.6	103	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.596	-1.2	99	0.00
85 T	sec-Butylbenzene	50.000	50.712	-1.4	108	0.00
86 T	p-Isopropyltoluene	50.000	50.311	-0.6	103	0.00
87 T	1,3-Dichlorobenzene	50.000	47.983	4.0	97	0.00
88 T	1,4-Dichlorobenzene	50.000	46.367	7.3	97	0.00
89 T	n-Butylbenzene	50.000	49.387	1.2	104	0.00
90 T	Hexachloroethane	50.000	52.002	-4.0	110	0.00
91 T	1,2-Dichlorobenzene	50.000	48.592	2.8	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	51.609	-3.2	99	0.00
93 T	1,2,4-Trichlorobenzene	50.000	45.125	9.8	93	0.00
94 T	Hexachlorobutadiene	50.000	46.067	7.9	110	0.00
95 T	Naphthalene	50.000	51.344	-2.7	97	0.00
96 T	1,2,3-Trichlorobenzene	50.000	46.688	6.6	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX122320\
Data File : VX020374.D
Acq On : 24 Dec 2020 05:54
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 52 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 24 06:39:27 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X121820W.M
Quant Title : SW846 8260
QLast Update : Fri Dec 18 13:09:49 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------

(#) = Out of Range SPCC's out = 0 CCC's out = 6