

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX123024\
 Data File : VX044535.D
 Acq On : 30 Dec 2024 10:58
 Operator : JC/MD
 Sample : P5344-09DL 1000X
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 C0CG6DL

Quant Time: Dec 31 01:03:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXML120524WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Dec 31 01:02:15 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.757	114	233256	50.000	ug/L	0.00
28) Chlorobenzene-d5	10.049	117	204593	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	12.024	152	87258	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.368	65	85862	40.224	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	80.440%		
7) Chloroethane-d5	1.642	69	79178	47.884	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	95.760%		
11) 1,1-Dichloroethene-d2	2.294	65	38320	41.977	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	83.960%		
21) 2-Butanone-d5	4.459	46	125986	96.401	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	96.400%		
24) Chloroform-d	5.050	84	181114	44.688	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.380%		
26) 1,2-Dichloroethane-d4	5.952	65	122304	42.672	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	85.340%		
32) Benzene-d6	5.964	84	335734	47.492	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.980%		
36) 1,2-Dichloropropane-d6	7.300	67	107442	48.947	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	97.900%		
41) Toluene-d8	8.647	98	294581	45.067	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	90.140%		
43) trans-1,3-Dichloroprop...	8.952	79	44399	42.090	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	84.180%		
47) 2-Hexanone-d5	9.385	63	84631	98.882	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	98.880%		
56) 1,1,2,2-Tetrachloroeth...	11.189	84	144798	49.195	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	98.380%		
66) 1,2-Dichlorobenzene-d4	12.317	152	102944	50.635	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	101.260%		
Target Compounds					Qvalue	
34) Trichloroethene	7.117	95	90450	53.324	ug/L	96
46) Tetrachloroethene	9.275	164	2019	1.784	ug/L	74

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX123024\
Data File : VX044535.D
Acq On : 30 Dec 2024 10:58
Operator : JC/MD
Sample : P5344-09DL 1000X
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
C0CG6DL

Quant Time: Dec 31 01:03:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\SFAMXLM120524WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Dec 31 01:02:15 2024
Response via : Initial Calibration

