

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX123121\
 Data File : VX026156.D
 Acq On : 30 Dec 2021 10:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 31 01:13:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 30 08:02:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	105	0.00
2 T	Dichlorodifluoromethane	50.000	50.991	-2.0	103	0.00
3 P	Chloromethane	50.000	48.469	3.1	101	0.00
4 C	Vinyl Chloride	50.000	48.575	2.8#	101	0.00
5 T	Bromomethane	50.000	50.847	-1.7	104	0.00
6 T	Chloroethane	50.000	44.450	11.1	96	0.00
7 T	Trichlorofluoromethane	50.000	49.370	1.3	101	0.00
8 T	Diethyl Ether	50.000	50.057	-0.1	102	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	50.178	-0.4	104	0.00
10 T	Methyl Iodide	50.000	49.769	0.5	100	0.00
11 T	Tert butyl alcohol	250.000	227.315	9.1	102	0.00
12 CM	1,1-Dichloroethene	50.000	49.360	1.3#	103	0.00
13 T	Acrolein	250.000	363.920	-45.6#	168	0.00
14 T	Allyl chloride	50.000	49.336	1.3	102	0.00
15 T	Acrylonitrile	250.000	244.744	2.1	101	0.00
16 T	Acetone	250.000	306.152	-22.5	133	0.00
17 T	Carbon Disulfide	50.000	48.997	2.0	103	0.00
18 T	Methyl Acetate	50.000	48.437	3.1	101	0.00
19 T	Methyl tert-butyl Ether	50.000	50.188	-0.4	103	0.00
20 T	Methylene Chloride	50.000	49.215	1.6	101	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.983	4.0	102	0.00
22 T	Diisopropyl ether	50.000	50.674	-1.3	103	0.00
23 T	Vinyl Acetate	250.000	260.683	-4.3	104	0.00
24 P	1,1-Dichloroethane	50.000	49.393	1.2	102	0.00
25 T	2-Butanone	250.000	273.365	-9.3	114	0.00
26 T	2,2-Dichloropropane	50.000	52.903	-5.8	108	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.903	0.2	103	0.00
28 T	Bromochloromethane	50.000	54.622	-9.2	116	0.00
29 T	Tetrahydrofuran	250.000	244.601	2.2	100	0.00
30 C	Chloroform	50.000	49.175	1.7#	102	0.00
31 T	Cyclohexane	50.000	50.211	-0.4	102	0.00
32 T	1,1,1-Trichloroethane	50.000	49.844	0.3	102	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.497	7.0	106	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	103	0.00
35 S	Dibromofluoromethane	50.000	47.726	4.5	103	0.00
36 T	1,1-Dichloropropene	50.000	50.799	-1.6	100	0.00
37 T	Ethyl Acetate	50.000	53.014	-6.0	103	0.00
38 T	Carbon Tetrachloride	50.000	50.835	-1.7	101	0.00
39 T	Methylcyclohexane	50.000	52.671	-5.3	103	0.00
40 TM	Benzene	50.000	50.385	-0.8	100	0.00
41 T	Methacrylonitrile	50.000	51.625	-3.3	100	0.00
42 TM	1,2-Dichloroethane	50.000	51.095	-2.2	103	0.00
43 T	Isopropyl Acetate	50.000	51.982	-4.0	103	0.00
44 TM	Trichloroethene	50.000	50.774	-1.5	102	0.00
45 C	1,2-Dichloropropane	50.000	51.467	-2.9#	100	0.00
46 T	Dibromomethane	50.000	50.529	-1.1	101	0.00
47 T	Bromodichloromethane	50.000	51.511	-3.0	102	0.00
48 T	Methyl methacrylate	50.000	53.011	-6.0	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\WX123121\
 Data File : VX026156.D
 Acq On : 30 Dec 2021 10:08
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 31 01:13:03 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 30 08:02:21 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1007.082	-0.7	98	0.00
50 S	Toluene-d8	50.000	46.376	7.2	100	0.00
51 T	4-Methyl-2-Pentanone	250.000	259.902	-4.0	100	0.00
52 CM	Toluene	50.000	50.735	-1.5#	99	0.00
53 T	t-1,3-Dichloropropene	50.000	50.124	-0.2	105	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.825	-7.7	104	0.00
55 T	1,1,2-Trichloroethane	50.000	50.381	-0.8	100	0.00
56 T	Ethyl methacrylate	50.000	53.810	-7.6	102	0.00
57 T	1,3-Dichloropropane	50.000	51.667	-3.3	103	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	248.116	0.8	103	0.00
59 T	2-Hexanone	250.000	276.318	-10.5	106	0.00
60 T	Dibromochloromethane	50.000	52.325	-4.7	103	0.00
61 T	1,2-Dibromoethane	50.000	51.029	-2.1	101	0.00
62 S	4-Bromofluorobenzene	50.000	48.301	3.4	104	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	105	0.00
64 T	Tetrachloroethene	50.000	47.438	5.1	100	0.00
65 PM	Chlorobenzene	50.000	50.114	-0.2	102	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	51.674	-3.3	103	0.00
67 C	Ethyl Benzene	50.000	51.461	-2.9#	102	0.00
68 T	m/p-Xylenes	100.000	103.657	-3.7	101	0.00
69 T	o-Xylene	50.000	51.878	-3.8	101	0.00
70 T	Styrene	50.000	53.507	-7.0	102	0.00
71 P	Bromoform	50.000	53.619	-7.2	105	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	103	0.00
73 T	Isopropylbenzene	50.000	52.133	-4.3	102	0.00
74 T	N-ethyl acetate	50.000	55.107	-10.2	103	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	50.367	-0.7	101	0.00
76 T	1,2,3-Trichloropropane	50.000	51.674	-3.3	104	0.00
77 T	Bromobenzene	50.000	51.644	-3.3	101	0.00
78 T	n-propylbenzene	50.000	53.887	-7.8	102	0.00
79 T	2-Chlorotoluene	50.000	51.810	-3.6	102	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.258	-6.5	102	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	54.559	-9.1	108	0.00
82 T	4-Chlorotoluene	50.000	53.005	-6.0	102	0.00
83 T	tert-Butylbenzene	50.000	52.784	-5.6	101	0.00
84 T	1,2,4-Trimethylbenzene	50.000	52.802	-5.6	102	0.00
85 T	sec-Butylbenzene	50.000	53.639	-7.3	103	0.00
86 T	p-Isopropyltoluene	50.000	53.885	-7.8	104	0.00
87 T	1,3-Dichlorobenzene	50.000	52.271	-4.5	102	0.00
88 T	1,4-Dichlorobenzene	50.000	49.586	0.8	99	0.00
89 T	n-Butylbenzene	50.000	54.564	-9.1	104	0.00
90 T	Hexachloroethane	50.000	52.621	-5.2	103	0.00
91 T	1,2-Dichlorobenzene	50.000	48.711	2.6	101	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	49.228	1.5	100	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.067	-4.1	102	0.00
94 T	Hexachlorobutadiene	50.000	50.746	-1.5	101	0.00
95 T	Naphthalene	50.000	51.597	-3.2	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX123121\
Data File : VX026156.D
Acq On : 30 Dec 2021 10:08
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Dec 31 01:13:03 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X123021W.M
Quant Title : SW846 8260
QLast Update : Thu Dec 30 08:02:21 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	52.190	-4.4	101	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6