

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061822\
 Data File : VX029588.D
 Acq On : 18 Jun 2022 22:25
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 20 01:37:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 20 01:31:01 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	50.000	52.129	-4.3	88	0.00
3 P	Chloromethane	50.000	48.220	3.6	90	0.00
4 C	Vinyl Chloride	50.000	52.209	-4.4#	92	0.00
5 T	Bromomethane	50.000	45.745	8.5	90	0.00
6 T	Chloroethane	50.000	56.312	-12.6	96	0.00
7 T	Trichlorofluoromethane	50.000	51.025	-2.0	90	0.00
8 T	Diethyl Ether	50.000	56.066	-12.1	99	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	47.461	5.1	85	0.00
10 T	Methyl Iodide	50.000	31.628	36.7#	56	0.00
11 T	Tert butyl alcohol	250.000	271.536	-8.6	102	0.00
12 CM	1,1-Dichloroethene	50.000	52.948	-5.9#	94	0.00
13 T	Acrolein	250.000	255.059	-2.0	98	0.00
14 T	Allyl chloride	50.000	52.296	-4.6	92	0.00
15 T	Acrylonitrile	250.000	279.108	-11.6	98	0.00
16 T	Acetone	250.000	264.818	-5.9	101	0.00
17 T	Carbon Disulfide	50.000	52.222	-4.4	93	0.00
18 T	Methyl Acetate	50.000	54.202	-8.4	98	0.00
19 T	Methyl tert-butyl Ether	50.000	55.845	-11.7	99	0.00
20 T	Methylene Chloride	50.000	53.038	-6.1	98	0.00
21 T	trans-1,2-Dichloroethene	50.000	53.229	-6.5	94	0.00
22 T	Diisopropyl ether	50.000	55.145	-10.3	98	0.00
23 T	Vinyl Acetate	250.000	286.060	-14.4	98	0.00
24 P	1,1-Dichloroethane	50.000	53.765	-7.5	96	0.00
25 T	2-Butanone	250.000	275.879	-10.4	98	0.00
26 T	2,2-Dichloropropane	50.000	38.930	22.1	67	0.00
27 T	cis-1,2-Dichloroethene	50.000	53.868	-7.7	96	0.00
28 T	Bromochloromethane	50.000	54.057	-8.1	98	0.00
29 T	Tetrahydrofuran	250.000	280.251	-12.1	99	0.00
30 C	Chloroform	50.000	53.992	-8.0#	96	0.00
31 T	Cyclohexane	50.000	47.253	5.5	84	0.00
32 T	1,1,1-Trichloroethane	50.000	52.568	-5.1	92	0.00
33 S	1,2-Dichloroethane-d4	50.000	51.510	-3.0	93	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	94	0.00
35 S	Dibromofluoromethane	50.000	51.336	-2.7	94	0.00
36 T	1,1-Dichloropropene	50.000	48.537	2.9	89	0.00
37 T	Ethyl Acetate	50.000	54.749	-9.5	97	0.00
38 T	Carbon Tetrachloride	50.000	49.473	1.1	88	0.00
39 T	Methylcyclohexane	50.000	45.262	9.5	81	0.00
40 TM	Benzene	50.000	51.828	-3.7	95	0.00
41 T	Methacrylonitrile	50.000	56.208	-12.4	98	0.00
42 TM	1,2-Dichloroethane	50.000	52.138	-4.3	97	0.00
43 T	Isopropyl Acetate	50.000	54.808	-9.6	97	0.00
44 TM	Trichloroethene	50.000	48.674	2.7	90	0.00
45 C	1,2-Dichloropropane	50.000	52.750	-5.5#	98	0.00
46 T	Dibromomethane	50.000	53.521	-7.0	97	0.00
47 T	Bromodichloromethane	50.000	53.255	-6.5	95	0.00
48 T	Methyl methacrylate	50.000	54.086	-8.2	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061822\
 Data File : VX029588.D
 Acq On : 18 Jun 2022 22:25
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 20 01:37:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jun 20 01:31:01 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1029.918	-3.0	96	0.00
50 S	Toluene-d8	50.000	49.817	0.4	89	0.00
51 T	4-Methyl-2-Pentanone	250.000	269.632	-7.9	97	0.00
52 CM	Toluene	50.000	50.981	-2.0#	91	0.00
53 T	t-1,3-Dichloropropene	50.000	53.319	-6.6	90	0.00
54 T	cis-1,3-Dichloropropene	50.000	52.225	-4.5	89	0.00
55 T	1,1,2-Trichloroethane	50.000	53.713	-7.4	97	0.00
56 T	Ethyl methacrylate	50.000	56.315	-12.6	97	0.00
57 T	1,3-Dichloropropane	50.000	53.110	-6.2	97	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	257.948	-3.2	91	0.00
59 T	2-Hexanone	250.000	274.642	-9.9	98	0.00
60 T	Dibromochloromethane	50.000	55.035	-10.1	96	0.00
61 T	1,2-Dibromoethane	50.000	54.494	-9.0	96	0.00
62 S	4-Bromofluorobenzene	50.000	50.036	-0.1	88	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	92	0.00
64 T	Tetrachloroethene	50.000	49.212	1.6	89	0.00
65 PM	Chlorobenzene	50.000	52.341	-4.7	93	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.211	-6.4	93	0.00
67 C	Ethyl Benzene	50.000	50.771	-1.5#	90	0.00
68 T	m/p-Xylenes	100.000	101.389	-1.4	90	0.00
69 T	o-Xylene	50.000	51.685	-3.4	92	0.00
70 T	Styrene	50.000	53.101	-6.2	92	0.00
71 P	Bromoform	50.000	56.279	-12.6	94	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	90	0.00
73 T	Isopropylbenzene	50.000	48.869	2.3	87	0.00
74 T	N-amyl acetate	50.000	56.284	-12.6	96	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	53.652	-7.3	97	0.00
76 T	1,2,3-Trichloropropane	50.000	53.832	-7.7	94	0.00
77 T	Bromobenzene	50.000	52.387	-4.8	93	0.00
78 T	n-propylbenzene	50.000	49.099	1.8	86	0.00
79 T	2-Chlorotoluene	50.000	49.234	1.5	88	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.778	0.4	88	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.443	1.1	80	0.00
82 T	4-Chlorotoluene	50.000	49.660	0.7	89	0.00
83 T	tert-Butylbenzene	50.000	49.467	1.1	88	0.00
84 T	1,2,4-Trimethylbenzene	50.000	49.638	0.7	88	0.00
85 T	sec-Butylbenzene	50.000	49.036	1.9	85	0.00
86 T	p-Isopropyltoluene	50.000	49.630	0.7	86	0.00
87 T	1,3-Dichlorobenzene	50.000	51.059	-2.1	90	0.00
88 T	1,4-Dichlorobenzene	50.000	50.844	-1.7	89	0.00
89 T	n-Butylbenzene	50.000	49.069	1.9	85	0.00
90 T	Hexachloroethane	50.000	49.257	1.5	81	0.00
91 T	1,2-Dichlorobenzene	50.000	51.564	-3.1	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	53.339	-6.7	95	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.168	-4.3	89	0.00
94 T	Hexachlorobutadiene	50.000	46.668	6.7	80	0.00
95 T	Naphthalene	50.000	56.317	-12.6	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX061822\
Data File : VX029588.D
Acq On : 18 Jun 2022 22:25
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: Jun 20 01:37:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X061822W.M
Quant Title : SW846 8260
QLast Update : Mon Jun 20 01:31:01 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.599	-3.2	90	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6