

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092722\
 Data File : VX031696.D
 Acq On : 27 Sep 2022 12:27
 Operator : JC/MD
 Sample : N4809-05
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 TP2-0923

Quant Time: Sep 28 06:30:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092622W.M
 Quant Title : SW846 8260
 QLast Update : Tue Sep 27 01:44:18 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	5.556	168	57758	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.763	114	95382	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	113676	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.024	152	71068	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.958	65	67368	54.956	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 109.920%			
35) Dibromofluoromethane	5.385	113	53663	47.218	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 94.440%			
50) Toluene-d8	8.647	98	208988	50.722	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 101.440%			
62) 4-Bromofluorobenzene	11.079	95	71844	47.574	ug/l	0.00
Spiked Amount 50.000	Range 83 - 123		Recovery = 95.140%			
Target Compounds						
					Qvalue	
3) Chloromethane	1.288	50	56	Below Cal	#	41
5) Bromomethane	1.617	94	511	Below Cal		87
6) Chloroethane	1.672	64	76	Below Cal	#	43
7) Trichlorofluoromethane	1.886	101	29	Below Cal	#	18
11) Tert butyl alcohol	2.947	59	1747	Below Cal	#	73
13) Acrolein	1.959	56	30	Below Cal	#	1
16) Acetone	2.386	43	33028	105.363	ug/l	94
17) Carbon Disulfide	2.514	76	246	Below Cal	#	75
18) Methyl Acetate	2.709	43	1080	0.980	ug/l #	80
20) Methylene Chloride	2.788	84	7183	7.839	ug/l	91
25) 2-Butanone	4.574	43	3499	5.980	ug/l	95
29) Tetrahydrofuran	5.025	42	456	1.241	ug/l #	56
31) Cyclohexane	5.562	56	1426	1.223	ug/l #	50
36) 1,1-Dichloropropene	5.556	75	4594	3.520	ug/l #	50
37) Ethyl Acetate	4.721	43	7601	5.774	ug/l #	93
38) Carbon Tetrachloride	5.550	117	6339	4.310	ug/l #	16
41) Methacrylonitrile	5.038	41	151	0.225	ug/l #	38
43) Isopropyl Acetate	6.348	43	35412	17.091	ug/l	96
48) Methyl methacrylate	7.799	41	30307	33.259	ug/l #	46
49) 1,4-Dioxane	7.677	88	23	Below Cal	#	24
51) 4-Methyl-2-Pentanone	8.549	43	38137	29.079	ug/l #	50
53) t-1,3-Dichloropropene	8.958	75	230	2.021	ug/l #	44
54) cis-1,3-Dichloropropene	8.549	75	18467	12.604	ug/l #	62
56) Ethyl methacrylate	9.244	69	465	0.316	ug/l #	1
57) 1,3-Dichloropropane	9.482	76	2144	1.177	ug/l #	43
59) 2-Hexanone	9.482	43	25848	26.415	ug/l #	54
60) Dibromochloromethane	9.281	129	23	1.557	ug/l #	11
74) N-amyl acetate	10.768	43	532	0.357	ug/l #	43
76) 1,2,3-Trichloropropane	11.079	75	40664	31.562	ug/l #	37
81) trans-1,4-Dichloro-2-b...	11.079	75	40664	103.872	ug/l #	11
90) Hexachloroethane	12.701	117	503	0.762	ug/l #	15


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX092722\
Data File : VX031696.D
Acq On : 27 Sep 2022 12:27
Operator : JC/MD
Sample : N4809-05
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
TP2-0923

Quant Time: Sep 28 06:30:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X092622W.M
Quant Title : SW846 8260
QLast Update : Tue Sep 27 01:44:18 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.556 min Scan# 71
Delta R.T. -0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion:168 Resp: 57758
Ion Ratio Lower Upper
168 100
99 58.5 48.8 73.2



#3
Chloromethane
Concen: Below Cal
RT: 1.288 min Scan# 33
Delta R.T. 0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 50 Resp: 56
Ion Ratio Lower Upper
50 100
52 0.0 26.9 40.3#









#5
Bromomethane
Concen: Below Cal
RT: 1.617 min Scan# 81
Delta R.T. 0.006 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 94 Resp: 511
Ion Ratio Lower Upper
94 100
96 105.1 74.4 111.6



#6
Chloroethane
Concen: Below Cal
RT: 1.672 min Scan# 96
Delta R.T. -0.013 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 64 Resp: 76
Ion Ratio Lower Upper
64 100
66 0.0 25.0 37.4#









#7
Trichlorofluoromethane
Concen: Below Cal
RT: 1.886 min Scan# 11
Delta R.T. -0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion:101 Resp: 29
Ion Ratio Lower Upper
101 100
103 0.0 51.8 77.6#



#11
Tert butyl alcohol
Concen: Below Cal
RT: 2.947 min Scan# 305
Delta R.T. -0.042 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 59 Resp: 1747
Ion Ratio Lower Upper
59 100
57 0.0 8.2 12.2#









#13
Acrolein
Concen: Below Cal
RT: 1.959 min Scan# 14
Delta R.T. -0.280 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 56 Resp: 30
Ion Ratio Lower Upper
56 100
55 223.3 56.0 84.0#



#16
Acetone
Concen: 105.363 ug/l
RT: 2.386 min Scan# 213
Delta R.T. -0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 43 Resp: 33028
Ion Ratio Lower Upper
43 100
58 32.8 23.8 35.8









#17
Carbon Disulfide
Concen: Below Cal
RT: 2.514 min Scan# 21
Delta R.T. -0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 76 Resp: 246
Ion Ratio Lower Upper
76 100
78 0.0 7.2 10.8#



#18
Methyl Acetate
Concen: 0.980 ug/l
RT: 2.709 min Scan# 266
Delta R.T. -0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 43 Resp: 1080
Ion Ratio Lower Upper
43 100
74 13.7 18.6 27.8#





#20

Methylene Chloride

Concen: 7.839 ug/l

RT: 2.788 min Scan# 21

Delta R.T. 0.000 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :

TP2-0923

Tgt Ion: 84 Resp: 7183


Ion Ratio Lower Upper

84 100




49 114.0 105.9 158.9

51 38.4 32.2 48.2

86 63.3 50.8 76.2



Abundance



#25

2-Butanone

Concen: 5.980 ug/l

RT: 4.574 min Scan# 572

Delta R.T. 0.012 min

Lab File: VX031696.D


Acq: 27 Sep 2022 12:27

Tgt Ion: 43 Resp: 3499



Ion Ratio Lower Upper


43 100

72 29.0 21.1 31.7



Abundance





#29

Tetrahydrofuran

Concen: 1.241 ug/l

RT: 5.025 min Scan# 64

Delta R.T. 0.012 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :

TP2-0923





Tgt Ion: 42 Resp: 456

Ion Ratio Lower Upper

42 100

72 15.4 36.4 54.6#

71 14.9 33.5 50.3#



#31

Cyclohexane

Concen: 1.223 ug/l

RT: 5.562 min Scan# 734

Delta R.T. 0.091 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27




Tgt Ion: 56 Resp: 1426


Ion Ratio Lower Upper

56 100

69 134.8 25.1 37.7#

84 89.1 70.2 105.4





#33

1,2-Dichloroethane-d4

Concen: 54.956 ug/l

RT: 5.958 min Scan# 799

Delta R.T. 0.000 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :





TP2-0923

Tgt Ion: 65 Resp: 67368

Ion Ratio Lower Upper

65 100

67 49.3 0.0 102.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.763 min Scan# 931

Delta R.T. -0.000 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27




Tgt Ion: 114 Resp: 95382


Ion Ratio Lower Upper

114 100

63 18.3 0.0 42.6


88 15.4 0.0 33.0








#35
Dibromofluoromethane
Concen: 47.218 ug/l
RT: 5.385 min Scan# 705
Delta R.T. -0.006 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27


Instrument :
MSVOA_X
ClientSampleId :
TP2-0923





Tgt Ion:113 Resp: 53663
Ion Ratio Lower Upper
113 100
111 99.6 82.4 123.6
192 19.0 14.1 21.1




#36
1,1-Dichloropropene
Concen: 3.520 ug/l
RT: 5.556 min Scan# 733
Delta R.T. -0.134 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27



Tgt Ion: 75 Resp: 4594
Ion Ratio Lower Upper
75 100
110 9.5 17.5 52.5#
77 0.0 24.9 37.3#





#37

Ethyl Acetate

Concen: 5.774 ug/l

RT: 4.721 min Scan# 596

Delta R.T. -0.000 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27





Instrument :

MSVOA_X

ClientSampleId :

TP2-0923

Tgt Ion:	43	Resp:	7601
Ion	Ratio	Lower	Upper
43	100		
61	15.7	11.1	16.7
70	7.2	8.6	13.0



#38

Carbon Tetrachloride

Concen: 4.310 ug/l




RT: 5.550 min Scan# 732


Delta R.T. -0.128 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Tgt Ion:	117	Resp:	6339
Ion	Ratio	Lower	Upper
117	100		
119	4.4	74.6	112.0
121	0.0	25.3	37.9









#41
Methacrylonitrile
Concen: 0.225 ug/l
RT: 5.038 min Scan# 64
Delta R.T. 0.110 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion:	41	Resp:	151
Ion	Ratio	Lower	Upper
41	100		
39	33.1	45.0	67.6#
67	0.0	58.2	87.4#
52	0.0	25.0	37.6#



#43
Isopropyl Acetate
Concen: 17.091 ug/l
RT: 6.348 min Scan# 863
Delta R.T. 0.006 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion:	43	Resp:	35412
Ion	Ratio	Lower	Upper
43	100		
61	20.7	15.3	22.9
87	14.9	10.6	15.8









#48
Methyl methacrylate
Concen: 33.259 ug/l
RT: 7.799 min Scan# 1101
Delta R.T. 0.103 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 41 Resp: 30307
Ion Ratio Lower Upper
41 100
69 0.2 64.6 96.8#
39 57.6 51.4 77.0



#49
1,4-Dioxane
Concen: Below Cal
RT: 7.677 min Scan# 1081
Delta R.T. -0.007 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 88 Resp: 23
Ion Ratio Lower Upper
88 100
43 0.0 27.1 40.7#
58 0.0 53.9 80.9#





#50

Toluene-d8

Concen: 50.722 ug/l

RT: 8.647 min Scan# 11

Delta R.T. -0.006 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :





TP2-0923

Tgt Ion: 98 Resp: 208988

Ion Ratio Lower Upper

98 100

100 65.2 52.5 78.7



#51

4-Methyl-2-Pentanone

Concen: 29.079 ug/l

RT: 8.549 min Scan# 1224

Delta R.T. -0.031 min

Lab File: VX031696.D




Acq: 27 Sep 2022 12:27


Tgt Ion: 43 Resp: 38137

Ion Ratio Lower Upper

43 100

58 7.9 30.6 46.0#





#53

t-1,3-Dichloropropene

Concen: 2.021 ug/l

RT: 8.958 min Scan# 11

Delta R.T. -0.024 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :





TP2-0923

Tgt Ion: 75 Resp: 230

Ion Ratio Lower Upper

75 100

77 0.0 24.8 37.2#



#54

cis-1,3-Dichloropropene

Concen: 12.604 ug/l

RT: 8.549 min Scan# 1224

Delta R.T. 0.183 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27




Tgt Ion: 75 Resp: 18467


Ion Ratio Lower Upper

75 100

77 0.0 24.4 36.6#

39 34.6 43.7 65.5#





#56

Ethyl methacrylate

Concen: 0.316 ug/l

RT: 9.244 min Scan# 11

Delta R.T. 0.128 min

Lab File: VX031696.D

Acq: 27 Sep 2022 12:27

Instrument :

MSVOA_X

ClientSampleId :

TP2-0923





Tgt Ion: 69 Resp: 465

Ion Ratio Lower Upper

69 100

41 5614.6 54.2 81.4#

39 2694.2 34.2 51.2#



#57

1,3-Dichloropropane

Concen: 1.177 ug/l

RT: 9.482 min Scan# 1377

Delta R.T. 0.171 min

Lab File: VX031696.D




Acq: 27 Sep 2022 12:27


Tgt Ion: 76 Resp: 2144

Ion Ratio Lower Upper

76 100

78 0.0 25.5 38.3#









#59
2-Hexanone
Concen: 26.415 ug/l
RT: 9.482 min Scan# 11
Delta R.T. 0.049 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 43 Resp: 25848
Ion Ratio Lower Upper
43 100
58 20.7 26.7 80.0#



#60
Dibromochloromethane
Concen: 1.557 ug/l
RT: 9.281 min Scan# 1344
Delta R.T. -0.244 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 129 Resp: 23
Ion Ratio Lower Upper
129 100
127 0.0 38.7 116.1#









#62
4-Bromofluorobenzene
Concen: 47.574 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 95 Resp: 71844
Ion Ratio Lower Upper
95 100
174 82.5 0.0 153.2
176 80.9 0.0 144.0



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27


Tgt Ion: 117 Resp: 113676
Ion Ratio Lower Upper
117 100
82 55.2 46.8 70.2
119 33.6 26.4 39.6








#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.024 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27


Instrument :
MSVOA_X
ClientSampleId :
TP2-0923





Tgt Ion:152 Resp: 71068
Ion Ratio Lower Upper
152 100
115 58.3 43.4 130.1
150 156.8 0.0 346.8




#74
N-ethyl acetate
Concen: 0.357 ug/l
RT: 10.768 min Scan# 1588
Delta R.T. -0.074 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27



Tgt Ion: 43 Resp: 532
Ion Ratio Lower Upper
43 100
70 0.0 33.4 50.2#
55 0.0 18.2 27.2#
61 0.0 19.3 28.9#









#76
1,2,3-Trichloropropane
Concen: 31.562 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. -0.159 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27




Instrument :
MSVOA_X
ClientSampleId :
TP2-0923


Tgt Ion: 75 Resp: 40664
Ion Ratio Lower Upper
75 100
77 1.4 20.3 60.9#



#81
trans-1,4-Dichloro-2-butene
Concen: 103.872 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.061 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Tgt Ion: 75 Resp: 40664
Ion Ratio Lower Upper
75 100
53 0.0 77.6 116.4#
89 0.0 37.4 56.0#





#90
Hexachloroethane
Concen: 0.762 ug/l
RT: 12.701 min Scan# 1905
Delta R.T. 0.159 min
Lab File: VX031696.D
Acq: 27 Sep 2022 12:27

Instrument :
MSVOA_X
ClientSampleId :
TP2-0923

Tgt Ion:117 Resp: 503
Ion Ratio Lower Upper
117 100
201 0.0 34.8 104.4#

