

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX032918\  
 Data File : VX000546.D  
 Acq On : 30 Mar 2018 06:26  
 Operator : JC/MD  
 Sample : J2127-06  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 44 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 FIELD-BLANK

Quant Time: Mar 30 08:37:49 2018  
 Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X032018W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Mar 21 04:52:42 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units   | Dev(Min)  |
|-----------------------------|-------|------|----------|-------|---------|-----------|
| 1) Pentafluorobenzene       | 5.68  | 168  | 105904   | 50.00 | ug/l    | 0.00      |
| 34) 1,4-Difluorobenzene     | 6.87  | 114  | 188518   | 50.00 | ug/l    | 0.00      |
| 63) Chlorobenzene-d5        | 10.12 | 117  | 191539   | 50.00 | ug/l    | 0.00      |
| 72) 1,4-Dichlorobenzene-d4  | 12.09 | 152  | 102858   | 50.00 | ug/l    | 0.00      |
| System Monitoring Compounds |       |      |          |       |         |           |
| 33) 1,2-Dichloroethane-d4   | 6.08  | 65   | 75733    | 54.78 | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =     | 109.56% |           |
| 35) Dibromofluoromethane    | 5.52  | 113  | 60762    | 51.15 | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =     | 102.30% |           |
| 50) Toluene-d8              | 8.73  | 98   | 242985   | 49.39 | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =     | 98.78%  |           |
| 62) 4-Bromofluorobenzene    | 11.15 | 95   | 82248    | 40.85 | ug/l    | 0.00      |
| Spiked Amount 50.000        |       |      | Recovery | =     | 81.70%  |           |
| Target Compounds            |       |      |          |       |         |           |
| 16) Acetone                 | 2.45  | 43   | 9836     | 8.55  | ug/l    | Qvalue 94 |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX032918\  
Data File : VX000546.D  
Acq On : 30 Mar 2018 06:26  
Operator : JC/MD  
Sample : J2127-06  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 44 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
FIELD-BLANK

Quant Time: Mar 30 08:37:49 2018  
Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X032018W.M  
Quant Title : SW846 8260  
QLast Update : Wed Mar 21 04:52:42 2018  
Response via : Initial Calibration

