

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX033118\
 Data File : VX000584.D
 Acq On : 31 Mar 2018 11:22
 Operator : JC/MD
 Sample : VX0331WBL01
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 3 Sample Multiplier: 1

Quant Time: Apr 02 06:05:31 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X032018W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 21 04:52:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	140082	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	236325	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	234932	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	126079	50.00	ug/l	0.00


System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.08	65	94453	51.65	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.30%	
35) Dibromofluoromethane	5.51	113	73516	49.37	ug/l	0.00
Spiked Amount	50.000		Recovery	=	98.74%	
50) Toluene-d8	8.72	98	298227	48.36	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.72%	
62) 4-Bromofluorobenzene	11.15	95	107190	42.23	ug/l	0.00
Spiked Amount	50.000		Recovery	=	84.46%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX033118\
Data File : VX000584.D
Acq On : 31 Mar 2018 11:22
Operator : JC/MD
Sample : VX0331WBL01
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 3 Sample Multiplier: 1

Quant Time: Apr 02 06:05:31 2018
Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X032018W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 21 04:52:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 834

Delta R.T. -0.01 min

Lab File: VX000584.D


Acq: 31 Mar 2018 11:22

Tot Ion:168 Resp: 140082

Ion Ratio Lower Upper




168 100

99 57.1 45.8 68.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 51.65 ug/l

RT: 6.08 min Scan# 901

Delta R.T. 0.00 min

Lab File: VX000584.D


Acq: 31 Mar 2018 11:22

Tgt Ion: 65 Resp: 94453

Ion Ratio Lower Upper



65 100


67 50.7 0.0 103.2



Abundance Ion 64.90 (64.60 to 65.60): VX0


Ion 66.90 (66.60 to 67.60): VX0








#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.87 min Scan# 1030
 Delta R.T. -0.01 min
 Lab File: VX000584.D
 Acq: 31 Mar 2018 11:22

Tot Ion:114 Resp: 236325
 Ion Ratio Lower Upper
 114 100
 63 19.2 0.0 38.4
 88 13.8 0.0 27.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX0
 Ion 87.90 (87.60 to 88.60): VX0






#35
 Dibromofluoromethane
 Concen: 49.37 ug/l
 RT: 5.51 min Scan# 808
 Delta R.T. -0.00 min
 Lab File: VX000584.D
 Acq: 31 Mar 2018 11:22

Tgt Ion:113 Resp: 73516
 Ion Ratio Lower Upper
 113 100
 111 100.1 82.4 123.6
 192 19.5 15.8 23.6



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.36 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. -0.01 min

Lab File: VX000584.D


Acq: 31 Mar 2018 11:22

Tot Ion: 98 Resp: 298227

Ion Ratio Lower Upper




98 100

100 63.5 51.2 76.8



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): V



#62

4-Bromofluorobenzene

Concen: 42.23 ug/l

RT: 11.15 min Scan# 1732

Delta R.T. 0.00 min

Lab File: VX000584.D

Acq: 31 Mar 2018 11:22


Tgt Ion: 95 Resp: 107190

Ion Ratio Lower Upper

95 100

174 88.3 0.0 173.6



176 84.4 0.0 164.6




Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V


Ion 175.80 (175.50 to 176.50): V








#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.12 min Scan# 1564
Delta R.T. -0.00 min
Lab File: VX000584.D
Acq: 31 Mar 2018 11:22

Tot Ion:117 Resp: 234932
Ion Ratio Lower Upper
117 100
82 51.2 43.8 65.8
119 32.1 24.9 37.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.09 min Scan# 1886
Delta R.T. -0.00 min
Lab File: VX000584.D
Acq: 31 Mar 2018 11:22

Tgt Ion:152 Resp: 126079
Ion Ratio Lower Upper
152 100
115 56.9 39.8 119.3
150 157.0 0.0 344.4



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

