

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX041518\  
 Data File : VX000907.D  
 Acq On : 15 Apr 2018 19:34  
 Operator : JC/MD  
 Sample : J2383-04  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 DRUM-PW-COMPOSITE

Quant Time: Apr 16 08:53:45 2018  
 Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X041018W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Apr 10 15:49:28 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.68  | 168  | 279848   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.87  | 114  | 377953   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 352111   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 234567   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 166801   | 47.27 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 94.54% |          |
| 35) Dibromofluoromethane    | 5.51  | 113  | 133107   | 45.71 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 91.42% |          |
| 50) Toluene-d8              | 8.73  | 98   | 528652   | 48.76 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 97.52% |          |
| 62) 4-Bromofluorobenzene    | 11.14 | 95   | 207199   | 46.19 | ug/l   | 0.00     |
| Spiked Amount               |       |      | Recovery | =     | 92.38% |          |

| Target Compounds | R.T. | QIon | Response | Conc | Units | Qvalue |
|------------------|------|------|----------|------|-------|--------|
| 16) Acetone      | 2.45 | 43   | 11653    | 9.58 | ug/l  | 91     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX041518\  
Data File : VX000907.D  
Acq On : 15 Apr 2018 19:34  
Operator : JC/MD  
Sample : J2383-04  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
DRUM-PW-COMPOSITE

Quant Time: Apr 16 08:53:45 2018  
Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X041018W.M  
Quant Title : SW846 8260  
QLast Update : Tue Apr 10 15:49:28 2018  
Response via : Initial Calibration

