

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX041518\  
 Data File : VX000909.D  
 Acq On : 15 Apr 2018 20:25  
 Operator : JC/MD  
 Sample : J2387-10  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 20180238-FIELD-BLANK

Quant Time: Apr 16 15:01:38 2018  
 Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X041018W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Apr 10 15:49:28 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 5.67  | 168  | 281021   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 6.87  | 114  | 381491   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 10.12 | 117  | 349481   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 12.08 | 152  | 228087   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|-------|--------|----------|
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 165165   | 46.61 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 93.22% |          |
| 35) Dibromofluoromethane    | 5.51  | 113  | 133160   | 45.31 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 90.62% |          |
| 50) Toluene-d8              | 8.72  | 98   | 526117   | 48.08 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 96.16% |          |
| 62) 4-Bromofluorobenzene    | 11.14 | 95   | 204160   | 45.09 | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 90.18% |          |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX041518\  
Data File : VX000909.D  
Acq On : 15 Apr 2018 20:25  
Operator : JC/MD  
Sample : J2387-10  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
20180238-FIELD-BLANK

Quant Time: Apr 16 15:01:38 2018  
Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X041018W.M  
Quant Title : SW846 8260  
QLast Update : Tue Apr 10 15:49:28 2018  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.67 min Scan# 834

Delta R.T. -0.00 min

Lab File: VX000909.D

Acq: 15 Apr 2018 20:25

Instrument :

MSVOA\_X

ClientSampleId :


20180238-FIELD-BLANK

Tot Ion:168 Resp: 281021

Ion Ratio Lower Upper




168 100

99 49.7 38.3 57.5



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 46.61 ug/l

RT: 6.07 min Scan# 900

Delta R.T. -0.00 min

Lab File: VX000909.D


Acq: 15 Apr 2018 20:25

Tgt Ion: 65 Resp: 165165

Ion Ratio Lower Upper



65 100


67 51.5 0.0 103.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 6.87 min Scan# 1030

Delta R.T. -0.00 min

Lab File: VX000909.D

Acq: 15 Apr 2018 20:25

Instrument :

MSVOA\_X

ClientSampleId :

20180238-FIELD-BLANK


Tot Ion:114 Resp: 381491

Ion Ratio Lower Upper

114 100

63 19.1 0.0 38.4




88 15.5 0.0 31.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 45.31 ug/l

RT: 5.51 min Scan# 808

Delta R.T. -0.00 min

Lab File: VX000909.D

Acq: 15 Apr 2018 20:25


Tgt Ion:113 Resp: 133160

Ion Ratio Lower Upper

113 100

111 102.9 81.5 122.3



192 26.0 20.4 30.6




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.08 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. -0.00 min

Lab File: VX000909.D

Acq: 15 Apr 2018 20:25

Instrument :

MSVOA\_X

ClientSampleId :


20180238-FIELD-BLANK

Tot Ion: 98 Resp: 526117

Ion Ratio Lower Upper




98 100

100 65.0 52.6 79.0



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



#62

4-Bromofluorobenzene

Concen: 45.09 ug/l

RT: 11.14 min Scan# 1731

Delta R.T. -0.01 min

Lab File: VX000909.D

Acq: 15 Apr 2018 20:25


Tgt Ion: 95 Resp: 204160

Ion Ratio Lower Upper

95 100

174 97.7 0.0 198.4



176 95.8 0.0 194.4



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 10.12 min Scan# 1564  
Delta R.T. -0.00 min  
Lab File: VX000909.D  
Acq: 15 Apr 2018 20:25

Instrument :  
MSVOA\_X  
ClientSampleId :  
20180238-FIELD-BLANK

Tot Ion:117 Resp: 349481  
Ion Ratio Lower Upper  
117 100  
82 51.4 41.9 62.9  
119 31.7 26.0 39.0



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 12.08 min Scan# 1886  
Delta R.T. -0.00 min  
Lab File: VX000909.D  
Acq: 15 Apr 2018 20:25

Tgt Ion:152 Resp: 228087  
Ion Ratio Lower Upper  
152 100  
115 53.3 37.9 113.7  
150 154.2 0.0 348.0

