

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX042618\
 Data File : VX001161.D
 Acq On : 27 Apr 2018 08:22
 Operator : JC/MD
 Sample : PB108612ZHE#13 5X
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 PB108612ZHE#13

Quant Time: Apr 27 08:49:43 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X042618W.M
 Quant Title : SW846 8260
 QLast Update : Fri Apr 27 01:51:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	206842	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	282894	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	254137	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	140915	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	132871	41.44	ug/l	0.00
Spiked Amount 50.000			Recovery	=	82.88%	
35) Dibromofluoromethane	5.51	113	102499	43.77	ug/l	0.00
Spiked Amount 50.000			Recovery	=	87.54%	
50) Toluene-d8	8.72	98	397613	45.00	ug/l	0.00
Spiked Amount 50.000			Recovery	=	90.00%	
62) 4-Bromofluorobenzene	11.14	95	134301	38.91	ug/l	0.00
Spiked Amount 50.000			Recovery	=	77.82%	
Target Compounds						
16) Acetone	2.45	43	3936	2.985	ug/l	90
18) Methyl Acetate	2.78	43	4229	1.282	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX042618\
Data File : VX001161.D
Acq On : 27 Apr 2018 08:22
Operator : JC/MD
Sample : PB108612ZHE#13 5X
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
PB108612ZHE#13

Quant Time: Apr 27 08:49:43 2018
Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X042618W.M
Quant Title : SW846 8260
QLast Update : Fri Apr 27 01:51:42 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 834

Delta R.T. -0.00 min

Lab File: VX001161.D

Acq: 27 Apr 2018 08:22

Instrument :

MSVOA_X

ClientSampleId :


PB108612ZHE#13

Tot Ion:168 Resp: 206842

Ion Ratio Lower Upper

168 100

99 47.6 40.6 60.8



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

80000



60000

40000

20000

0

Time--> 5.50 5.60 5.70 5.80



#16

Acetone

Concen: 2.985 ug/l

RT: 2.45 min Scan# 306

Delta R.T. -0.00 min

Lab File: VX001161.D


Acq: 27 Apr 2018 08:22

Tgt Ion: 43 Resp: 3936

Ion Ratio Lower Upper

43 100

58 34.4 23.0 34.6



Abundance Ion 43.00 (42.70 to 43.70): VX0

Ion 58.00 (57.70 to 58.70): VX0

2.45

2500

2000


1500


1000

500

0

Time--> 2.40 2.45 2.50









#18
Methvl Acetate
Concen: 1.282 ug/l
RT: 2.78 min Scan# 360
Delta R.T. -0.01 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22




Instrument :
MSVOA_X
ClientSampleId :
PB108612ZHE#13


Tot Ion: 43 Resp: 4229
Ion Ratio Lower Upper
43 100
74 23.9 18.1 27.1



#33
1,2-Dichloroethane-d4
Concen: 41.441 ug/l
RT: 6.07 min Scan# 900
Delta R.T. -0.00 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22

Tgt Ion: 65 Resp: 132871
Ion Ratio Lower Upper
65 100
67 50.8 0.0 102.2









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 6.87 min Scan# 1031
 Delta R.T. 0.01 min
 Lab File: VX001161.D
 Acq: 27 Apr 2018 08:22

Instrument :
 MSVOA_X
 ClientSampleId :
 PB108612ZHE#13

Tot Ion:114 Resp: 282894
 Ion Ratio Lower Upper
 114 100
 63 19.0 0.0 40.4
 88 14.8 0.0 31.8




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VX0
 Ion 87.90 (87.60 to 88.60): VX0






#35
 Dibromofluoromethane
 Concen: 43.775 ug/l
 RT: 5.51 min Scan# 808
 Delta R.T. -0.00 min
 Lab File: VX001161.D
 Acq: 27 Apr 2018 08:22

Tgt Ion:113 Resp: 102499
 Ion Ratio Lower Upper
 113 100
 111 101.9 82.2 123.4
 192 25.0 20.6 30.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 44.997 ug/l
RT: 8.72 min Scan# 1334
Delta R.T. -0.00 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22




Instrument :
MSVOA_X
ClientSampleId :
PB108612ZHE#13


Tot Ion: 98 Resp: 397613
Ion Ratio Lower Upper
98 100
100 63.4 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 38.906 ug/l
RT: 11.14 min Scan# 1731
Delta R.T. -0.00 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22

Tgt Ion: 95 Resp: 134301
Ion Ratio Lower Upper
95 100
174 100.3 0.0 194.4
176 98.4 0.0 190.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. -0.01 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22

Instrument :
MSVOA_X
ClientSampleId :
PB108612ZHE#13

Tot Ion:117 Resp: 254137
Ion Ratio Lower Upper
117 100
82 54.3 42.1 63.1
119 31.8 26.1 39.1




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.09 min Scan# 1886
Delta R.T. -0.00 min
Lab File: VX001161.D
Acq: 27 Apr 2018 08:22

Tgt Ion:152 Resp: 140915
Ion Ratio Lower Upper
152 100
115 53.3 38.0 114.0
150 154.6 0.0 349.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

