

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX050418\
 Data File : VX001398.D
 Acq On : 04 May 2018 15:50
 Operator : JC/MD
 Sample : J2707-10
 Misc : 6.04g/5mL/100uL/5mL/MSVOA_X/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 SB-8(6.5-7)

Quant Time: May 05 05:58:58 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050118W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 02 01:48:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	180486	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	234102	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	208983	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	118436	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.07	65	116317	46.56	ug/l	0.00
Spiked Amount			Recovery	=	93.12%	
35) Dibromofluoromethane	5.51	113	101496	50.32	ug/l	0.00
Spiked Amount			Recovery	=	100.64%	
50) Toluene-d8	8.72	98	343821	47.72	ug/l	0.00
Spiked Amount			Recovery	=	95.44%	
62) 4-Bromofluorobenzene	11.14	95	113098	39.25	ug/l	0.00
Spiked Amount			Recovery	=	78.50%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX050418\
Data File : VX001398.D
Acq On : 04 May 2018 15:50
Operator : JC/MD
Sample : J2707-10
Misc : 6.04q/5mL/100uL/5mL/MSVOA_X/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
SB-8(6.5-7)

Quant Time: May 05 05:58:58 2018
Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050118W.M
Quant Title : SW846 8260
QLast Update : Wed May 02 01:48:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 833

Delta R.T. -0.01 min

Lab File: VX001398.D

Acq: 04 May 2018 15:50

Instrument :

MSVOA_X

ClientSampleId :


SB-8(6.5-7)

Tot Ion:168 Resp: 180486

Ion Ratio Lower Upper




168 100

99 46.1 36.5 54.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 46.557 ug/l

RT: 6.07 min Scan# 900

Delta R.T. 0.00 min

Lab File: VX001398.D


Acq: 04 May 2018 15:50

Tgt Ion: 65 Resp: 116317

Ion Ratio Lower Upper



65 100


67 52.1 0.0 102.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.87 min Scan# 1030

Delta R.T. 0.00 min

Lab File: VX001398.D

Acq: 04 May 2018 15:50

Instrument :

MSVOA_X

ClientSampleId :

SB-8(6.5-7)


Tot Ion:114 Resp: 234102

Ion Ratio Lower Upper

114 100

63 19.3 0.0 38.8




88 14.4 0.0 32.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 50.324 ug/l

RT: 5.51 min Scan# 807

Delta R.T. -0.01 min

Lab File: VX001398.D

Acq: 04 May 2018 15:50


Tgt Ion:113 Resp: 101496

Ion Ratio Lower Upper

113 100

111 102.0 81.2 121.8



192 26.2 20.7 31.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 47.717 ug/l
RT: 8.72 min Scan# 1334
Delta R.T. 0.00 min
Lab File: VX001398.D
Acq: 04 May 2018 15:50




Instrument :
MSVOA_X
ClientSampleId :
SB-8(6.5-7)


Tot Ion: 98 Resp: 343821
Ion Ratio Lower Upper
98 100
100 63.9 51.0 76.4



#62
4-Bromofluorobenzene
Concen: 39.248 ug/l
RT: 11.14 min Scan# 1731
Delta R.T. 0.00 min
Lab File: VX001398.D
Acq: 04 May 2018 15:50

Tgt Ion: 95 Resp: 113098
Ion Ratio Lower Upper
95 100
174 106.7 0.0 201.8
176 103.8 0.0 197.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.12 min Scan# 1563
Delta R.T. 0.00 min
Lab File: VX001398.D
Acq: 04 May 2018 15:50

Instrument :
MSVOA_X
ClientSampled :
SB-8(6.5-7)

Tot Ion:117 Resp: 208983
Ion Ratio Lower Upper
117 100
82 53.0 41.4 62.0
119 32.4 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): VX0
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.09 min Scan# 1886
Delta R.T. 0.00 min
Lab File: VX001398.D
Acq: 04 May 2018 15:50

Tgt Ion:152 Resp: 118436
Ion Ratio Lower Upper
152 100
115 52.8 38.6 115.7
150 154.8 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

