

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX050418\
 Data File : VX001399.D
 Acq On : 04 May 2018 16:17
 Operator : JC/MD
 Sample : J2707-11
 Misc : 5.75uL/5mL/100uL/5mL/MSVOA_X/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 SB-7(8-8.5)

Quant Time: May 05 06:00:32 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050118W.M
 Quant Title : SW846 8260
 QLast Update : Wed May 02 01:48:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	152560	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	208774	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	183325	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	98661	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.08	65	106214	50.30	ug/l	0.00
Spiked Amount			Recovery	=	100.60%	
35) Dibromofluoromethane	5.51	113	86853	48.29	ug/l	0.00
Spiked Amount			Recovery	=	96.58%	
50) Toluene-d8	8.72	98	305490	47.54	ug/l	0.00
Spiked Amount			Recovery	=	95.08%	
62) 4-Bromofluorobenzene	11.15	95	97318	37.87	ug/l	0.00
Spiked Amount			Recovery	=	75.74%	


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX050418\
Data File : VX001399.D
Acq On : 04 May 2018 16:17
Operator : JC/MD
Sample : J2707-11
Misc : 5.75µ/5mL/100µL/5mL/MSVOA_X/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
SB-7(8-8.5)

Quant Time: May 05 06:00:32 2018
Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050118W.M
Quant Title : SW846 8260
QLast Update : Wed May 02 01:48:25 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 834

Delta R.T. 0.00 min

Lab File: VX001399.D

Acq: 04 May 2018 16:17

Instrument :

MSVOA_X

ClientSampleId :


SB-7(8-8.5)

Tot Ion:168 Resp: 152560

Ion Ratio Lower Upper

168 100

99 44.6 36.5 54.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0

5.67

60000

50000

40000

30000



20000

10000

0

Time-->

5.60 5.70 5.80



#33

1,2-Dichloroethane-d4

Concen: 50.295 ug/l

RT: 6.08 min Scan# 901

Delta R.T. 0.01 min

Lab File: VX001399.D


Acq: 04 May 2018 16:17

Tgt Ion: 65 Resp: 106214

Ion Ratio Lower Upper

65 100

67 52.4 0.0 102.8



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0

6.08

50000

40000

30000


20000


10000

0

Time-->

6.00 6.10 6.20





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.87 min Scan# 1031

Delta R.T. 0.01 min

Lab File: VX001399.D

Acq: 04 May 2018 16:17

Instrument :

MSVOA_X

ClientSampleId :

SB-7(8-8.5)


Tot Ion:114 Resp: 208774

Ion Ratio Lower Upper

114 100

63 18.8 0.0 38.8




88 14.4 0.0 32.2



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 48.288 ug/l

RT: 5.51 min Scan# 808

Delta R.T. 0.00 min

Lab File: VX001399.D

Acq: 04 May 2018 16:17


Tgt Ion:113 Resp: 86853

Ion Ratio Lower Upper

113 100

111 102.2 81.2 121.8



192 26.1 20.7 31.1




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V









#50
Toluene-d8
Concen: 47.541 ug/l
RT: 8.72 min Scan# 1334
Delta R.T. 0.00 min
Lab File: VX001399.D
Acq: 04 May 2018 16:17




Instrument :
MSVOA_X
ClientSampleId :
SB-7(8-8.5)


Tot Ion: 98 Resp: 305490
Ion Ratio Lower Upper
98 100
100 63.5 51.0 76.4



#62
4-Bromofluorobenzene
Concen: 37.869 ug/l
RT: 11.15 min Scan# 1732
Delta R.T. 0.01 min
Lab File: VX001399.D
Acq: 04 May 2018 16:17

Tgt Ion: 95 Resp: 97318
Ion Ratio Lower Upper
95 100
174 105.9 0.0 201.8
176 102.0 0.0 197.2









#63
 Chlorobenzene-d5
 Concen: 50.000 ug/l
 RT: 10.12 min Scan# 1564
 Delta R.T. 0.01 min
 Lab File: VX001399.D
 Acq: 04 May 2018 16:17

Instrument :
 MSVOA_X
 ClientSampleId :
 SB-7(8-8.5)

Tot Ion:117 Resp: 183325
 Ion Ratio Lower Upper
 117 100
 82 49.8 41.4 62.0
 119 32.8 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
 Ion 82.00 (81.70 to 82.70): VX0
 Ion 118.90 (118.60 to 119.60): V



#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 12.09 min Scan# 1886
 Delta R.T. 0.00 min
 Lab File: VX001399.D
 Acq: 04 May 2018 16:17

Tgt Ion:152 Resp: 98661
 Ion Ratio Lower Upper
 152 100
 115 51.9 38.6 115.7
 150 154.8 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V
 Ion 114.90 (114.60 to 115.60): V
 Ion 149.90 (149.60 to 150.60): V

