

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX051218\
 Data File : VX001680.D
 Acq On : 12 May 2018 21:35
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 14 07:25:06 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050518W.M
 Quant Title : SW846 8260
 QLast Update : Sun May 06 07:59:25 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	0.673	0.638	5.2	76	0.00
3 P	Chloromethane	0.656	0.606	7.6	79	0.00
4 C	Vinyl Chloride	0.684	0.662	3.2#	81	0.00
5 T	Bromomethane	0.400	0.264	34.0#	69	0.00
6 T	Chloroethane	0.452	0.446	1.3	84	0.00
7 T	Trichlorofluoromethane	1.030	1.042	-1.2	84	0.00
8 T	Diethyl Ether	0.404	0.416	-3.0	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.604	0.616	-2.0	86	0.00
10 T	Methyl Iodide	0.871	0.745	14.5	68	0.00
11 T	Tert butyl alcohol	0.152	0.153	-0.7	84	0.00
12 CM	1,1-Dichloroethene	0.553	0.561	-1.4#	85	0.00
13 T	Acrolein	0.035	0.021	40.0#	58	0.00
14 T	Allyl chloride	1.032	1.077	-4.4	87	0.00
15 T	Acrylonitrile	0.342	0.358	-4.7	88	0.00
16 T	Acetone	0.326	0.313	4.0	83	0.00
17 T	Carbon Disulfide	1.408	1.276	9.4	74	0.00
18 T	Methyl Acetate	0.857	1.006	-17.4	99	0.00
19 T	Methyl tert-butyl Ether	1.926	2.028	-5.3	88	0.00
20 T	Methylene Chloride	0.646	0.651	-0.8	88	0.00
21 T	trans-1,2-Dichloroethene	0.617	0.596	3.4	83	0.00
22 T	Diisopropyl ether	1.927	2.096	-8.8	92	0.00
23 T	Vinyl Acetate	1.606	1.688	-5.1	86	0.00
24 P	1,1-Dichloroethane	1.077	1.120	-4.0	87	0.00
25 T	2-Butanone	0.472	0.486	-3.0	87	0.00
26 T	2,2-Dichloropropane	0.831	0.805	3.1	79	0.00
27 T	cis-1,2-Dichloroethene	0.658	0.703	-6.8	91	0.00
28 T	Bromochloromethane	0.467	0.516	-10.5	91	0.00
29 T	Tetrahydrofuran	0.302	0.312	-3.3	87	0.00
30 C	Chloroform	1.109	1.229	-10.8#	92	0.00
31 T	Cyclohexane	0.925	0.946	-2.3	84	0.00
32 T	1,1,1-Trichloroethane	0.969	1.077	-11.1	90	0.00
33 S	1,2-Dichloroethane-d4	0.719	0.651	9.5	75	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	81	0.00
35 S	Dibromofluoromethane	0.445	0.425	4.5	79	0.00
36 T	1,1-Dichloropropene	0.636	0.652	-2.5	86	0.00
37 T	Ethyl Acetate	0.697	0.721	-3.4	86	0.00
38 T	Carbon Tetrachloride	0.678	0.750	-10.6	89	0.00
39 T	Methylcyclohexane	0.752	0.759	-0.9	82	0.00
40 TM	Benzene	1.858	2.013	-8.3	89	0.00
41 T	Methacrylonitrile	0.399	0.416	-4.3	89	0.00
42 TM	1,2-Dichloroethane	0.714	0.768	-7.6	89	0.00
43 T	Isopropyl Acetate	1.070	1.137	-6.3	85	0.00
44 TM	Trichloroethene	0.568	0.608	-7.0	90	0.00
45 C	1,2-Dichloropropane	0.463	0.507	-9.5#	91	0.00

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX051218\
 Data File : VX001680.D
 Acq On : 12 May 2018 21:35
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 14 07:25:06 2018
 Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050518W.M
 Quant Title : SW846 8260
 QLast Update : Sun May 06 07:59:25 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.328	0.354	-7.9	89	0.00
47 T	Bromodichloromethane	0.607	0.700	-15.3	91	0.00
48 T	Methyl methacrylate	0.583	0.619	-6.2	85	0.00
49 T	1,4-Dioxane	0.013	0.013	0.0	84	0.00
50 S	Toluene-d8	1.623	1.496	7.8	75	0.00
51 T	4-Methyl-2-Pentanone	0.711	0.779	-9.6	88	0.00
52 CM	Toluene	1.215	1.333	-9.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.686	0.781	-13.8	87	0.00
54 T	cis-1,3-Dichloropropene	0.624	0.712	-14.1	86	0.00
55 T	1,1,2-Trichloroethane	0.489	0.532	-8.8	90	0.00
56 T	Ethyl methacrylate	0.705	0.759	-7.7	85	0.00
57 T	1,3-Dichloropropane	0.809	0.868	-7.3	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.346	0.396	-14.5	88	0.00
59 T	2-Hexanone	0.545	0.571	-4.8	83	0.00
60 T	Dibromochloromethane	0.501	0.570	-13.8	86	0.00
61 T	1,2-Dibromoethane	0.514	0.551	-7.2	86	0.00
62 S	4-Bromofluorobenzene	0.623	0.557	10.6	72	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	79	0.00
64 T	Tetrachloroethene	0.697	0.754	-8.2	85	0.00
65 PM	Chlorobenzene	1.466	1.575	-7.4	86	0.00
66 T	1,1,1,2-Tetrachloroethane	0.525	0.602	-14.7	88	0.00
67 C	Ethyl Benzene	2.403	2.594	-7.9#	85	0.00
68 T	m/p-Xylenes	0.950	1.032	-8.6	84	0.00
69 T	o-Xylene	0.923	1.012	-9.6	84	0.00
70 T	Styrene	1.499	1.696	-13.1	86	0.00
71 P	Bromoform	0.430	0.494	-14.9	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	76	0.00
73 T	Isopropylbenzene	3.461	3.825	-10.5	85	0.00
74 T	N-amyl acetate	1.572	1.695	-7.8	85	0.00
75 P	1,1,2,2-Tetrachloroethane	1.022	1.118	-9.4	87	0.00
76 T	1,2,3-Trichloropropane	1.014	0.942	7.1	74	0.00
77 T	Bromobenzene	1.006	1.077	-7.1	86	0.00
78 T	n-propylbenzene	3.769	4.214	-11.8	85	0.00
79 T	2-Chlorotoluene	2.320	2.526	-8.9	85	0.00
80 T	1,3,5-Trimethylbenzene	2.882	3.176	-10.2	84	0.00
81 T	trans-1,4-Dichloro-2-butene	0.266	0.291	-9.4	78	0.00
82 T	4-Chlorotoluene	2.676	2.934	-9.6	84	0.00
83 T	tert-Butylbenzene	2.867	3.150	-9.9	84	0.00
84 T	1,2,4-Trimethylbenzene	2.962	3.291	-11.1	84	0.00
85 T	sec-Butylbenzene	3.442	3.880	-12.7	85	0.00
86 T	p-Isopropyltoluene	3.157	3.545	-12.3	84	0.00
87 T	1,3-Dichlorobenzene	1.799	1.947	-8.2	85	0.00
88 T	1,4-Dichlorobenzene	1.835	1.957	-6.6	84	0.00
89 T	n-Butylbenzene	2.616	2.864	-9.5	82	0.00

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX051218\
Data File : VX001680.D
Acq On : 12 May 2018 21:35
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: May 14 07:25:06 2018
Quant Method : W:\HPCHEM1\MSVOA_X\METHOD\82X050518W.M
Quant Title : SW846 8260
QLast Update : Sun May 06 07:59:25 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.475	0.561	-18.1	88	0.00
91 T	1,2-Dichlorobenzene	1.830	2.009	-9.8	86	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.225	0.250	-11.1	82	0.00
93 T	1,2,4-Trichlorobenzene	1.339	1.474	-10.1	84	0.00
94 T	Hexachlorobutadiene	0.733	0.785	-7.1	84	0.00
95 T	Naphthalene	3.704	4.241	-14.5	85	0.00
96 T	1,2,3-Trichlorobenzene	1.374	1.544	-12.4	86	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6