

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX051518\  
 Data File : VX001755.D  
 Acq On : 15 May 2018 19:37  
 Operator : JC/MD  
 Sample : J2796-04  
 Misc : 5.0mL/MSVOA X/WATER  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 MSVOA\_X  
 ClientSampleId :  
 KY038PS034-180507

Quant Time: May 16 05:44:43 2018  
 Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X051518W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue May 15 01:36:22 2018  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 1) Pentafluorobenzene       | 5.67  | 168  | 237681   | 50.00 | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 6.87  | 114  | 317337   | 50.00 | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 10.12 | 117  | 259595   | 50.00 | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 12.09 | 152  | 127038   | 50.00 | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |       |         |          |
| 33) 1,2-Dichloroethane-d4   | 6.07  | 65   | 179949   | 56.48 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 112.96% |          |
| 35) Dibromofluoromethane    | 5.51  | 113  | 149629   | 55.87 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 111.74% |          |
| 50) Toluene-d8              | 8.72  | 98   | 487304   | 50.81 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 101.62% |          |
| 62) 4-Bromofluorobenzene    | 11.15 | 95   | 149175   | 43.20 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 86.40%  |          |
| Target Compounds            |       |      |          |       |         |          |
| 16) Acetone                 | 2.45  | 43   | 10439    | 8.34  | ug/l    | 96       |
| 27) cis-1,2-Dichloroethene  | 4.60  | 96   | 8557     | 2.91  | ug/l    | 91       |
| 64) Tetrachloroethene       | 9.35  | 164  | 1663     | 0.49  | ug/l #  | 78       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : W:\HPCHEM1\MSVOA X\DATA\VX051518\  
Data File : VX001755.D  
Acq On : 15 May 2018 19:37  
Operator : JC/MD  
Sample : J2796-04  
Misc : 5.0mL/MSVOA X/WATER  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
MSVOA\_X  
ClientSampleId :  
KY038PS034-180507

Quant Time: May 16 05:44:43 2018  
Quant Method : W:\HPCHEM1\MSVOA\_X\METHOD\82X051518W.M  
Quant Title : SW846 8260  
QLast Update : Tue May 15 01:36:22 2018  
Response via : Initial Calibration

