

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\WX052119\
 Data File : VX009742.D
 Acq On : 21 May 2019 12:12
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 22 07:18:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 09 07:31:15 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.461	0.431	6.5	85	0.00
3 P	Chloromethane	0.629	0.637	-1.3	94	0.00
4 C	Vinyl Chloride	0.613	0.611	0.3#	91	0.00
5 T	Bromomethane	0.368	0.383	-4.1	99	0.00
6 T	Chloroethane	0.394	0.377	4.3	89	0.00
7 T	Trichlorofluoromethane	0.746	0.748	-0.3	92	0.00
8 T	Diethyl Ether	0.353	0.336	4.8	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.468	0.460	1.7	90	0.00
10 T	Methyl Iodide	0.483	0.519	-7.5	91	0.00
11 T	Tert butyl alcohol	0.158	0.138	12.7	80	0.00
12 CM	1,1-Dichloroethene	0.469	0.458	2.3#	88	0.00
13 T	Acrolein	0.143	0.114	20.3#	74	0.00
14 T	Allyl chloride	1.143	1.109	3.0	90	0.00
15 T	Acrylonitrile	0.386	0.362	6.2	88	0.00
16 T	Acetone	0.367	0.356	3.0	91	0.00
17 T	Carbon Disulfide	1.317	1.384	-5.1	94	0.00
18 T	Methyl Acetate	0.872	0.756	13.3	83	0.00
19 T	Methyl tert-butyl Ether	1.822	1.743	4.3	88	0.00
20 T	Methylene Chloride	0.593	0.545	8.1	87	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.501	1.6	90	0.00
22 T	Diisopropyl ether	2.199	2.133	3.0	89	0.00
23 T	Vinyl Acetate	1.883	1.925	-2.2	91	0.00
24 P	1,1-Dichloroethane	1.085	1.019	6.1	87	0.00
25 T	2-Butanone	0.570	0.553	3.0	88	0.00
26 T	2,2-Dichloropropane	0.807	0.789	2.2	89	0.00
27 T	cis-1,2-Dichloroethene	0.607	0.576	5.1	88	0.00
28 T	Bromochloromethane	0.487	0.370	24.0#	68	0.00
29 T	Tetrahydrofuran	0.366	0.356	2.7	88	0.00
30 C	Chloroform	0.981	0.944	3.8#	89	0.00
31 T	Cyclohexane	1.009	1.045	-3.6	93	0.00
32 T	1,1,1-Trichloroethane	0.817	0.792	3.1	89	0.00
33 S	1,2-Dichloroethane-d4	0.683	0.568	16.8	74	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	86	0.00
35 S	Dibromofluoromethane	0.314	0.271	13.7	74	0.00
36 T	1,1-Dichloropropene	0.465	0.485	-4.3	92	0.00
37 T	Ethyl Acetate	0.647	0.659	-1.9	90	0.00
38 T	Carbon Tetrachloride	0.422	0.430	-1.9	89	0.00
39 T	Methylcyclohexane	0.571	0.620	-8.6	94	0.00
40 TM	Benzene	1.438	1.440	-0.1	88	0.00
41 T	Methacrylonitrile	0.385	0.373	3.1	87	0.00
42 TM	1,2-Dichloroethane	0.516	0.525	-1.7	92	0.00
43 T	Isopropyl Acetate	1.036	1.059	-2.2	90	0.00
44 TM	Trichloroethene	0.348	0.345	0.9	89	0.00
45 C	1,2-Dichloropropane	0.407	0.408	-0.2#	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX052119\
 Data File : VX009742.D
 Acq On : 21 May 2019 12:12
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_X
 LabSampleId :
 VSTDCCC050

Quant Time: May 22 07:18:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 09 07:31:15 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.236	0.232	1.7	88	0.00
47 T	Bromodichloromethane	0.472	0.472	0.0	88	0.00
48 T	Methyl methacrylate	0.514	0.535	-4.1	91	0.00
49 T	1,4-Dioxane	0.010	0.009	10.0	77	0.00
50 S	Toluene-d8	1.269	1.068	15.8	71	0.00
51 T	4-Methyl-2-Pentanone	0.677	0.693	-2.4	90	0.00
52 CM	Toluene	0.874	0.889	-1.7#	90	0.00
53 T	t-1,3-Dichloropropene	0.533	0.563	-5.6	90	0.00
54 T	cis-1,3-Dichloropropene	0.589	0.615	-4.4	89	0.00
55 T	1,1,2-Trichloroethane	0.357	0.354	0.8	88	0.00
56 T	Ethyl methacrylate	0.637	0.652	-2.4	88	0.00
57 T	1,3-Dichloropropane	0.628	0.623	0.8	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.338	0.261	22.8#	64	0.00
59 T	2-Hexanone	0.532	0.541	-1.7	88	0.00
60 T	Dibromochloromethane	0.348	0.355	-2.0	87	0.00
61 T	1,2-Dibromoethane	0.360	0.364	-1.1	88	0.00
62 S	4-Bromofluorobenzene	0.461	0.413	10.4	76	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.343	0.348	-1.5	92	0.00
65 PM	Chlorobenzene	1.000	0.993	0.7	89	0.00
66 T	1,1,1,2-Tetrachloroethane	0.363	0.354	2.5	88	0.00
67 C	Ethyl Benzene	1.841	1.884	-2.3#	91	0.00
68 T	m/p-Xylenes	0.673	0.693	-3.0	91	0.00
69 T	o-Xylene	0.664	0.667	-0.5	90	0.00
70 T	Styrene	1.154	1.177	-2.0	90	0.00
71 P	Bromoform	0.295	0.303	-2.7	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.636	3.594	1.2	91	0.00
74 T	N-amyl acetate	2.120	2.111	0.4	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.355	1.267	6.5	87	0.00
76 T	1,2,3-Trichloropropane	1.160	1.116	3.8	89	0.00
77 T	Bromobenzene	0.902	0.886	1.8	92	0.00
78 T	n-propylbenzene	4.152	4.251	-2.4	93	0.00
79 T	2-Chlorotoluene	2.562	2.490	2.8	92	0.00
80 T	1,3,5-Trimethylbenzene	3.061	3.075	-0.5	92	0.00
81 T	trans-1,4-Dichloro-2-butene	0.453	0.446	1.5	87	0.00
82 T	4-Chlorotoluene	2.894	2.894	0.0	93	0.00
83 T	tert-Butylbenzene	2.978	2.931	1.6	91	0.00
84 T	1,2,4-Trimethylbenzene	3.073	3.090	-0.6	92	0.00
85 T	sec-Butylbenzene	3.531	3.564	-0.9	92	0.00
86 T	p-Isopropyltoluene	3.174	3.271	-3.1	93	0.00
87 T	1,3-Dichlorobenzene	1.609	1.593	1.0	91	0.00
88 T	1,4-Dichlorobenzene	1.622	1.599	1.4	92	0.00
89 T	n-Butylbenzene	2.869	3.068	-6.9	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA X\Data\VX052119\
Data File : VX009742.D
Acq On : 21 May 2019 12:12
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_X
LabSampleId :
VSTDCCC050

Quant Time: May 22 07:18:39 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X042919W.M
Quant Title : SW846 8260
QLast Update : Thu May 09 07:31:15 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.541	0.551	-1.8	91	0.00
91 T	1,2-Dichlorobenzene	1.639	1.574	4.0	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.304	0.281	7.6	82	0.00
93 T	1,2,4-Trichlorobenzene	1.121	1.154	-2.9	92	0.00
94 T	Hexachlorobutadiene	0.572	0.603	-5.4	96	0.00
95 T	Naphthalene	3.646	3.498	4.1	85	0.00
96 T	1,2,3-Trichlorobenzene	1.136	1.128	0.7	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6