

Data Path : Z:\VOASRV\HPCHEM1\MSVOA X\DATA\VX060418\
 Data File : VX002267.D
 Acq On : 04 Jun 2018 18:20
 Operator : JC/MD
 Sample : J3282-02
 Misc : 5.0mL/MSVOA X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE BLANK-WATERREF-5

Quant Time: Jun 05 05:45:19 2018
 Quant Method : Y:\VOASRV\HPCHEM1\MSVOA_X\METHOD\82X060418W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 05 03:22:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.67	168	279970	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.87	114	401366	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.12	117	363255	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.09	152	206298	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.07	65	192290	47.88	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.76%	
35) Dibromofluoromethane	5.51	113	141549	44.85	ug/l	0.00
Spiked Amount	50.000		Recovery	=	89.70%	
50) Toluene-d8	8.72	98	577199	47.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.42%	
62) 4-Bromofluorobenzene	11.14	95	201333	43.16	ug/l	0.00
Spiked Amount	50.000		Recovery	=	86.32%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA X\DATA\VX060418\
Data File : VX002267.D
Acq On : 04 Jun 2018 18:20
Operator : JC/MD
Sample : J3282-02
Misc : 5.0mL/MSVOA X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGEBLANK-WATERREF-5

Quant Time: Jun 05 05:45:19 2018
Quant Method : Y:\V0ASRV\HPCHEM1\MSVOA_X\METHOD\82X060418W.M
Quant Title : SW846 8260
QLast Update : Tue Jun 05 03:22:35 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.67 min Scan# 833

Delta R.T. -0.01 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20

Instrument :

MSVOA_X

ClientSampleId :


STORAGEBLANK-WATERREF-5

Tot Ion:168 Resp: 279970

Ion Ratio Lower Upper




168 100

99 52.1 39.3 58.9



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VX0



#33

1,2-Dichloroethane-d4

Concen: 47.883 ug/l

RT: 6.07 min Scan# 900

Delta R.T. -0.00 min

Lab File: VX002267.D


Acq: 04 Jun 2018 18:20

Tgt Ion: 65 Resp: 192290

Ion Ratio Lower Upper



65 100


67 51.3 0.0 102.6



Abundance Ion 64.90 (64.60 to 65.60): VX0

Ion 66.90 (66.60 to 67.60): VX0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.87 min Scan# 1030

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20

Instrument :

MSVOA_X

ClientSampleId :

STORAGEBLANK-WATERREF-5


Tot Ion:114 Resp: 401366

Ion Ratio Lower Upper

114 100

63 20.3 0.0 41.4




88 15.7 0.0 30.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VX0

Ion 87.90 (87.60 to 88.60): VX0



#35

Dibromofluoromethane

Concen: 44.845 ug/l

RT: 5.51 min Scan# 807

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20


Tgt Ion:113 Resp: 141549

Ion Ratio Lower Upper

113 100

111 102.8 81.4 122.0



192 23.2 19.1 28.7




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 47.709 ug/l

RT: 8.72 min Scan# 1334

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20

Instrument :

MSVOA_X

ClientSampleId :


STORAGEBLANK-WATERREF-5

Tot Ion: 98 Resp: 577199

Ion Ratio Lower Upper




98 100

100 63.6 50.9 76.3



Abundance Ion 98.00 (97.70 to 98.70): VX0

Ion 100.00 (99.70 to 100.70): VX



#62

4-Bromofluorobenzene

Concen: 43.156 ug/l

RT: 11.14 min Scan# 1731

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20


Tgt Ion: 95 Resp: 201333

Ion Ratio Lower Upper

95 100

174 93.5 0.0 187.4



176 90.0 0.0 181.0



Abundance Ion 94.90 (94.60 to 95.60): VX0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.12 min Scan# 1563

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20

Instrument :

MSVOA_X

ClientSampleId :

STORAGEBLANK-WATERREF-5


Tot Ion:117 Resp: 363255

Ion Ratio Lower Upper

117 100

82 57.5 45.0 67.4




119 32.1 25.8 38.6



Abundance Ion 116.90 (116.60 to 117.60): V

Ion 82.00 (81.70 to 82.70): VX0

Ion 118.90 (118.60 to 119.60): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 12.09 min Scan# 1886

Delta R.T. -0.00 min

Lab File: VX002267.D

Acq: 04 Jun 2018 18:20


Tgt Ion:152 Resp: 206298

Ion Ratio Lower Upper

152 100

115 54.2 40.1 120.2

150 153.8 0.0 347.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

